



SECTION

G

**Heating, Ventilating  
& Air Conditioning**

## Heating, Ventilating &amp; Air Conditioning

## Condensers, Furnaces

|                    |    |
|--------------------|----|
| Condensers .....   | G3 |
| Furnaces .....     | G4 |
| Air Handlers ..... | G4 |



## Accessories

|                                           |     |
|-------------------------------------------|-----|
| Thermostats .....                         | G5  |
| Refrigerant .....                         | G5  |
| Filters .....                             | G5  |
| Registers .....                           | G6  |
| Capacitors .....                          | G7  |
| Motors, Hard Start Kits, Drain Guns ..... | G8  |
| Regulators, Gauges, Contactors .....      | G9  |
| Cleaners, Plenums, Drain Pans .....       | G10 |
| Ventilation .....                         | G11 |

## Mini-Split System

|                         |     |
|-------------------------|-----|
| Mini-Split System ..... | G12 |
|-------------------------|-----|

### R410 CONDENSERS AND HEAT Pumps



Fraser-Johnston condensers and heat pumps can help meet your heating and cooling needs while staying within your budget. Their condenser units are equipped with essential features to cool your home quietly and effectively in warm weather, while their heat pumps can remove heat when it's warm and add heat when it's cool. Your heating and cooling installer can help you decide which Fraser-Johnston component is right for your home.

- A compact design and small footprint require minimal yard space
- Fraser-Johnston air conditioners and heat pumps operate quietly, with a maximum sound level of 76 decibels.
- Painted, galvanized steel cabinets resist rust and stand up to weather, helping to maintain the life of your unit.
- 10 year registered limited warranty\* / 5 year base limited warranty (R-410A Models)

### AIR CONDITIONERS

Vendor Code: **YIN**


| Catalog Number           | Tonnage | Dimensions (in.) |       |       | Price Each |
|--------------------------|---------|------------------|-------|-------|------------|
|                          |         | H                | W     | D     |            |
| 1-PH, 208/230V - 14 SEER |         |                  |       |       |            |
| TC4B1822S                | 1.5     | 30               | 24    | 24    | 1663.78    |
| TC4B2422S                | 2       | 26.75            | 29.25 | 29.25 | 1763.30    |
| TC4B3022S                | 2.5     | 26.75            | 29.25 | 29.25 | 1913.27    |
| TC4B3622S                | 3       | 30               | 29.25 | 29.25 | 2096.90    |
| TC4B4222S                | 3.5     | 36.25            | 29.25 | 29.25 | 2363.22    |
| TC4B4821S                | 4       | 33.25            | 35.25 | 31.75 | 2661.76    |
| TC4B6021S                | 5       | 36.25            | 38    | 34.25 | 3044.42    |
| 1-PH, 208/230V - 15 SEER |         |                  |       |       |            |
| TC7B1821S                | 1.5     | 30               | 29.25 | 29.25 | 2215.37    |
| TC7B2421S                | 2       | 30               | 29.25 | 29.25 | 2295.99    |
| TC7B3021S                | 2.5     | 36.25            | 35.25 | 31.75 | 2658.88    |
| TC7B3621S                | 3       | 36.25            | 35.25 | 31.75 | 2854.50    |
| TC7B4221S                | 3.5     | 39.5             | 38    | 34.25 | 3395.10    |
| TC7B4821S                | 4       | 39.5             | 38    | 34.25 | 3687.78    |
| TC7B6021S                | 5       | 42.75            | 38    | 34.25 | 3905.57    |

### HEAT Pumps

Vendor Code: **YIN**

| Catalog Number           | Tonnage | Dimensions (in.) |       |       | Price Each |
|--------------------------|---------|------------------|-------|-------|------------|
|                          |         | H                | W     | D     |            |
| 1-PH, 208/230V - 14 SEER |         |                  |       |       |            |
| TH4B1821S                | 1.5     | 33.25            | 29.25 | 29.25 | 2089.12    |
| TH4B2421S                | 2       | 36.25            | 29.25 | 29.25 | 2266.89    |
| TH4B3021S                | 2.5     | 39.5             | 35.25 | 31.75 | 2371.60    |
| TH4B3622S                | 3       | 39.5             | 38    | 34.25 | 2852.08    |
| TH4B4222S                | 3.5     | 39.5             | 38    | 34.25 | 2661.12    |
| TH4B4822S                | 4       | 39.5             | 38    | 34.25 | 3300.89    |
| TH4B6022S                | 5       | 42.5             | 38    | 34.25 | 3635.28    |
| 1-PH, 208/230V - 16 SEER |         |                  |       |       |            |
| TH16B2421S               | 2       | 33.25            | 29.25 | 29.25 | 2810.39    |
| TH16B3621S               | 3       | 39.5             | 29.25 | 29.25 | 2668.77    |
| TH16B4821S               | 4       | 39.5             | 35.25 | 31.75 | 3794.57    |
| TH16B6021S               | 5       | 39.5             | 35.25 | 31.75 | 4263.07    |

### R407C STRAIGHT COOLING CONDENSER GUARDIAN



The GAW14L models meet the Minimum Efficiencies in all US DOE Regions and are specifically designed to be matched with Johnson Controls Unitary Products R-407C indoor coils to provide a complete system solution.

- R22 System Compatible
- Independent panels provide quick access for unit setup. Installation time is reduced by easy power and control wiring access. The factory installed filterdrier means less time spent brazing and charging the system. The small base dimension and reduced unit clearances make for easier retrofits.
- Shipped with 1 LB. of R407C holding charge the remaining refrigerant must be field sourced and charged by a certified HVAC technician.
- The coated steel wire fan guard, coated external fasteners, and pre-treated G90-equivalent galvanized steel chassis components resist corrosion and rust creep. Powdercoat paint further protects external panels.

Vendor Code: **YIN**

| Catalog Number           | Tonnage | Dimensions (In.) |       |       | Price Each |
|--------------------------|---------|------------------|-------|-------|------------|
|                          |         | H                | W     | D     |            |
| 1-PH, 208/230V - 14 SEER |         |                  |       |       |            |
| GAW14L18C23S             | 1.5     | 30               | 29.25 | 29.25 | 1513.43    |
| GAW14L24C23S             | 2       | 30               | 29.25 | 29.25 | 1607.04    |
| GAW14L30C23S             | 2.5     | 36.25            | 29.25 | 29.25 | 1717.92    |
| GAW14L36C23S             | 3       | 33.25            | 35.25 | 31.75 | 1863.37    |
| GAW14L48C23S             | 4       | 36.25            | 38    | 34.25 | 2324.88    |
| GAW14L60C23S             | 5       | 42.25            | 38    | 34.25 | 2598.49    |

#### Please Note

HVAC products are available only at select Elliott Electric Supply locations. Please contact your local rep for details.

Refrigerant and products which contain refrigerant will only be sold to individuals in possession of a valid EPA certification, or if a valid certification is on file for customer's account.

\* Registered Limited Warranty terms are applicable if the products are registered within 60 days of installation. Products can be registered online at [www.upgproductregistration.com](http://www.upgproductregistration.com) otherwise Fraser-Johnston Base Limited Warranty terms will apply.


**SEER:** Seasonal Energy Efficiency Ratio. The higher the SEER ratio, the greater the efficiency.

**AFUE:** Annual Fuel Utilization Efficiency. The percentage of fuel burned converted to heat.

**FRASER-JOHNSTON**  
Heating • Air Conditioning  
a division of Johnson Controls  
MADE IN AMERICA

## FURNACES


80% AFUE



Vendor Code: YIN

| Catalog Number | Nominal CFM | BTU     | Dimensions (in.) |      |      | Price Each |
|----------------|-------------|---------|------------------|------|------|------------|
|                |             |         | H                | W    | D    |            |
| 115V           |             |         |                  |      |      |            |
| TM8E040A12MP11 | 1,200       | 40,000  | 33               | 14.5 | 29.5 | 1104.74    |
| TM8E060A12MP11 | 1,200       | 60,000  | 33               | 14.5 | 29.5 | 1140.63    |
| TM8E080B12MP11 | 1,200       | 80,000  | 33               | 17.5 | 29.5 | 1199.03    |
| TM8E080C16MP11 | 1,600       | 80,000  | 33               | 21   | 29.5 | 1242.21    |
| TM8E100B12MP11 | 1,200       | 100,000 | 33               | 17.5 | 29.5 | 1278.72    |
| TM8E100C16MP11 | 1,600       | 100,000 | 33               | 21   | 29.5 | 1285.40    |
| TM8E100C20MP11 | 2,000       | 100,000 | 33               | 21   | 29.5 | 1328.60    |
| TM8E120C20MP11 | 2,000       | 120,000 | 33               | 21   | 29.5 | 1422.90    |

## AIR HANDLERS




Vendor Code: YIN

| Motor Code: <b>AP</b> |         |                  |      |         |            |
|-----------------------|---------|------------------|------|---------|------------|
| Catalog Number        | Tonnage | Dimensions (in.) |      |         | Price Each |
|                       |         | H                | W    | D       |            |
| <b>PSC MOTOR</b>      |         |                  |      |         |            |
| <b>AP24BX21</b>       | 2       | 41               | 17.5 | 21.4375 | 1054.50    |
| <b>AP30BX21</b>       | 2.5     | 47.5             | 17.5 | 21.4375 | 1142.07    |
| <b>AP37CX21</b>       | 3       | 51.5             | 21   | 21.4375 | 1361.60    |
| <b>AP48CX21</b>       | 4       | 51.5             | 21   | 21.4375 | 1493.57    |
| <b>ECM MOTOR</b>      |         |                  |      |         |            |
| <b>AE24BX21</b>       | 2       | 41               | 17.5 | 21.4375 | 1253.79    |
| <b>AE36BX21</b>       | 3       | 47.5             | 17.5 | 21.4375 | 1443.60    |
| <b>AE48CX21</b>       | 4       | 51.5             | 21   | 21.4375 | 1729.66    |
| <b>AE60CX22</b>       | 5       | 55.5             | 21   | 21.4375 | 1967.56    |
| <b>AE60DX21</b>       | 5       | 55.5             | 24.5 | 21.4375 | 1999.65    |

**FRASER-JOHNSTON**  
Heating • Air Conditioning  
a division of Johnson Controls  
MADE IN AMERICA


## HEATER ELEMENTS



Vendor Code: YIN

| Catalog Number                                       | KW | Heater Amps | Price Each |
|------------------------------------------------------|----|-------------|------------|
| <b>W/SERVICE DISCONNECT</b>                          |    |             |            |
| S16HK16500506                                        | 5  | 20          | 138.62     |
| S16HK16500806                                        | 8  | 32          | 144.88     |
| S16HK16501006                                        | 10 | 40          | 163.14     |
| <b>W/SERVICE DISCONNECT &amp; BREAKER JUMPER BAR</b> |    |             |            |
| S16HK26501306                                        | 13 | 52          | 311.11     |
| S16HK26501506                                        | 15 | 60          | 311.19     |
| S16HK26501806                                        | 18 | 72          | 338.58     |
| S16HK26502006                                        | 20 | 80          | 350.12     |

## EXPANSION VALVES



Vendor Code: YIN

| Catalog Number           | Tonnage   | Price Each |
|--------------------------|-----------|------------|
| <b>TXV 3/4" CHATLEFF</b> |           |            |
| S11TVMBA1                | 1.5 - 3.5 | 87.20      |
| S11TVMBB1                | 2.5 - 4   | 87.20      |
| S11TVMBC1                | 4 - 5     | 87.20      |
| S11TVMBD1                | 5         | 87.67      |
| S11TVMBG1                | 5         | 92.27      |
| S11TVMBH1                | 1.5 - 3.5 | 86.23      |
| <b>TXV WASHER</b>        |           |            |
| S102131419000            |           | 1.06       |

## EVAPORATOR COILS

Vendor Code: YIN

| Catalog Number | Tonnage | Dimensions (in.) |       |      | Price Each |
|----------------|---------|------------------|-------|------|------------|
|                |         | H                | W     | D    |            |
| CM24AXA1       | 2       | 19.5             | 14.5  | 21.5 | 612.81     |
| CM30BXA1       | 2.5     | 25.5             | 17.5  | 21.5 | 700.91     |
| CM36BXA1       | 3       | 25.625           | 17.5  | 21.5 | 761.30     |
| CM36CXA1       | 3       | 25               | 21    | 21.5 | 777.64     |
| CM42CXA1       | 3.5     | 27               | 21    | 21.5 | 851.91     |
| CM48CXA1       | 4       | 33               | 21    | 21.5 | 956.33     |
| CM60CXA2       | 5       | 33               | 21    | 21.5 | 1150.11    |
| CM64DXA1       | 5       | 32.75            | 242.5 | 21.5 | 1508.76    |


**SEER:** Seasonal Energy Efficiency Ratio. The higher the SEER ratio, the greater the efficiency.

**AFUE:** Annual Fuel Utilization Efficiency. The percentage of fuel burned converted to heat.


**Please Note**

HVAC products are available only at select Elliott Electric Supply locations. Please contact your local rep for details.


## THERMOSTATS ROBERTSHAW




9200H



RS332N



RS1110



RS6220

Vendor Code: **RSW**

| Catalog Number          | Stages | Display Size | Switching/Voltage | Control Type         | Temp. Range | Price Each |
|-------------------------|--------|--------------|-------------------|----------------------|-------------|------------|
| <b>NON-PROGRAMMABLE</b> |        |              |                   |                      |             |            |
| 9200H                   | 1H/1C  | Dial         | SPDT 24V          | Mechanical           | 50F-90F     | 29.02      |
| 80122*                  | 1H     | Dial         | SPST 120/240/277  | Mechanical           | 50F-90F     | 17.50      |
| 80222*                  | 1H     | Dial         | DPST 120/240/277  | Mechanical           | 50F-90F     | 23.34      |
| RS4110                  | 1H/1C  | 2.25" x 1"   | 24V               | Electronic           | 45F-90F     | 52.42      |
| RS4220                  | 2H/2C  | 2.25" x 1"   | 24V               | Electronic           | 45F-90F     | 57.42      |
| RS311N                  | 1H/1C  | 1" x 2"      | SPDT 24V          | Electronic           | 38F-108F    | 85.03      |
| RS321N                  | 2H/1C  | 1" x 2"      | 24V               | Electronic           | 38F-108F    | 106.31     |
| RS332N                  | 3H/2C  | 1" x 2"      | 24V               | Electronic           | 38F-108F    | 114.65     |
| <b>PROGRAMMABLE</b>     |        |              |                   |                      |             |            |
| RS1110                  | 1H/1C  | 2" x 1.75"   | SPDT 24V          | Electronic           | 40F-90F     | 27.09      |
| RS6110                  | 1H/1C  | 2.25" x 1"   | SPDT 24V          | Electronic           | 45F-90F     | 63.78      |
| RS6220                  | 2H/2C  | 2.25" x 1"   | 24V               | Electronic           | 45F-90F     | 71.25      |
| RS6320                  | 3H/2C  | 2.25" x 1"   | 24V               | Electronic           | 45F-90F     | 98.18      |
| RS7210                  | 2H/1C  | 4.5"         | 24V               | Electronic with WiFi | 46F-99F     | 106.66     |

\*These Items are Suitable for Use with Electric Systems Only. All Others are Suitable for Use with Gas/Oil/Electric/Heat Pump Systems.

## THERMOSTATS PRO1 - IAQ



T701



T801



T755S



T855I

Vendor Code: **IAQ**

| Catalog Number          | Stages                | Display Size | Switching/Voltage | Control Type         | Temp Range | Price Each |
|-------------------------|-----------------------|--------------|-------------------|----------------------|------------|------------|
| <b>NON-PROGRAMMABLE</b> |                       |              |                   |                      |            |            |
| T701                    | 1H/1C                 | 4"           | 24V               | Electronic           | 44F-90F    | 49.34      |
| T771                    | 1H or 1C              | 4"           | 24V               | Electronic           | 25F-99F    | 48.29      |
| T721                    | 1H/1C CONV / 2H/1C HP | 4"           | 24V               | Electronic           | 44F-90F    | 66.07      |
| T801                    | 1H/1C                 | 8"           | 24V               | Electronic           | 44F-90F    | 74.73      |
| <b>PROGRAMMABLE</b>     |                       |              |                   |                      |            |            |
| T705                    | 1H/1C                 | 4"           | 24V               | Electronic           | 44F-90F    | 57.36      |
| T725                    | 1H/1C CONV / 2H/1C HP | 4"           | 24V               | Electronic           | 44F-90F    | 75.51      |
| T755                    | 2H/2C CONV / 3H/2C HP | 6"           | 24V               | Electronic           | 44F-90F    | 100.26     |
| T805                    | 1H/1C                 | 8"           | 24V               | Electronic           | 44F-90F    | 103.38     |
| T701I                   | 1H/1C                 | 4"           | 24V               | Electronic with WiFi | 44F-90F    | 109.45     |
| T755S                   | 2H/2C CONV / 3H/2C HP | 6"           | 24V               | Electronic           | 44F-90F    | 125.68     |
| T855S                   | 2H/2C CONV / 3H/2C HP | 8"           | 24V               | Electronic           | 44F-90F    | 103.93     |
| T855SH                  | 2H/2C CONV / 5H/3C HP | 8"           | 24V               | Electronic           | 44F-90F    | 142.10     |
| T905                    | 1H/1C                 | 13"          | 24V               | Electronic           | 44F-90F    | 119.66     |
| T955                    | 2H/2C CONV / 3H/2C HP | 13"          | 24V               | Electronic           | 44F-90F    | 145.35     |
| T855I                   | 2H/2C CONV / 4H/2C HP | 8"           | 24V               | Electronic with WiFi | 44F-90F    | 144.08     |
| T955S                   | 2H/2C CONV / 3H/2C HP | 13"          | 24V               | Electronic           | 44F-90F    | 163.68     |

These Items are Suitable for Use with Gas/Oil/Electric/Heat Pump Systems.

## REFRIGERANT


Vendor Code: **RFR**


| Catalog Number | Cylinder Size (lb) | Price Each |
|----------------|--------------------|------------|
| R134A30        | 30                 | 364.97     |
| R2230          | 30                 | 991.49     |
| R404A24        | 24                 | 466.37     |
| R407C25        | 25                 | 318.32     |
| R410A25        | 25                 | 466.63     |
| R421A25        | 25                 | 539.61     |
| R422B25        | 25                 | 343.32     |
| R438A25        | 25                 | 432.95     |

### Please Note

Refrigerant is a commodity and is subject to weekly price changes.

Refrigerant and products which contain refrigerant will only be sold to individuals in possession of a valid EPA certification, or if a valid certification is on file for customer's account.

## WIRE BACK PLEATED FILTER MX 40 MERV 8



Vendor Code: **CLR**

| Catalog Number | Size           | Price Each |
|----------------|----------------|------------|
| 450122         | 12" X 12" X 1" | 6.85       |
| 450100         | 12" X 24" X 1" | 5.66       |
| 450139         | 14" X 20" X 1" | 6.24       |
| 450141         | 14" X 25" X 1" | 6.60       |
| 450245         | 15" X 20" X 2" | 6.18       |
| 450243         | 16" X 16" X 2" | 6.38       |
| 450101         | 16" X 20" X 1" | 6.28       |
| 450201         | 16" X 20" X 2" | 6.62       |
| 450401         | 16" X 20" X 4" | 11.00      |
| 450102         | 16" X 25" X 1" | 6.60       |
| 450202         | 16" X 25" X 2" | 6.96       |
| 450402         | 16" X 25" X 4" | 12.20      |
| 450180         | 18" X 20" X 1" | 6.60       |
| 450112         | 18" X 24" X 1" | 6.72       |
| 450103         | 20" X 20" X 1" | 6.60       |
| 450203         | 20" X 20" X 2" | 6.96       |
| 450403         | 20" X 20" X 4" | 12.04      |
| 450111         | 20" X 24" X 1" | 6.38       |
| 450104         | 20" X 25" X 1" | 6.76       |
| 450204         | 20" X 25" X 2" | 7.36       |
| 450404         | 20" X 25" X 4" | 12.96      |
| 450132         | 20" X 30" X 1" | 6.84       |
| 450105         | 24" X 24" X 1" | 7.40       |
| 450205         | 24" X 24" X 2" | 7.54       |
| 450125         | 25" X 25" X 1" | 7.44       |

R8 FLEX DUCT  
25' BAG

Vendor Code: FXD

| Catalog Number | Size | Price Each |
|----------------|------|------------|
| FD4R8          | 4"   | 57.45      |
| FD5R8          | 5"   | 62.20      |
| FD6R8          | 6"   | 65.16      |
| FD7R8          | 7"   | 73.17      |
| FD8R8          | 8"   | 80.06      |
| FD9R8          | 9"   | 88.11      |
| FD10R8         | 10"  | 96.06      |
| FD12R8         | 12"  | 118.14     |
| FD14R8         | 14"  | 140.18     |
| FD16R8         | 16"  | 167.15     |
| FD18R8         | 18"  | 198.05     |
| FD20R8         | 20"  | 261.13     |

SUPPLY AIR REGISTERS  
3 WAY CEILING


Vendor Code: GDR

| Catalog Number | Size     | Price Each |
|----------------|----------|------------|
| 3SW0804        | 8" x 4"  | 4.91       |
| 3SW1006        | 10" x 6" | 6.30       |
| 3SW1008        | 10" x 8" | 7.22       |
| 3SW1206        | 12" x 6" | 6.83       |
| 3SW1208        | 12" x 8" | 8.96       |
| 3SW1406        | 14" x 6" | 8.41       |
| 3SW1408        | 14" x 8" | 9.94       |

SUPPLY AIR REGISTERS  
CURVED


Vendor Code: GDR

| Catalog Number | Size     | Price Each |
|----------------|----------|------------|
| <b>1 WAY</b>   |          |            |
| 1CB0804        | 8" x 4"  | 5.16       |
| 1CB1006        | 10" x 6" | 6.65       |
| 1CB1008        | 10" x 8" | 7.60       |
| 1CB1206        | 12" x 6" | 7.16       |
| 1CB1208        | 12" x 8" | 9.39       |
| 1CB1406        | 14" x 6" | 8.81       |
| 1CB1408        | 14" x 8" | 10.66      |
| <b>3 WAY</b>   |          |            |
| 3CB0804        | 8" x 4"  | 5.16       |
| 3CB1006        | 10" x 6" | 6.65       |
| 3CB1008        | 10" x 8" | 7.60       |
| 3CB1206        | 12" x 6" | 7.16       |
| 3CB1208        | 12" x 8" | 9.39       |
| 3CB1406        | 14" x 6" | 8.81       |
| 3CB1408        | 14" x 8" | 10.66      |

STAMPED RETURN AIR  
FLAT GRILLE


Vendor Code: GDR

| Catalog Number | Size      | Price Each |
|----------------|-----------|------------|
| 1RA0606        | 6" x 6"   | 2.40       |
| 1RA0804        | 8" x 4"   | 2.38       |
| 1RA0808        | 8" x 8"   | 3.49       |
| 1RA1006        | 10" x 6"  | 3.23       |
| 1RA1008        | 10" x 8"  | 4.55       |
| 1RA1010        | 10" x 10" | 5.65       |
| 1RA1206        | 12" x 6"  | 3.83       |
| 1RA1212        | 12" x 12" | 5.73       |
| 1RA1406        | 14" x 6"  | 4.02       |
| 1RA1408        | 14" x 8"  | 4.40       |
| 1RA1414        | 14" x 14" | 8.19       |
| 1RA1608        | 16" x 8"  | 5.65       |
| 1RA1610        | 16" x 10" | 6.78       |
| 1RA1810        | 18" x 10" | 7.81       |
| 1RA2010        | 20" x 10" | 8.55       |
| 1RA2020        | 20" x 20" | 16.04      |
| 1RA2025        | 20" x 25" | 18.68      |
| 1RA2410        | 24" x 10" | 9.10       |
| 1RA2412        | 24" x 12" | 11.45      |
| 1RA2516        | 25" x 16" | 15.24      |
| 1RA2520        | 25" x 20" | 18.68      |
| 1RA3010        | 30" x 10" | 11.17      |
| 1RA3012        | 30" x 12" | 12.88      |
| 1RA3014        | 30" x 14" | 15.31      |
| 1RA3020        | 30" x 20" | 21.72      |

STAMPED RETURN AIR  
FILTER GRILLE

Vendor Code: GDR

| Catalog Number | Size      | Price Each |
|----------------|-----------|------------|
| 1RAF1212       | 12" x 12" | 15.00      |
| 1RAF1425       | 14" x 25" | 28.50      |
| 1RAF1625       | 16" x 25" | 31.02      |
| 1RAF2020       | 20" x 20" | 27.01      |
| 1RAF2025       | 20" x 25" | 33.74      |
| 1RAF2030       | 20" x 30" | 45.99      |
| 1RAF2514       | 25" x 14" | 28.50      |
| 1RAF2516       | 25" x 16" | 31.02      |
| 1RAF2520       | 25" x 20" | 33.74      |
| 1RAF3020       | 30" x 20" | 43.09      |

SUPPLY AIR REGISTERS  
ADJUSTABLE BLADE

Vendor Code: GDR

| Catalog Number | Size     | Price Each |
|----------------|----------|------------|
| SDFSABS0804    | 8" x 4"  | 10.11      |
| SDFSABS1006    | 10" x 6" | 12.40      |
| SDFSABS1008    | 10" x 8" | 14.81      |
| SDFSABS1206    | 12" x 6" | 14.51      |
| SDFSABS1208    | 12" x 8" | 17.07      |
| SDFSABS1406    | 14" x 6" | 16.56      |
| SDFSABS1408    | 14" x 8" | 25.14      |

SUPPLY AIR REGISTERS  
2 WAY SIDEWALL

Vendor Code: GDR

| Catalog Number | Size     | Price Each |
|----------------|----------|------------|
| 2SW0804        | 8" x 4"  | 4.91       |
| 2SW1006        | 10" x 6" | 6.30       |
| 2SW1206        | 12" x 6" | 6.83       |
| 2SW1406        | 14" x 6" | 8.41       |

## CONCRETE PADS

Vendor Code: DVV

| Catalog Number | Size           | Price Each |
|----------------|----------------|------------|
| L30303         | 30" x 30" x 3" | 71.72      |
| L36363         | 36" x 36" x 3" | 94.51      |
| L36423         | 36" x 42" x 3" | 105.97     |

## PLASTIC PADS

Vendor Code: DVV

| Catalog Number | Size           | Price Each |
|----------------|----------------|------------|
| EL30303        | 30" x 30" x 3" | 60.01      |
| EL36363        | 36" x 36" x 3" | 71.12      |
| EL36483        | 36" x 48" x 3" | 95.72      |

## Please Note

HVAC products are available only at select Elliott Electric Supply locations. Please contact your local rep for details.



## Motor Run Capacitors

### MOTOR RUN CAPACITOR

370/440V



Oval Can



Round Can

Vendor Code: **GBL**

| Catalog Number | MicroFarads | Price Each |
|----------------|-------------|------------|
|----------------|-------------|------------|

#### SINGLE CAPACITANCE - OVAL

|      |      |       |
|------|------|-------|
| 2028 | 4    | 8.32  |
| 2029 | 5    | 7.77  |
| 2031 | 7.5  | 8.98  |
| 2032 | 10   | 9.99  |
| 2033 | 12.5 | 12.00 |
| 2034 | 15   | 12.81 |
| 2036 | 17.5 | 6.25  |
| 2035 | 20   | 9.60  |
| 2040 | 25   | 6.25  |
| 2043 | 35   | 10.03 |
| 2045 | 40   | 13.92 |
| 2048 | 45   | 15.29 |
| 2052 | 55   | 5.85  |
| 2054 | 60   | 18.75 |

#### SINGLE CAPACITANCE - ROUND

|       |      |       |
|-------|------|-------|
| 2252  | 4    | 9.60  |
| 2253  | 5    | 9.81  |
| 2255  | 7.5  | 10.97 |
| 2256  | 10   | 12.29 |
| 2257  | 12.5 | 13.26 |
| 2258  | 15   | 14.30 |
| 2259  | 17.5 | 15.46 |
| 2260  | 20   | 16.49 |
| 2261  | 25   | 18.80 |
| 2262  | 30   | 20.89 |
| 2263  | 35   | 23.99 |
| 2264  | 40   | 26.72 |
| 2265  | 45   | 29.19 |
| 2266  | 50   | 32.29 |
| 2267  | 55   | 36.53 |
| 2299B | 60   | 40.96 |
| 2295  | 65   | 43.80 |
| 2296  | 80   | 50.07 |

#### DUAL CAPACITANCE

|        |        |       |
|--------|--------|-------|
| 2271   | 25/5   | 21.76 |
| 2272   | 30/5   | 24.08 |
| 2273   | 35/5   | 25.78 |
| 2290   | 40/5   | 30.50 |
| 2297   | 45/5   | 32.06 |
| 2298A  | 40/7.5 | 30.16 |
| 2299   | 45/7.5 | 32.22 |
| 2299A  | 50/5   | 34.53 |
| 2267B  | 55/5   | 34.51 |
| 2298B  | 60/6   | 37.26 |
| 2298   | 60/7.5 | 38.26 |
| 2299AA | 80/5   | 45.16 |

Metal Cans

Replacement capacitors must be as high or higher than the original and same MicroFarads.

### MOTOR RUN CAPACITOR

370/440V

MADE IN THE U.S.A.



Round Can

Vendor Code: **GBL**

| Catalog Number | MicroFarads | Price Each |
|----------------|-------------|------------|
|----------------|-------------|------------|

#### SINGLE CAPACITANCE - ROUND

|         |      |       |
|---------|------|-------|
| USA2204 | 5    | 17.44 |
| USA2206 | 7.5  | 17.39 |
| USA2207 | 10   | 19.84 |
| USA2208 | 12.5 | 20.32 |
| USA2209 | 15   | 19.86 |
| USA2211 | 20   | 25.26 |
| USA2212 | 25   | 29.52 |
| USA2213 | 30   | 32.47 |
| USA2214 | 35   | 36.16 |
| USA2215 | 40   | 40.32 |
| USA2216 | 45   | 42.12 |
| USA2217 | 50   | 47.53 |
| USA2218 | 55   | 51.04 |
| USA2219 | 60   | 53.90 |
| USA2220 | 65   | 57.42 |
| USA2228 | 70   | 62.46 |
| USA2229 | 80   | 79.13 |

#### DUAL CAPACITANCE - ROUND

|           |        |       |
|-----------|--------|-------|
| USA2225   | 25/5   | 32.57 |
| USA2226   | 30/5   | 37.01 |
| USA2227   | 35/5   | 39.08 |
| USA2291   | 35/7.5 | 44.14 |
| USA2235   | 40/5   | 47.21 |
| USA2232   | 40/7.5 | 45.51 |
| USA2236   | 45/5   | 51.36 |
| USA2233   | 45/7.5 | 48.36 |
| USA2237   | 50/5   | 54.43 |
| USA2240   | 55/5   | 57.37 |
| USA2220B  | 60/5   | 62.89 |
| USA2222BA | 80/5   | 81.24 |

Metal Cans

### TURBO MULTI RUN CAPACITOR

370/440V

Vendor Code: **GBL**

| Catalog Number | MicroFarads | Price Each |
|----------------|-------------|------------|
|----------------|-------------|------------|

#### OVAL

|               |        |       |
|---------------|--------|-------|
| TURB0MINIOVAL | 2.5-15 | 21.81 |
|---------------|--------|-------|

#### ROUND

|          |          |        |
|----------|----------|--------|
| TURB0200 | 2.5-67.5 | 108.61 |
|----------|----------|--------|

### TURBO START CAPACITOR

330V

Vendor Code: **GBL**

| Catalog Number | MicroFarads | Price Each |
|----------------|-------------|------------|
|----------------|-------------|------------|

|              |       |       |
|--------------|-------|-------|
| TURB0LYTICJR | 0-277 | 51.00 |
|--------------|-------|-------|

|              |       |       |
|--------------|-------|-------|
| TURB0LYTIC50 | 0-302 | 60.65 |
|--------------|-------|-------|

### MOTOR RUN CAPACITOR

370/440V



Round Can

Vendor Code: **MAI**

| Catalog Number | MicroFarads | Price Each |
|----------------|-------------|------------|
|----------------|-------------|------------|

#### DUAL CAPACITANCE - ROUND

|       |        |       |
|-------|--------|-------|
| 12816 | 80/7.5 | 27.28 |
| 12821 | 80/10  | 33.71 |

Metal Cans

### MOTOR START CAPACITOR


Vendor Code: **MAI**

| Catalog Number | MicroFarads | Price Each |
|----------------|-------------|------------|
|----------------|-------------|------------|

#### 110/125V

|       |         |      |
|-------|---------|------|
| 11910 | 108-130 | 4.19 |
| 11913 | 145-174 | 4.32 |
| 11914 | 161-193 | 4.46 |
| 11915 | 189-227 | 4.59 |
| 11916 | 200-240 | 5.26 |
| 11917 | 216-259 | 4.97 |
| 11918 | 233-291 | 5.00 |
| 11919 | 270-324 | 5.29 |
| 11921 | 324-388 | 5.48 |
| 11924 | 400-480 | 6.84 |
| 11925 | 460-552 | 6.77 |
| 11926 | 540-648 | 7.24 |
| 11927 | 590-708 | 8.42 |
| 11929 | 829-995 | 9.94 |

#### 220/250V

|       |         |       |
|-------|---------|-------|
| 11944 | 72-88   | 5.88  |
| 11946 | 108-130 | 7.35  |
| 11948 | 124-155 | 8.16  |
| 11949 | 145-175 | 8.33  |
| 11950 | 161-193 | 9.55  |
| 11951 | 189-227 | 11.08 |
| 11952 | 216-259 | 11.50 |
| 11953 | 233-292 | 11.98 |
| 11954 | 270-324 | 14.21 |

#### 330V


|       |         |       |
|-------|---------|-------|
| 11962 | 88-108  | 7.61  |
| 11965 | 124-156 | 8.47  |
| 11966 | 145-174 | 10.19 |
| 11968 | 189-227 | 11.67 |
| 11970 | 270-324 | 14.81 |

## CONDENSER FAN MOTORS BALL BEARING SHAFT 1/2" X 6"

Vendor Code: **PEM**

| Catalog Number                          | HP      | RPM   | FLA     | Price Each |
|-----------------------------------------|---------|-------|---------|------------|
| <b>SINGLE SPEED, 208 - 230V</b>         |         |       |         |            |
| EM3404                                  | 1/4     | 825   | 1.5     | 142.63     |
| EM3405                                  | 1/3     | 825   | 1.8     | 142.01     |
| EM3727                                  | 1/6     | 1,075 | 1.3     | 79.56      |
| EM3728                                  | 1/4     | 1,075 | 1.8     | 136.56     |
| EM3729                                  | 1/3     | 1,075 | 2.5     | 165.94     |
| EM3730                                  | 1/2     | 1,075 | 3.5     | 181.82     |
| EM3731                                  | 3/4     | 1,075 | 5.3     | 211.64     |
| <b>MULTIPLE HP, TWO SPEED, 208/230V</b> |         |       |         |            |
| EM3469                                  | 1/3-1/5 | 825   | 1.9/1.2 | 176.72     |
| EM3465                                  | 1/3-1/5 | 1,075 | 2.6/1.4 | 165.10     |
| EM3468                                  | 1/2-1/4 | 1,075 | 3.6/1.7 | 191.68     |

## DIRECT DRIVE FURNACE BLOWER MOTORS SLEEVE BEARING SHAFT 1/2" X 6"

Vendor Code: **PEM**

| Catalog Number                       | HP      | RPM  | FLA  | Price Each |
|--------------------------------------|---------|------|------|------------|
| <b>THREE SPEED, 115V</b>             |         |      |      |            |
| EM3583                               | 1/4     | 1075 | 4.6  | 151.50     |
| EM3585                               | 1/3     | 1075 | 6.7  | 150.32     |
| EM3587                               | 1/2     | 1075 | 10.2 | 183.36     |
| EM3589                               | 3/4     | 1075 | 11.3 | 188.68     |
| <b>THREE SPEED, 230V</b>             |         |      |      |            |
| EM3584                               | 1/4     | 1075 | 2.2  | 135.04     |
| EM3586                               | 1/3     | 1075 | 2.9  | 172.02     |
| EM3588                               | 1/2     | 1075 | 5    | 179.76     |
| EM3590                               | 3/4     | 1075 | 5.4  | 190.68     |
| <b>MULTIPLE HP, FOUR SPEED, 115V</b> |         |      |      |            |
| EM3463                               | 1/2-1/6 | 1075 | 7    | 173.10     |
| EM3466                               | 3/4-1/5 | 1075 | 8.1  | 203.78     |
| <b>MULTIPLE HP, FOUR SPEED, 230V</b> |         |      |      |            |
| EM3464                               | 1/2-1/6 | 1075 | 3.9  | 196.48     |
| EM3467                               | 3/4-1/5 | 1075 | 3.8  | 203.82     |

## HARD START KITS

Vendor Code: **CPO**

| Catalog Number | Description                  | Price Each |
|----------------|------------------------------|------------|
| CSRU1          | for 1 - 3 Ton Compressor     | 44.39      |
| CSRU2          | for 3 1/2 - 5 Ton Compressor | 54.15      |
| CSRU3          | for 4 - 5 Ton Compressor     | 59.99      |

## COMPRESSOR TERMINAL REPAIR KITS

Vendor Code: **MSR**

| Catalog Number              | Wire    | Price Each |
|-----------------------------|---------|------------|
| <b>3 LUGS / MALE SPADES</b> |         |            |
| QT2800                      | No Wire | 30.29      |
| <b>3 LUGS / 2' LEADS</b>    |         |            |
| QT2812                      | 12 AWG  | 31.70      |
| QT2810                      | 10 AWG  | 32.42      |
| <b>3 LUGS / 4' LEADS</b>    |         |            |
| QT2912                      | 12 AWG  | 34.14      |
| QT2910                      | 10 AWG  | 35.60      |

## ADDITIVE INJECTION TOOL

Vendor Code: **MSR**

| Catalog Number | Bottle Size | Price Each |
|----------------|-------------|------------|
| QT2510         | 1/2 oz.     | 33.05      |
| QT2520         | 2 oz.       | 57.72      |
| QT2511         | 4 oz.       | 82.88      |

## ACID NEUTRALIZER ALL OILS

Vendor Code: **MSR**

| Catalog Number | Bottle Size | Price Each |
|----------------|-------------|------------|
| QT2511         | 1/2 oz.     | 82.88      |

## REPLACEMENT O-RINGS

Vendor Code: **MSR**


| Catalog Number | Description            | Price Each |
|----------------|------------------------|------------|
| QT2512         | for 1/2 oz. Injector   | 7.60       |
| QT2513         | for 2 & 4 oz. Injector | 8.04       |

## 2 SECOND ACID TEST KIT

Vendor Code: **MSR**


| Catalog Number | Bottle Size | Price Each |
|----------------|-------------|------------|
| QT2511         | 1/2 oz.     | 82.88      |

## DRAIN GUN

Vendor Code: **MOR**

| Catalog Number | Description                              | Price Each |
|----------------|------------------------------------------|------------|
| TGG1           | Charles Gallo Brand Drain Gun            | 61.33      |
| TGG1A          | Drain Gun Adapter Kit                    | 17.99      |
| TGGC12         | Package of 12 CO <sub>2</sub> Cartridges | 61.78      |
| TGGC6          | Package of 6 CO <sub>2</sub> Cartridges  | 26.55      |

## CONDENSATE PUMPS

Vendor Code: **MOR**

| Catalog Number | Description                          | Price Each |
|----------------|--------------------------------------|------------|
| CP22T          | 120V, 22' Lift, with 20' of 3/8" CVT | 106.10     |
| CP22230T       | 230V, 22' Lift, with 20' of 3/8" CVT | 139.52     |
| CP22LP         | 120V, 22' Lift, Low Profile Unit     | 128.47     |

### Please Note

HVAC products are available only at select Elliott Electric Supply locations. Please contact your local rep for details.

Refrigerant and products which contain refrigerant will only be sold to individuals in possession of a valid HVAC license, or if a valid license is on file for customer's account.

## SOLDERING



SB61




1400351

Vendor Code: **HRR**

| Catalog Number | Description                   | Price Each |
|----------------|-------------------------------|------------|
| <b>SCPF4</b>   | Soft Solder Flux 4 oz. Bottle | 4.44       |
| <b>SB61</b>    | Stay Brite 1/8" x 1# Spool    | 68.94      |
| <b>1601112</b> | Heat-Tip HA-81 Soft Solder    | 91.50      |
| <b>1400351</b> | Hand Held Trigger Torch       | 94.15      |
| <b>4400083</b> | B Tank Soldering Kit W/O      | 372.97     |

## REGULATORS


Vendor Code: **HRR**

| Catalog Number | Description                | Price Each |
|----------------|----------------------------|------------|
| <b>3000407</b> | Acet. Regulator 0-30 psig  | 110.90     |
| <b>3000412</b> | Oxygen Regulator 0-80 psig | 110.90     |
| <b>3000606</b> | Nitrogen Regulator 25GX-5  | 181.53     |

## REPLACEMENT GAUGES


Vendor Code: **HRR**


| Catalog Number | Description                       | Price Each |
|----------------|-----------------------------------|------------|
| <b>4300749</b> | Acet. Replacement Gauge Outlet    | 19.64      |
| <b>4300750</b> | Acet. Replacement Gauge Inlet     | 19.64      |
| <b>4300751</b> | Oxy. Replacement Gauge 0-400 psi  | 19.64      |
| <b>4300752</b> | Oxy. Replacement Gauge 0-4000 psi | 19.64      |

## HOSES


Vendor Code: **HRR**

| Catalog Number | Description                                 | Price Each |
|----------------|---------------------------------------------|------------|
| <b>HOSES</b>   |                                             |            |
| <b>4300775</b> | 3/16" x 12' Red Acetylene Only              | 36.31      |
| <b>4300155</b> | 3/16" x 12' Oxygen/Acetylene Green/Red Hose | 46.81      |

## HVAC PORT-A-TORCH®



The Harris HVAC Port-A-Torch contains all the quality equipment needed for brazing. Packaged in a rugged, molded plastic carrying case, the solid brass brazing handle and cutting attachment have industry standard connections which make them compatible with most brazing equipment. The outfit is designed to carry one MC acetylene cylinder and one 20 cu. ft. oxygen cylinder. As supplied, the outfit is capable of cutting up to a 1" plate and welding up to a 1/16" plate. The outfit can cut up to a 4" plate and weld up to a 1/2" plate with larger tips and acetylene cylinder.

Vendor Code: **HRR**

| Catalog Number | Description                                              | Price Each |
|----------------|----------------------------------------------------------|------------|
| <b>4400176</b> | Oxygen/Acetylene Welding/Cutting Torch Kit without Tanks | 380.19     |

Accessories Include Goggles, Striker, 12-1/2" x 3/16" A to A Hose.

## WELDING / CUTTING TOOLS ACCESSORIES



4300834



SSWF7

Vendor Code: **HRR**

| Catalog Number | Description                                        | Price Each |
|----------------|----------------------------------------------------|------------|
| <b>4300418</b> | Replacement Flints for Striker                     | 2.72       |
| <b>4300834</b> | Flint Striker with Replaceable Flint               | 20.38      |
| <b>4300833</b> | Tip Cleaner                                        | 3.55       |
| <b>SSWF7</b>   | Silver Solder Flux 6.5 oz. Bottle                  | 5.07       |
| <b>1601775</b> | #5 Welding Tip                                     | 27.55      |
| <b>8808850</b> | MC-B Valve Adaptor                                 | 21.85      |
| <b>8808851</b> | B-MC Valve Adaptor                                 | 21.85      |
| <b>4531</b>    | Safety-Silv 45% 1/16" x 1 to. pkg.                 | 24.33      |
| <b>5620F1</b>  | Stay-Silv 5% .5 x 1/8" x 28" stick                 | 42.99      |
| <b>4533</b>    | Safety-Silv 45% 1/16" x 3 to. pkg.                 | 70.89      |
| <b>45F3184</b> | Safety-Silv 45% 1/16" x 18" 4 oz. Nine Blue Sticks | 77.93      |
| <b>15620F1</b> | Stay-Silv 15% .50 x 1/8" x 28" stick               | 126.55     |

## LEAK REPAIR


Vendor Code: **ACQ**

| Catalog Number  | Description                          | Price Each |
|-----------------|--------------------------------------|------------|
| <b>LD8</b>      | 8 oz. Leak Detector                  | 6.91       |
| <b>FLT32</b>    | 32 oz. Spray Leak Detector           | 15.96      |
| <b>ASEZPRO</b>  | Ace Seal Leak Stop up to 1.5 Tons    | 43.47      |
| <b>ASEZPRO+</b> | Ace Seal Leak Stop 1.5 Tons - 5 Tons | 47.17      |

## CONTACTORS WITH LUGS


Vendor Code: **GBL**

| Catalog Number           | Amperage | Price Each |
|--------------------------|----------|------------|
| <b>3 POLES, 24V</b>      |          |            |
| <b>N4113</b>             | 30       | 24.73      |
| <b>N4116</b>             | 40       | 35.03      |
| <b>N4128</b>             | 50       | 77.66      |
| <b>3 POLES, 120V</b>     |          |            |
| <b>N4114</b>             | 30       | 24.73      |
| <b>N4117</b>             | 40       | 35.03      |
| <b>N4129</b>             | 50       | 77.66      |
| <b>N4135</b>             | 75       | 97.42      |
| <b>3 POLES, 208/240V</b> |          |            |
| <b>N4115</b>             | 30       | 24.73      |
| <b>N4118</b>             | 40       | 35.03      |
| <b>N4130</b>             | 50       | 77.66      |
| <b>N4133</b>             | 60       | 87.00      |
| <b>N4136</b>             | 75       | 129.59     |

## CONTACTORS WITH LUGS & QUAD QC

Vendor Code: **GBL**

| Catalog Number           | Amperage | Price Each |
|--------------------------|----------|------------|
| <b>1.5 POLES, 24V</b>    |          |            |
| <b>N4143</b>             | 30       | 12.32      |
| <b>N4164</b>             | 40       | 15.09      |
| <b>2 POLES, 24V</b>      |          |            |
| <b>N4104</b>             | 25       | 15.75      |
| <b>N4107</b>             | 30       | 16.48      |
| <b>N4161</b>             | 40       | 19.54      |
| <b>2 POLES, 120V</b>     |          |            |
| <b>N4105</b>             | 25       | 15.75      |
| <b>N4108</b>             | 30       | 15.91      |
| <b>N4162</b>             | 40       | 18.05      |
| <b>2 POLES, 208/240V</b> |          |            |
| <b>N4106</b>             | 25       | 15.75      |
| <b>N4109</b>             | 30       | 15.91      |
| <b>N4163</b>             | 40       | 18.05      |

## CLEANERS



CCL1

Vendor Code: **ACQ**

| Catalog Number | Description                                                      | Price Each |
|----------------|------------------------------------------------------------------|------------|
| <b>FEK32</b>   | Foaming Non Rinse 32 oz. Spray Evap. Micro Channel               | 11.29      |
| <b>FNA</b>     | Foaming 20 oz. Aerosol Coil Cleaner                              | 11.30      |
| <b>FCA</b>     | Foaming Evap. Coil Cleaner Non Acid 19 oz. Aerosol               | 11.13      |
| <b>AEG32</b>   | Evap Guard Coil & Drain Pan Disinfectant                         | 13.67      |
| <b>ECT32</b>   | Eco-Treat 32 oz. Ductwork Odor Control Spray                     | 17.17      |
| <b>CCL1</b>    | EVAP-Klean Evaporator Cleaner Non Rinse                          | 18.83      |
| <b>ABP1</b>    | Ace Brite Premium Non Acid Condenser Coil Cleaner                | 22.09      |
| <b>HPA</b>     | 10 oz. Aerosol Contact Cleaner                                   | 23.07      |
| <b>DTJR</b>    | Detergent Tabs Bottle of 200                                     | 28.87      |
| <b>APFH05E</b> | Durable and Flexible 24" Charging Hose with Screw on Connections | 29.16      |
| <b>APFANZL</b> | II Injection Valve                                               | 28.45      |
| <b>APFGUN</b>  | Powerflush Injection Gun                                         | 42.09      |
| <b>APF16</b>   | 16oz. Solvent Flush                                              | 64.37      |
| <b>APFA1K</b>  | Flush Solvent Pre-Pressurized 1# Can                             | 153.20     |
| <b>APFANZL</b> | Powerflush Kit 1# Pre-Pressurized Can W/Tools                    | 40.87      |
| <b>APFK</b>    | Kit Injector Tool & 16 oz. Flush                                 | 174.26     |

*Ace*

## MISCELLANEOUS




Telspoutoiler

TELSPOUTOILER - All-purpose lubricating oil that comes with a handy tel-spout oiler.

Vendor Code: **ACQ**

| Catalog Number       | Description                | Price Each |
|----------------------|----------------------------|------------|
| <b>TELSPOUTOILER</b> | Extended Spout Oiler 4 oz. | 2.22       |

## DUAL FILTER PLENUMS



- Constructed of 26 GA ASTM-A653 CS Type B Galvanized Steel
- 1" Flange on All Four Sides for Easy Attachment
- Removable Track that Allows use of 1", 2", or 4" Filter
- Available Lined or Unlined- Must Specify the R Value of Liner
- Standard Height 30" Unless Otherwise Specified

Vendor Code: **DCF**


| Catalog Number   | Size                       | Price Each |
|------------------|----------------------------|------------|
| <b>046R61620</b> | 16" x 20" 1" & 4"          | 144.46     |
| <b>046R61625</b> | 16" x 25" 1" & 4"          | 130.21     |
| <b>046R62025</b> | 16" x 25" 1" & 4" 20" Side | 137.56     |
| <b>046R62520</b> | 16" x 25" 1" & 4" 25" Side | 137.56     |

### Please Note

HVAC products are available only at select Elliott Electric Supply locations. Please contact your local rep for details.

Refrigerant and products which contain refrigerant will only be sold to individuals in possession of a valid EPA certification, or if a valid certification is on file for customer's account.

## REX RACKS




- Constructed of 26 GA ASTM-A653 CS Type B Galvanized Steel
- Removable Track that Allows use of 1", 4", or 4.5" Filter
- Starter Hole for Easy Cut Out
- 24 GA Hinged Door with Foam Gasket for Better Seal

Vendor Code: **DCF**

| Catalog Number | Size                       | Price Each |
|----------------|----------------------------|------------|
| <b>512025</b>  | 20" X 25" Door on 20" Side | 72.54      |
| <b>512520</b>  | 25" X 20" Door on 25" Side | 72.54      |

## DRAIN PANS



- Constructed of ASTM-A653 CS Type B Galvanized Steel
- One Piece Construction (No Sealer Needed)
- Folded Corners to Achieve a Water Proof Seal
- 3/4" PVC Drain Fitting
- 2 1/4" Deep Tapered Pan, Easily Stackable

Vendor Code: **DCF**

| Catalog Number  | Size                   | Price Each |
|-----------------|------------------------|------------|
| <b>0601444</b>  | 14" X 44" Drain on 14" | 31.30      |
| <b>060L3048</b> | 30" X 48" Drain on 48" | 51.51      |
| <b>060L3236</b> | 32" X 36" Drain on 36" | 46.29      |
| <b>060L3060</b> | 30" X 60" Drain on 60" | 58.14      |


## 90° ADJ SHEET METAL ELBOW



Vendor Code: **DCF**

| Catalog Number | Size | Price Each |
|----------------|------|------------|
| <b>1254</b>    | 4"   | 4.50       |
| <b>1255</b>    | 5"   | 4.50       |
| <b>1256</b>    | 6"   | 4.43       |
| <b>1257</b>    | 7"   | 5.82       |
| <b>1258</b>    | 8"   | 6.70       |
| <b>1259</b>    | 9"   | 10.25      |
| <b>12510</b>   | 10"  | 10.60      |
| <b>12512</b>   | 12"  | 15.43      |

## DAMPERS WITH TIPS


Vendor Code: **DCT**


| Catalog Number | Size | Price Each |
|----------------|------|------------|
| 3004           | 4"   | 6.04       |
| 3005           | 5"   | 6.04       |
| 3006           | 6"   | 6.39       |
| 3007           | 7"   | 7.64       |
| 3008           | 8"   | 8.36       |
| 3009           | 9"   | 9.39       |
| 30010          | 10"  | 10.10      |
| 30012          | 12"  | 11.71      |

## UNCRIMPED REDUCERS


Vendor Code: **DCT**


| Catalog Number | Size     | Price Each |
|----------------|----------|------------|
| 40045          | 5" X 4"  | 8.48       |
| 40046          | 6" X 4"  | 8.48       |
| 40056          | 6" X 5"  | 8.48       |
| 40067          | 7" X 6"  | 8.74       |
| 40068          | 8" X 6"  | 9.33       |
| 40078          | 8" X 7"  | 9.22       |
| 40079          | 9" X 7"  | 10.09      |
| 40089          | 9" X 8"  | 10.09      |
| 400810         | 10" X 8" | 10.82      |
| 400910         | 10" X 9" | 10.82      |

## FINGER SAVER START COLLAR


Vendor Code: **DCT**


| Catalog Number | Size | Price Each |
|----------------|------|------------|
| 5254           | 4"   | 1.47       |
| 5255           | 5"   | 1.62       |
| 5256           | 6"   | 1.80       |
| 5257           | 7"   | 1.97       |
| 5258           | 8"   | 2.33       |
| 5259           | 9"   | 2.33       |
| 52510          | 10"  | 2.66       |
| 52512          | 12"  | 3.77       |
| 52514          | 14"  | 5.16       |
| 52516          | 16"  | 5.16       |
| 52518          | 18"  | 6.97       |
| 52520          | 20"  | 8.02       |

## BOOT R6 INSULATED SLANT TOP RAIL READY


Vendor Code: **DCT**

| Catalog Number | Size            | Price Each |
|----------------|-----------------|------------|
| 645R6485       | 8" X 4" X 5"    | 25.33      |
| 645R66106      | 10" X 6" X 6"   | 28.81      |
| 645R66127      | 12" X 6" X 7"   | 30.45      |
| 645R66128      | 12" X 6" X 8"   | 30.45      |
| 645R66148      | 14" X 6" X 8"   | 33.08      |
| 645R68107      | 10" X 8" X 7"   | 34.17      |
| 645R68108      | 10" X 8" X 8"   | 34.17      |
| 645R68128      | 12" X 8" X 8"   | 37.67      |
| 645R68149      | 14" X 8" X 9"   | 45.77      |
| 645R6121210    | 12" X 12" X 10" | 48.06      |

## RAIL / LINE SET COVER


Vendor Code: **DCT**


| Catalog Number | Size                              | Price Each |
|----------------|-----------------------------------|------------|
| 03826          | Snap On Rails                     | 0.81       |
| 093PWC54510    | 5" X 4" X 5" X 10' Line Set Cover | 71.03      |

## WYES


Vendor Code: **DCT**


| Catalog Number | Size          | Price Each |
|----------------|---------------|------------|
| 800655         | 6" X 5" X 5"  | 15.68      |
| 800755         | 7" X 5" X 5"  | 16.24      |
| 800866         | 8" X 6" X 6"  | 17.84      |
| 800876         | 8" X 7" X 6"  | 17.07      |
| 800975         | 9" X 7" X 5"  | 18.39      |
| 800977         | 9" X 7" X 7"  | 18.39      |
| 800986         | 9" X 8" X 6"  | 18.39      |
| 8001088        | 10" X 8" X 8" | 20.72      |
| 8001096        | 10" X 9" X 6" | 20.72      |
| 8001097        | 10" X 9" X 7" | 20.72      |

## FILTER BASES


Vendor Code: **DCT**

| Catalog Number           | Size                                   | Price Each |
|--------------------------|----------------------------------------|------------|
| <b>GAS FURNACES</b>      |                                        |            |
| 054G14254                | 14" X 25" 1" & 2" Filter 4" Tall       | 87.73      |
| 054G16254                | 16" X 25" 1" & 2" Filter 4" Tall       | 88.46      |
| 054G24244                | 24" X 24" 1" & 2" Filter 4" Tall       | 94.78      |
| 054G20254                | 20" X 25" 1" & 2" Filter 4" Tall       | 88.34      |
| <b>ELECTRIC FURNACES</b> |                                        |            |
| 055E16204                | 16" X 20" 1", 2" & 4"                  | 88.45      |
| 055E20204                | 20" X 20" 1", 2" & 4"                  | 93.42      |
| 055E20254                | 20" X 25" 1", 2" & 4"                  | 93.41      |
| 055E20254N               | 20" X 25" 1", 2" & 4" Door on 25" Side | 94.79      |

## STRAPS


Vendor Code: **DCT** (Cody Company)

| Catalog Number       | Size                     | Price Each |
|----------------------|--------------------------|------------|
| <b>HANGER STRAPS</b> |                          |            |
| 9902614              | 1.5" X 100' 26 Ga. Solid | 42.45      |
| 9902                 | 2" X 100' 26 Ga. Solid   | 39.26      |

Vendor Code: **DVV** (Diversitech)

| Catalog Number       | Size                          | Price Each |
|----------------------|-------------------------------|------------|
| <b>HANGER STRAPS</b> |                               |            |
| 710A1650             | 3/4" X 100' 28 Ga. Perforated | 13.03      |
| 710001               | 1" X 100' 26 Ga. Solid        | 34.22      |
| 710005               | 1" X 100' 22 Ga. Solid        | 48.59      |
| <b>WOVEN STRAPS</b>  |                               |            |
| 710100               | 1-3/4" X 100 Yards            | 9.57       |
| 710102               | 3" X 100 Yards                | 31.05      |

## SMARTFLEX™ MINI-SPLIT SYSTEMS

Grow your business and solve more customer challenges with SmartFlex Mini-Split Systems. SmartFlex ductless systems deliver just the right amount of heating and cooling to every space while using no more energy than necessary. SmartFlex Mini-Split Systems are the ideal choice for applications that challenge traditional HVAC systems such as projects with varied loads and occupancy rates or cases where existing systems can't be modified to reasonably meet customer needs. A wide portfolio of equipment means SmartFlex Mini-Split Systems can be customized to meet the exact needs of your customers. With all of these advantages, isn't it time you brought the benefits of SmartFlex Mini-Split Systems home to your customers?

Benefits include:

• **Energy efficiency that traditional HVAC systems can't match**


- High-efficiency, inverter-driven compressor modulates capacity to meet temperature requirements exactly
- Energy-saving mode automatically selects optimal fan speed to reduce energy consumption

• **Exceptional comfort**

- Unique temperature-sensing capability monitors room temperature at remote controller instead of indoor unit and adjusts airflow and temperature accordingly
- Indoor fan automatically adjusts speed for maximum comfort
- Pre-heating system ensures indoor fan doesn't run until coil has warmed to prevent cool air from circulating when in heating mode

• **Remarkably quiet operation**

- sound pressure levels as low as 23 dB(A)

SMARTFLEX™ P SERIES  
HEAT PUMPS


The slim and stylish 18 SEER Inverter Heat Pump system is built to last and offers intelligent controls.

- High-efficiency inverter technology
- Low ambient cooling to 0° F
- Auto swing (vertical)
- Multiple fan speeds
- Room temperature displayed on Wall-Mount Unit

Vendor Code: **JCH**

| Catalog Number             | BTU | SEER | Sizes       | Price Each |
|----------------------------|-----|------|-------------|------------|
| <b>115V HP INDOOR</b>      |     |      |             |            |
| <b>DHP09NWB11S</b>         | 9K  | 16   | 1/4" x 3/8" | 407.40     |
| <b>DHP12NWB11S</b>         | 12K | 16   | 1/4" x 3/8" | 475.30     |
| <b>115V HP OUTDOOR</b>     |     |      |             |            |
| <b>DHP09CSB11S</b>         | 9K  | 16   | 1/4" x 3/8" | 762.30     |
| <b>DHP12CSB11S</b>         | 12K | 16   | 1/4" x 3/8" | 843.50     |
| <b>208/230V HP INDOOR</b>  |     |      |             |            |
| <b>DHP09NWB21S</b>         | 9K  | 16   | 1/4" x 3/8" | 404.60     |
| <b>DHP12NWB21S</b>         | 12K | 16   | 1/4" x 3/8" | 472.50     |
| <b>DHP18NWB21S</b>         | 18K | 16   | 1/4" x 1/2" | 639.80     |
| <b>DHP24NWB21S</b>         | 24K | 16   | 1/4" x 5/8" | 781.90     |
| <b>DHP30NWB21S</b>         | 30K | 18   | 1/4" x 5/8" | 989.10     |
| <b>DHP36NWB21S</b>         | 36K | 18   | 1/4" x 5/8" | 1192.80    |
| <b>208/230V HP OUTDOOR</b> |     |      |             |            |
| <b>DHP09CSB21S</b>         | 9K  | 16   | 1/4" x 3/8" | 745.50     |
| <b>DHP12CSB21S</b>         | 12K | 16   | 1/4" x 3/8" | 839.30     |
| <b>DHP18CSB21S</b>         | 18K | 16   | 1/4" x 1/2" | 1266.30    |
| <b>DHP24CSB21S</b>         | 24K | 16   | 1/4" x 5/8" | 1447.60    |
| <b>DHP30CSB21S</b>         | 30K | 18   | 1/4" x 5/8" | 1715.70    |
| <b>DHP36CSB21S</b>         | 36K | 18   | 1/4" x 5/8" | 1998.50    |

**SMARTFLEX™**

SMARTFLEX™ P SERIES  
COOLING ONLY

Vendor Code: **JCH**

| Catalog Number         | BTU | Size        | SEER | Price Each |
|------------------------|-----|-------------|------|------------|
| <b>115V HP INDOOR</b>  |     |             |      |            |
| <b>DCP12NWB11S</b>     | 12K | 1/4" X 3/8" | 16   | 401.80     |
| <b>115V HP OUTDOOR</b> |     |             |      |            |
| <b>DCP12CSB11S</b>     | 12K | 1/4" X 3/8" | 16   | 730.10     |

## PREASSEMBLED MINI-SPLIT LINE SETS

Vendor Code: **DVU**

| Catalog Number       | Length | Liquid x Suction | Installation Thickness | Price Each |
|----------------------|--------|------------------|------------------------|------------|
| <b>D40620250B3B6</b> | 25'    | 1/4" x 3/8"      | 1/2"                   | 124.43     |
| <b>D40620350B3B6</b> | 35'    | 1/4" x 3/8"      | 1/2"                   | 161.71     |
| <b>D40620500B3B6</b> | 50'    | 1/4" x 3/8"      | 1/2"                   | 222.65     |
| <b>D41020250B3B6</b> | 25'    | 1/4" x 5/8"      | 1/2"                   | 154.99     |
| <b>D41020350B3B6</b> | 35'    | 1/4" x 5/8"      | 1/2"                   | 200.66     |
| <b>D41020500B3B6</b> | 50'    | 1/4" x 5/8"      | 1/2"                   | 275.77     |

\*Required in all Mini-Split Installations.

## MINI-SPLIT CABLE

Vendor Code: **BUW**

| Catalog Number   | AWG | Conductors | Length | Price per 1,000 feet |
|------------------|-----|------------|--------|----------------------|
| <b>PWT14450</b>  | 14  | 4          | 50'    | 612.67               |
| <b>PWT144250</b> | 14  | 4          | 250'   | 612.67               |