



UTILITY & VALVE BOXES



- Etched polypropylene face
- Face anchored in concrete
- Ultra-violet inhibitor
- Exceeds ASTM-D1693 Standards for Environmental Stress Cracking Resistance

**R-Series Concrete Lid
No. N36R
76 lbs.**




N36RP


**Utility Box
No. N36 BOX
172 lbs.**




B36E




B36G



FL36D



B36-61D



B36-61G

A high density reinforced concrete box with non-setting shoulders positioned to maintain grade and facilitate back filling. Approximate dimensions and weight shown.

| Oldcastle Ordering Code | Item | Approx. Shipping Weight | Description |
|-------------------------|-----------|-------------------------|--|
| N36BOX | BOX | 172 lbs. | N30 Utility Box (17-1/8" X 30-1/4") - 8 per pallet |
| N36R | LID | 76 lbs. | Reinforced Concrete Lid with Plastic Ring - (Order N90 Bolt Down Kit Separately) |
| FL36D | LID | 35 lbs. | Fibrelyte Lid, Non-Concrete |
| FL36P | LID | 38 lbs. | Fibrelyte lid non concrete with probe hole option |
| B36E | LID | 96 lbs. | Reinforced concrete with 7" x 13-1/2" Concrete Reading Lid |
| B36G | LID | 78 lbs. | Reinforced concrete with 5" x 8" cost iron, self-closing, reading lid with frame |
| B36GP | LID | 79 lbs. | Concrete lid with 5" x 8" reader door with probe hole option |
| N36RP | LID | 76 lbs. | R-Series Composite Lid with Polypropylene Ring w/ 2" Probe Hole - (Order N90 Bolt Down Kit Separately) |
| B36-61D | COVER | 56 lbs. | Steel Checker Plate Cover with 8" Round, Self-Closing Reading Lid |
| B36-61G | COVER | 60 lbs. | Steel Checker Plate Cover with 8" Round, Self-Closing Reading Lid |
| N36X12 | EXTENSION | 189 lbs. | 12" Reinforced Concrete Box Extension - 8 per pallet |
| B36SL | SLAB | 104 lbs. | Reinforced Concrete Slab (20" x 34") |

Galvanizing available on all steel covers. Probe holes : badger, flexnet, orion, neptune



Oldcastle Enclosure Solutions

Phone: (800) 735-5566 Fax: (800) 486 6806

Copyright© 2017 Oldcastle, Inc.

N36 BOX

FILE NAME: B36_ISO

ISSUE DATE: January, 2011


OldcastleEnclosures.com

N36 UTILITY BOX 17-1/8" x 30-1/4"


CHRISTY

ELECTRICAL & TELEPHONE BOXES



- Etched polypropylene face
- Face anchored in concrete
- Ultra-violet inhibitor
- Exceeds ASTM-D1693 Standards for Environmental Stress Cracking Resistance
- Meets Caltrans #6 State Specifications




**R-Series Concrete Lid
No. N36R
76 lbs.**




**Electrical Box
No. N36 BOX
172 lbs.**



FL36T



B36-61D



N36-61J

A high density reinforced concrete box with non-setting shoulders positioned to maintain grade and facilitate back filling. Approximate dimensions and weight shown.

| Oldcastle Ordering Code | Item | Approx. Shipping Weight | Description |
|---|-----------|-------------------------|---|
| N36BOX | BOX | 172 lbs. | N36 Electrical Box (17 1/2" x 30 1/2") Meets #6 State Specifications - 8 per pallet |
| N36R | LID | 76 lbs. | Reinforced Concrete Lid with Plastic Ring - (Order N90 Bolt Down Kit Separately) |
| FL36T | LID | 35 lbs. | Fibrelyte lid, non-concrete Bolt Down (Order N90 Bolt Down Kit Separately) |
| B36-61D | COVER | 56 lbs. | Steel Checker Plate |
| N36-61J | COVER | 56 lbs. | Steel Checker Plate Bolt Down (Order N90 Bolt Down Kit Separately) |
| N36X12 | EXTENSION | 189 lbs. | 12" Reinforced Concrete - 8 per pallet |
| B36SL | SLAB | 104 lbs. | Reinforced concrete (20" x 34") |
| Galvanizing available on all steel covers | | | |



Oldcastle® Enclosure Solutions

Phone: (800) 735-5566 Fax: (800) 486 6806

Copyright © 2017 Oldcastle, Inc.

N36 BOX

FILE NAME: N36_ISO

ISSUE DATE: January, 2011

OldcastleEnclosures.com



N36 ELECTRICAL BOX 17-1/8" x 30-1/4"

CHRISTY®

UTILITY & VALVE BOXES



- Etched polypropylene face
- Face anchored in concrete
- Ultra-violet inhibitor
- Exceeds ASTM-D1693 Standards for Environmental Stress Cracking Resistance

**R-Series Concrete Lid
No. N36R
76 lbs.**




N36RP


**Utility Box
No. N36 BOX
172 lbs.**




B36E




B36G



FL36D



B36-61D



B36-61G

A high density reinforced concrete box with non-setting shoulders positioned to maintain grade and facilitate back filling. Approximate dimensions and weight shown.

| Oldcastle Ordering Code | Item | Approx. Shipping Weight | Description |
|-------------------------|-----------|-------------------------|--|
| N36BOX | BOX | 172 lbs. | N30 Utility Box (17-1/8" X 30-1/4") - 8 per pallet |
| N36R | LID | 76 lbs. | Reinforced Concrete Lid with Plastic Ring - (Order N90 Bolt Down Kit Separately) |
| FL36D | LID | 35 lbs. | Fibrelyte Lid, Non-Concrete |
| FL36P | LID | 38 lbs. | Fibrelyte lid non concrete with probe hole option |
| B36E | LID | 96 lbs. | Reinforced concrete with 7" x 13-1/2" Concrete Reading Lid |
| B36G | LID | 78 lbs. | Reinforced concrete with 5" x 8" cost iron, self-closing, reading lid with frame |
| B36GP | LID | 79 lbs. | Concrete lid with 5" x 8" reader door with probe hole option |
| N36RP | LID | 76 lbs. | R-Series Composite Lid with Polypropylene Ring w/ 2" Probe Hole - (Order N90 Bolt Down Kit Separately) |
| B36-61D | COVER | 56 lbs. | Steel Checker Plate Cover with 8" Round, Self-Closing Reading Lid |
| B36-61G | COVER | 60 lbs. | Steel Checker Plate Cover with 8" Round, Self-Closing Reading Lid |
| N36X12 | EXTENSION | 189 lbs. | 12" Reinforced Concrete Box Extension - 8 per pallet |
| B36SL | SLAB | 104 lbs. | Reinforced Concrete Slab (20" x 34") |

Galvanizing available on all steel covers. Probe holes : badger, flexnet, orion, neptune



Oldcastle Enclosure Solutions

Phone: (800) 735-5566 Fax: (800) 486 6806

Copyright © 2017 Oldcastle, Inc.

N36 BOX

FILE NAME: B36_ISO

ISSUE DATE: January, 2011


OldcastleEnclosures.com

N36 UTILITY BOX 17-1/8" x 30-1/4"


CHRISTY

ELECTRICAL & TELEPHONE BOXES



- Etched polypropylene face
- Face anchored in concrete
- Ultra-violet inhibitor
- Exceeds ASTM-D1693 Standards for Environmental Stress Cracking Resistance
- Meets Caltrans #6 State Specifications




**R-Series Concrete Lid
No. N36R
76 lbs.**




**Electrical Box
No. N36 BOX
172 lbs.**



FL36T



B36-61D



N36-61J

A high density reinforced concrete box with non-setting shoulders positioned to maintain grade and facilitate back filling. Approximate dimensions and weight shown.

| Oldcastle Ordering Code | Item | Approx. Shipping Weight | Description |
|---|-----------|-------------------------|---|
| N36BOX | BOX | 172 lbs. | N36 Electrical Box (17 1/2" x 30 1/2") Meets #6 State Specifications - 8 per pallet |
| N36R | LID | 76 lbs. | Reinforced Concrete Lid with Plastic Ring - (Order N90 Bolt Down Kit Separately) |
| FL36T | LID | 35 lbs. | Fibrelyte lid, non-concrete Bolt Down (Order N90 Bolt Down Kit Separately) |
| B36-61D | COVER | 56 lbs. | Steel Checker Plate |
| N36-61J | COVER | 56 lbs. | Steel Checker Plate Bolt Down (Order N90 Bolt Down Kit Separately) |
| N36X12 | EXTENSION | 189 lbs. | 12" Reinforced Concrete - 8 per pallet |
| B36SL | SLAB | 104 lbs. | Reinforced concrete (20" x 34") |
| Galvanizing available on all steel covers | | | |



Oldcastle® Enclosure Solutions

Phone: (800) 735-5566 Fax: (800) 486 6806

Copyright © 2017 Oldcastle, Inc.

N36 BOX

FILE NAME: N36_ISO

ISSUE DATE: January, 2011

OldcastleEnclosures.com

N36 ELECTRICAL BOX 17-1/8" x 30-1/4"

CHRISTY®