


**73 Fresnel Lens**



73P White Trim with Fresnel Glass Lens  
73PS White Trim with Fresnel Glass Lens, Wet Location




**HOUSING / LAMP:**  
H7RT: 60W A19  
H7T: 60W A19  
H7TCP: 60W A19

**DIMENSIONS:** OD: 8" [203mm]

**173 Fresnel Lens with Reflector**



173P White Trim with Fresnel Glass Lens  
173PS White Trim with Fresnel Glass Lens, Wet Location, AIR-TITE™




**HOUSING / LAMP:**  
H7TNB: 60W A19

**DIMENSIONS:** Height: 4" [101mm]; OD: 8" [203mm]

**75 Diffuser**



75 All Glass Diffuser




**HOUSING / LAMP:**  
H7RT: 60W A19  
H7T: 60W A19  
H7TCP: 60W A19

**DIMENSIONS:** OD: 7-3/4" [197mm]

**172 Dome Lens with Reflector**



172PS White Trim with Frosted Glass Dome, Wet Location, AIR-TITE™  
172SNS Satin Nickel Trim with Frosted Glass Dome, Wet Location, AIR-TITE™  
172TBZS Tuscan Bronze Trim with Frosted Glass Dome, Wet Location, AIR-TITE™




**HOUSING / LAMP:**  
H7RT: 50W PAR30, 60W A19  
H7T: 75W PAR30, 100W A19  
H7TNB: 75W PAR30, 100W A19  
H7TCP: 75W PAR30, 100W A19

**DIMENSIONS:** Height: 2-1/8" [54mm]; OD: 7-3/4" [197mm]

**416 Regressed Diffuser**



416P White Trim and Regressed Diffuser, Black Baffle  
416W White Trim and Regressed Diffuser, White Baffle




**HOUSING / LAMP:**  
H7RT: 60W A19  
H7T: 60W A19  
H7TCP: 60W A19

**DIMENSIONS:** Aperture: 5-3/4" [146mm]; OD: 7-1/4" [184mm]

**300 Open Trim with Socket Support**



300P White Trim  
300SN Satin Nickel Trim  
300TBZ Tuscan Bronze Trim




**HOUSING / LAMP:**  
H7T: 65W BR30, 75W PAR30, 75W PAR30L, 75W R30  
H7TNB: 65W BR30, 75W PAR30, 75W PAR30L, 75W R30  
H7TCP: 65W BR30, 75W PAR30, 75W PAR30L, 75W R30

**DIMENSIONS:** Height: 4" [102mm]; OD: 7-1/4" [184mm]

**301 Open Trim**



301P White Trim  
301SN Satin Nickel Trim  
301TBZ Tuscan Bronze Trim  
301PB Polished Brass Trim




**HOUSING / LAMP:**  
H7RT: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L  
H7T: 65W BR30, 75W R30, 75W PAR30  
H7TCP: 65W BR30, 75W R30, 75W PAR30

**DIMENSIONS:** OD: 7-1/4" [184mm]

**401 Open Trim**



401P White Trim  
401AL Satin Aluminum Trim  
401PB Polished Brass Trim




**HOUSING / LAMP:**  
H7RT: 120W BR40, 150W R40  
H7T: 120W BR40, 150W R40  
H7TCP: 120W BR40, 150W R40

**DIMENSIONS:** OD: 8" [203mm]

**328 White Splay Trim**



328P White Splay Trim




**HOUSING / LAMP:**  
H7RT: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L  
H7T: 65W BR30, 75W R30, 75W PAR30  
H7TCP: 65W BR30, 75W R30, 75W PAR30

**DIMENSIONS:** Height: 3-7/8" [98mm]; OD: 7-3/4" [197mm]

**428 White Splay Trim**



428P White Splay Trim




**HOUSING / LAMP:**  
H7RT: 120W BR40, 150W R40  
H7T: 120W BR40, 150W R40  
H7TCP: 120W BR40, 150W R40

**DIMENSIONS:** Aperture: 3-7/8" [98mm];  
OD: 7-3/4" [197mm]

**79 Pinhole Trim**



79P White Trim




**HOUSING / LAMP:**  
H7T: 50W R20  
H7TCP: 50W R20

**DIMENSIONS:** OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit [www.cooperlighting.com](http://www.cooperlighting.com) for available options, accessories and ordering information.

**303 Wall Wash**



**HOUSING / LAMP:**  
 H7RT: 60W A19  
 H7T: 60W A19  
 H7TCP: 60W A19

**DIMENSIONS:** OD: 8" [203mm]


**424 Wall Wash / Reflector Downlight**



**HOUSING / LAMP:**  
 H7RT: 100W A19  
 H7T: 100W A19  
 H7TCP: 100W A19

**DIMENSIONS:** OD: 7-1/4" [184mm]


**425 Wall Wash with Coilex® Baffle and Scoop**



**HOUSING / LAMP:**  
 H7RT: 60W A19  
 H7T: 60W A19  
 H7TCP: 60W A19

**DIMENSIONS:** OD: 7-1/4" [184mm]


**430 Wall Wash with Baffle and Full Reflector**



**HOUSING / LAMP:**  
 H7T: 90W TB19, 100W A19, 100W BT15, 100W MB19  
 H7TNB: 90W TB19, 100W A19, 100W BT15, 100W MB19  
 H7TCP: 90W TB19, 100W A19, 100W BT15, 100W MB19

**DIMENSIONS:** Height: 5" [127mm]; OD: 7-1/4" [184mm]

**1412 Low Voltage Adj Spot 30° Tilt**




**HOUSING / LAMP:**  
 H7RT: 50W 12V MR16  
 H7T: 50W 12V MR16  
 H7TCP: 50W 12V MR16

**DIMENSIONS:** Aperture: 1-3/4" [44mm]; OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included

**1416 Low Voltage Specular Reflector 30° Tilt**




**HOUSING / LAMP:**  
 H7RT: 50W 12V MR16  
 H7T: 50W 12V MR16  
 H7TNB: 50W 12V MR16  
 H7TCP: 50W 12V MR16

**DIMENSIONS:** OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included

**1416 Low Voltage Baffle 30° Tilt**




**HOUSING / LAMP:**  
 H7RT: 50W 12V MR16  
 H7T: 50W 12V MR16  
 H7TNB: 50W 12V MR16  
 H7TCP: 50W 12V MR16

**DIMENSIONS:** OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included

**1417 Low Voltage Eyeball with Baffle 30° Tilt**




**HOUSING / LAMP:**  
 H7RT: 50W 12V MR16  
 H7T: 50W 12V MR16  
 H7TCP: 50W 12V MR16

**DIMENSIONS:** OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included

**1450 Low Voltage Slot Aperture 30° Tilt**




**HOUSING / LAMP:**  
 H7RT: 50W 12V MR16  
 H7T: 50W 12V MR16  
 H7TCP: 50W 12V MR16

**DIMENSIONS:** OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included

**1475 Low Voltage Adjustable Accent 30° Tilt**




**HOUSING / LAMP:**  
 H7RT: 50W PAR36 low voltage  
 H7T: 50W PAR36 low voltage  
 H7TNB: 50W PAR36 low voltage  
 H7TCP: 50W PAR36 low voltage

**DIMENSIONS:** OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included

**1479 Low Voltage Pinhole Trim**



**HOUSING / LAMP:**  
 H7RT: 50W 12V MR16  
 H7T: 50W 12V MR16  
 H7TCP: 50W 12V MR16

**DIMENSIONS:** Aperture: 1-7/8" [48mm]; OD: 8" [203mm]


**ACCESSORIES:** Low Voltage Transformer Included

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit [www.cooperlighting.com](http://www.cooperlighting.com) for available options, accessories and ordering information.

**73 Fresnel Lens**



73P White Trim with Fresnel Glass Lens  
73PS White Trim with Fresnel Glass Lens, Wet Location




**HOUSING / LAMP:**  
H7RT: 60W A19  
H7T: 60W A19  
H7TCP: 60W A19

**DIMENSIONS:** OD: 8" [203mm]

**173 Fresnel Lens with Reflector**



173P White Trim with Fresnel Glass Lens  
173PS White Trim with Fresnel Glass Lens, Wet Location, AIR-TITE™




**HOUSING / LAMP:**  
H7TNB: 60W A19

**DIMENSIONS:** Height: 4" [101mm]; OD: 8" [203mm]

**75 Diffuser**



75 All Glass Diffuser




**HOUSING / LAMP:**  
H7RT: 60W A19  
H7T: 60W A19  
H7TCP: 60W A19

**DIMENSIONS:** OD: 7-3/4" [197mm]

**172 Dome Lens with Reflector**



172PS White Trim with Frosted Glass Dome, Wet Location, AIR-TITE™  
172SNS Satin Nickel Trim with Frosted Glass Dome, Wet Location, AIR-TITE™  
172TBZS Tuscan Bronze Trim with Frosted Glass Dome, Wet Location, AIR-TITE™




**HOUSING / LAMP:**  
H7RT: 50W PAR30, 60W A19  
H7T: 75W PAR30, 100W A19  
H7TNB: 75W PAR30, 100W A19  
H7TCP: 75W PAR30, 100W A19

**DIMENSIONS:** Height: 2-1/8" [54mm]; OD: 7-3/4" [197mm]

**416 Regressed Diffuser**



416P White Trim and Regressed Diffuser, Black Baffle  
416W White Trim and Regressed Diffuser, White Baffle




**HOUSING / LAMP:**  
H7RT: 60W A19  
H7T: 60W A19  
H7TCP: 60W A19

**DIMENSIONS:** Aperture: 5-3/4" [146mm]; OD: 7-1/4" [184mm]

**300 Open Trim with Socket Support**



300P White Trim  
300SN Satin Nickel Trim  
300TBZ Tuscan Bronze Trim




**HOUSING / LAMP:**  
H7T: 65W BR30, 75W PAR30, 75W PAR30L, 75W R30  
H7TNB: 65W BR30, 75W PAR30, 75W PAR30L, 75W R30  
H7TCP: 65W BR30, 75W PAR30, 75W PAR30L, 75W R30

**DIMENSIONS:** Height: 4" [102mm]; OD: 7-1/4" [184mm]

**301 Open Trim**



301P White Trim  
301SN Satin Nickel Trim  
301TBZ Tuscan Bronze Trim  
301PB Polished Brass Trim




**HOUSING / LAMP:**  
H7RT: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L  
H7T: 65W BR30, 75W R30, 75W PAR30  
H7TCP: 65W BR30, 75W R30, 75W PAR30

**DIMENSIONS:** OD: 7-1/4" [184mm]

**401 Open Trim**



401P White Trim  
401AL Satin Aluminum Trim  
401PB Polished Brass Trim




**HOUSING / LAMP:**  
H7RT: 120W BR40, 150W R40  
H7T: 120W BR40, 150W R40  
H7TCP: 120W BR40, 150W R40

**DIMENSIONS:** OD: 8" [203mm]

**328 White Splay Trim**



328P White Splay Trim




**HOUSING / LAMP:**  
H7RT: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L  
H7T: 65W BR30, 75W R30, 75W PAR30  
H7TCP: 65W BR30, 75W R30, 75W PAR30

**DIMENSIONS:** Height: 3-7/8" [98mm]; OD: 7-3/4" [197mm]

**428 White Splay Trim**



428P White Splay Trim




**HOUSING / LAMP:**  
H7RT: 120W BR40, 150W R40  
H7T: 120W BR40, 150W R40  
H7TCP: 120W BR40, 150W R40

**DIMENSIONS:** Aperture: 3-7/8" [98mm];  
OD: 7-3/4" [197mm]

**79 Pinhole Trim**



79P White Trim



**HOUSING / LAMP:**  
H7T: 50W R20  
H7TCP: 50W R20


**DIMENSIONS:** OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit [www.cooperlighting.com](http://www.cooperlighting.com) for available options, accessories and ordering information.

**303 Wall Wash**



303P White Trim and Scoop



**HOUSING / LAMP:**

H7RT: 60W A19

H7T: 60W A19


H7TCP: 60W A19

**DIMENSIONS:** OD: 8" [203mm]

**424 Wall Wash / Reflector Downlight**



424P White Trim



**HOUSING / LAMP:**

H7RT: 100W A19

H7T: 100W A19

H7TCP: 100W A19

**DIMENSIONS:** OD: 7-1/4" [184mm]


**425 Wall Wash with Coilex® Baffle and Scoop**



425W White Trim with White baffle



425P White Trim with Black Baffle



**HOUSING / LAMP:**

H7RT: 60W A19

H7T: 60W A19

H7TCP: 60W A19

**DIMENSIONS:** OD: 7-1/4" [184mm]


**430 Wall Wash with Baffle and Full Reflector**



430W White Trim with White Baffle, AIR-TITE™



430P White Trim with Black Baffle, AIR-TITE™



**HOUSING / LAMP:**

H7T: 90W TB19, 100W A19, 100W BT15, 100W MB19

H7TNB: 90W TB19, 100W A19, 100W BT15, 100W MB19

H7TCP: 90W TB19, 100W A19, 100W BT15, 100W MB19

**DIMENSIONS:** Height: 5" [127mm]; OD: 7-1/4" [184mm]


**1412 Low Voltage Adj Spot 30° Tilt**



1412W White Trim with White Baffle and Lampholder



1412P White Trim with Black Baffle and Lampholder



**HOUSING / LAMP:**

H7RT: 50W 12V MR16

H7T: 50W 12V MR16

H7TCP: 50W 12V MR16


**DIMENSIONS:** Aperture: 1-3/4" [44mm]; OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included

**1416 Low Voltage Specular Reflector 30° Tilt**



1416C White Trim with Clear Specular Reflector



**HOUSING / LAMP:**

H7RT: 50W 12V MR16

H7T: 50W 12V MR16

H7TNB: 50W 12V MR16

H7TCP: 50W 12V MR16

**DIMENSIONS:** OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included


**1416 Low Voltage Baffle 30° Tilt**



1416W White Trim with White Baffle



1416BA White Trim with Black Baffle



**HOUSING / LAMP:**

H7RT: 50W 12V MR16

H7T: 50W 12V MR16

H7TNB: 50W 12V MR16

H7TCP: 50W 12V MR16

**DIMENSIONS:** OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included


**1417 Low Voltage Eyeball with Baffle 30° Tilt**



1417W White Trim with White Eyeball and White Baffle



1417BA White Trim with White Eyeball and Black Baffle



**HOUSING / LAMP:**

H7RT: 50W 12V MR16

H7T: 50W 12V MR16

H7TCP: 50W 12V MR16


**DIMENSIONS:** OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included

**1450 Low Voltage Slot Aperture 30° Tilt**



1450P White Slot Aperture Trim



**HOUSING / LAMP:**

H7RT: 50W 12V MR16

H7T: 50W 12V MR16

H7TCP: 50W 12V MR16

**DIMENSIONS:** OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included


**1475 Low Voltage Adjustable Accent 30° Tilt**



1475W White Trim with White Baffle



1475P White Trim with Black Baffle



**HOUSING / LAMP:**

H7RT: 50W PAR36 low voltage

H7T: 50W PAR36 low voltage

H7TNB: 50W PAR36 low voltage

H7TCP: 50W PAR36 low voltage

**DIMENSIONS:** OD: 7-1/4" [184mm]

**ACCESSORIES:** Low Voltage Transformer Included


**1479 Low Voltage Pinhole Trim**



2479W White Trim with White Baffle



1479P White Trim with Black Baffle



**HOUSING / LAMP:**

H7RT: 50W 12V MR16

H7T: 50W 12V MR16

H7TCP: 50W 12V MR16

**DIMENSIONS:** Aperture: 1-7/8" [48mm]; OD: 8" [203mm]

**ACCESSORIES:** Low Voltage Transformer Included

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit [www.cooperlighting.com](http://www.cooperlighting.com) for available options, accessories and ordering information.