

## PVC Coated Elbows

**Catalog Number:** PRHELB-3X90  
**UPC:** 784011200443

### Description

#### 3X90 PVC Coated Standard Elbow

Factory-bent PVC coated elbows are more accurate, quicker to install and more economical because they eliminate field bending time and waste of material. Electrical continuity is maintained across assembled joints.

### Application

- Factory-bent for accurate, quicker to install and eliminates costly field bending and waste of material
- Factory-bent for accurate, quicker to install and eliminates costly field bending and waste of material

### Features


- 40 mil gray PVC exterior coating
- 2 mil red urethane interior coating
- 12 trade sizes from 1/2" through 6"
- Available in standard sizes 90°, 60°, 45°, 30° bends
- Color-coded thread protector caps for quick identification of conduit size

### General

|                         |   |
|-------------------------|---|
| Material:               | STEEL   |
| Exterior Finish:        | A nominal .040 inch (40 mil) gray PVC coating |
| Interior Finish:        | A nominal .002 inch (2 mil) red urethane      |
| Thread Finish:          | A red urethane coating over steel             |
| Thread Protector Color: | Blue  |

### Dimensions

|                              |       |
|------------------------------|-------|
| Metric Size Designators      | 78    |
| Nipple Length (Inches)       | 32    |
| Diameter - External (Inches) | 3.58  |
| Diameter - Internal (Inches) | 3.08  |
| Radius A (Inches)            | 32    |
| Radius B - Standard (Inches) | 13    |
| Radius C (Inches)            | 14.79 |
| Offset D (Inches)            | 17    |
| Offset E (Inches)            | 18.79 |
| Offset F (Inches)            | 20.58 |
| Tangent (Inches)             | 5.79  |





## PVC Coated Elbows

**Catalog Number:** PRHELB-3X90

**UPC:** 784011200443

### Technical / Specification Documents

---

Specification Guide (1995 Master) *AVAILABLE ON WEBSITE*

---

Specification Guide (2004 Master) *AVAILABLE ON WEBSITE*

---

Installer Certification and Tools *AVAILABLE ON WEBSITE*

---

Chemical Resistance Charts *AVAILABLE ON WEBSITE*

---

Performance Specifications *AVAILABLE ON WEBSITE*

---

### Standards

---

UL 6: E2314

---

CSA Certified: C22.2 No. 45

---

### Notes

---

Both PVC and zinc coatings have been investigated as primary protection against corrosion.

---

Restricted for use with threaded fittings only.

---



## PVC Coated Elbows

**Catalog Number:** PRHELB-3X90  
**UPC:** 784011200443

### Description

#### 3X90 PVC Coated Standard Elbow

Factory-bent PVC coated elbows are more accurate, quicker to install and more economical because they eliminate field bending time and waste of material. Electrical continuity is maintained across assembled joints.

### Application

- Factory-bent for accurate, quicker to install and eliminates costly field bending and waste of material
- Factory-bent for accurate, quicker to install and eliminates costly field bending and waste of material

### Features


- 40 mil gray PVC exterior coating
- 2 mil red urethane interior coating
- 12 trade sizes from 1/2" through 6"
- Available in standard sizes 90°, 60°, 45°, 30° bends
- Color-coded thread protector caps for quick identification of conduit size

### General

|                         |   |
|-------------------------|---|
| Material:               | STEEL   |
| Exterior Finish:        | A nominal .040 inch (40 mil) gray PVC coating |
| Interior Finish:        | A nominal .002 inch (2 mil) red urethane      |
| Thread Finish:          | A red urethane coating over steel             |
| Thread Protector Color: | Blue  |

### Dimensions

|                              |       |
|------------------------------|-------|
| Metric Size Designators      | 78    |
| Nipple Length (Inches)       | 32    |
| Diameter - External (Inches) | 3.58  |
| Diameter - Internal (Inches) | 3.08  |
| Radius A (Inches)            | 32    |
| Radius B - Standard (Inches) | 13    |
| Radius C (Inches)            | 14.79 |
| Offset D (Inches)            | 17    |
| Offset E (Inches)            | 18.79 |
| Offset F (Inches)            | 20.58 |
| Tangent (Inches)             | 5.79  |





## PVC Coated Elbows

**Catalog Number:** PRHELB-3X90

**UPC:** 784011200443

### Technical / Specification Documents

---

Specification Guide (1995 Master) *AVAILABLE ON WEBSITE*

---

Specification Guide (2004 Master) *AVAILABLE ON WEBSITE*

---

Installer Certification and Tools *AVAILABLE ON WEBSITE*

---

Chemical Resistance Charts *AVAILABLE ON WEBSITE*

---

Performance Specifications *AVAILABLE ON WEBSITE*

---

### Standards

---

UL 6: E2314

---

CSA Certified: C22.2 No. 45

---

### Notes

---

Both PVC and zinc coatings have been investigated as primary protection against corrosion.

---

Restricted for use with threaded fittings only.

---