



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



646916 9/16" Nut Driver 6" Hollow Shaft

Klein Tools

Catalog Number	646916
Manufacturer	Klein Tools
Description	The Full Hollow Shaft Design Facilitates Work On Stacked Circuit Boards or Other Long Bolt or Stud Applications. Kleins' Exclusive Cushion-Grip™ Handle Offers Greater Torque and Outstanding Comfort. The Patented Tip- Ident® Quickly Identifies Nut Driver and Size.
Weight per unit	0.4000 (lbs/each)
Product Category	Pliers, Wrenches, Saw, Pouches

Features

media	Yes
Shaft Length	6" (15.2 cm)

Material, Color, and Finish

Color Code	ORANGE
------------	--------

Dimensions and Weight

Overall Length	11.375
----------------	--------

Descriptions

Description	9/16" NUT DRIVER 6" HOLLOW SHAFT
extra long description	KLEIN 646-9/16 9/16" Nut Driver 6"
Features	The full hollow shaft design facilitates work on stacked circuit boards or other long bolt or stud applications. Kleins' exclusive Cushion-Grip™ handle offers greater torque and outstanding comfort. The patented Tip- Ident® quickly identifies nut driver and size.
Long Description	The full hollow shaft design facilitates work on stacked circuit boards or other long bolt or stud applications. Kleins' exclusive Cushion-Grip™ handle offers greater torque and outstanding comfort. The patented Tip- Ident® quickly identifies nut driver and size.
Product Type	9/16" Nut Driver 6" Hollow Shaft
Special Features	Tip-Ident Quickly Identifies Nut Driver Size

Manufacturer Information

Brand	Klein Tools
GTIN	00092644650376
Manufacturers Part Number	646-9/16
UPC	092644650376



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description HAND TOOLS

Type Hollow

Packaging

Carton 1

Package 6

Weight 6.4 oz (181 g)

Weight Per each 0.4

Uses, Certifications, and Standards

Configuration Non-Magnetic

standard IEC 60900 and ASTM F1505