

MATERIAL SAFETY DATA SHEET

MSDS 0479

Section 1 -- PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	Metacaulk Box Guard	HMIS CODES	Health	:
			Flammability	(
			Reactivity)
PRODUCT CODES	66366, 66367, 66369	PPI		1
CHEMICAL FAMILY	Organic/Inorganic			
USE	Electrical Box Insert			
MANUFACTURER'S NAME	The RectorSeal Corporation	EMERGENCY TELEPHONE NO.	Chemtrec 24 Hours	
	2601 Spenwick Drive		(800) 424-9300	
	Houston, Texas 77055 USA			
VALIDATION DATE	March 12, 2007	TECHNICAL SERVICE TELEPHONE NO.	(800) 231-3345	
REVISION DATE	March 12, 2007			

Section 2 -- COMPOSITION/INFORMATION ON INGREDIENTS

% by WT	CAS No.	INGREDIENT	UNITS
None as defined by OSHA Hazard Communication Standard 29 CFR 1910.1200.			

Section 3 -- HAZARDS IDENTIFICATION

SUMMARY OF ACUTE HAZARDS
 May cause skin irritation.

ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

INHALATION
 Not a respiratory irritant.

EYE CONTACT
 Contact may cause eye irritation.

SKIN CONTACT
 Contact may cause skin irritation.

INGESTION
 Possible irritation to mucous membranes of the mouth, throat, and stomach

SUMMARY OF CHRONIC HAZARDS
 None known.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE
 Persons with pre-existing skin conditions or chemical allergies may be more susceptible to contact effects of the cured elastomer.

Section 4 -- FIRST AID MEASURES

If INHALED: Not a respiratory irritant.

If on SKIN: Wash with soap and water. If irritation occurs, seek medical attention

medical attention.

If in EYES: Immediately flush with large amounts of water. If irritation occurs, seek medical attention.

If SWALLOWED: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

=====
Section 5 -- FIRE FIGHTING MEASURES

FLASH POINT	LEL	UEL
None	N/D	N/D

EXTINGUISHING MEDIA

Foam, dry chemical, carbon dioxide or water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Fire conditions will activate product causing intumescence to occur.

=====
Section 6 -- ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Pick up debris prevent footing hazard.

=====
Section 7 -- HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Do not store near heat, sparks, or open flames.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

=====
Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION (SPECIFY TYPE): None required.

VENTILATION - LOCAL EXHAUST: N/A

SPECIAL: N/A

MECHANICAL (GENERAL): N/A

OTHER: N/A

PROTECTIVE GLOVES: None required.

EYE PROTECTION: None required.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None required.

WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

=====
Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT:	N/A
SPECIFIC GRAVITY (H2O = 1):	1.63
VAPOR PRESSURE (mm Hg):	N/A
MELTING POINT:	N/A
VAPOR DENSITY (AIR = 1):	N/A
EVAPORATION RATE (ETHYL ACETATE = 1):	N/A
APPEARANCE/ODOR:	Black / Mild Odor
SOLUBILITY IN WATER:	Insoluble

NOTE

Section 10 -- STABILITY AND REACTIVITY
SARA 313 N/A

STABILITY: Stable TSCA Inventory All components listed
CONDITIONS TO AVOID: None CERCLA RO N/A
INCOMPATIBILITY (MATERIALS TO AVOID): None known. RCRA Code N/A
HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2 and fragmented hydrocarbons.
HAZARDOUS POLYMERIZATION: Will not occur.
=====

~~Section 11 -- TOXICOLOGY INFORMATION~~

~~Section 16 -- OTHER INFORMATION~~

~~CHRONIC HEALTH HAZARDS~~
This ingredient is prepared pursuant to IARC, OSHA and AHA Chronic Carcinogen Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001

