



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## APR3455 4W-4P RCPT *Crouse-Hinds*

Catalog Number	APR3455
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Arktite Apr Connector, 30A, 0.87-1.20", Four-Wire, Four-Pole, 50-400 HZ, Style 1, Copper-Free Aluminum, 600 Vac/250 VDC
Weight per unit	2.3 (lbs/each)
Product Category	Pin & Sleeve Devices

### Features

amperage rating	30
connection	Pressure, Crimp/Solder
dimensions	8.2500 IN X 2.5600 IN X 2.5600 IN
Material	Copper-Free Aluminum
Poles	4
Voltage Rating	600 VAC AT 50 TO 400 HZ, 250 VDC
Wire Size	10 To 6 AWG (Building), 10 To 8 AWG (Extra Flex)

### Dimensions and Weight

Length	8-1/4
--------	-------

### Descriptions

Description	4W-4P RCPT
extra long description	CRS-H APR3455 30A 4W4P ARK CAB CONN
Features	Crouse-Hinds series Arktite plugs and receptacles are used to supply power to portable electrically operated devices, such as motor generator sets, compressors, heating and cooling units, welders, conveyors, lighting systems and similar equipment. Also used where temporary power is needed, such as at trailers, building units, heavy machinery or wherever electrical loads must be quickly disconnected from power source.
Long Description	Eaton Crouse-Hinds series Arktite APR connector, 30A, 0.87-1.20", Four-wire, four-pole, 50-400 Hz, Style 1, Copper-free aluminum, 600 Vac/250 Vdc
Product Type	30A 4W4P Ark Cab Conn RCPT .87 to 1.02
Special Features	Watertight, Grounding Style 1, Cable Range 0.87 To 1.20 In Diameter, NEMA 4 Enclosure

### Manufacturer Information

Brand	Eaton
GTIN	00782274054605
Manufacturers Part Number	APR3455
UPC	782274054605



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Taxonomies, Classifications, and Categories

Category Description Residential GFCI devices

Type CONNECTOR

## Packaging

Carton 1

Weight Per each 2.3

## Uses, Certifications, and Standards

Application Ind Facilities & Factories - Facility: Power Distribution and Control

standard UL 1682, UL 1686, CSA C22.2, CE