

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Size

ATM12 600V 1/2A Midget Fuse Mersen Fuses

Catalog Number	ATM12
Manufacturer	Mersen Fuses
Description	Fuse Atm - Midget - Fast-Acting 600VAC 600VDC 0.5A Ferrule Amp-Trap®
Weight per unit	0.0120 (lbs/each)
Product Category	Small Dimension Fuses
Features	
AC Voltage Rating	600
amperage rating	0.5
class	Midget
connection	Ferrule
DC Voltage Rating	600
interrupt rating	100
Voltage Rating	600
Material, Color, and Finish	
Body Material	GMG
Dimensions and Weight	

1.5 x 0.41



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

	٠
Descriptions	۰
DOJOI IP CIOI I	e

Package

Weight Per each

Description	600V 1/2A MIDGET FUSE
extra long description	Mersen ATM1/2 Fuse ATM - Midget - F
Features	Amp-Trap® midget fast-acting ATM fuses are rated 600 volts AC and DC, with a 100kA interrupting rating. These ratings give the ATM a wide range of applications not covered by other midget fuses. In addition, ratings of 30/35, 30/40 and 30/50 amperes are offered for specific applications such as capacitor protection. These ATM fuses must still be considered 30A fuses because of their dimensions, but are able to withstand much higher inrush currents and tougher duty cycles. (Not for Branch Circuit Protection
Long Description	Fuse ATM - Midget - Fast-Acting 600VAC 600VDC 0.5A Ferrule Amp-Trap®
Product Type	Fuse Atm - Midget - Fast-Acting 600VAC 600VDC 0.5A Ferrule
Short Description	600V 1/2A MIDGET FUSE
Special Features	For supplemental protection of small motors and transformers Extended ratings for special protection of capacitors and circuits with high inrush currents 600VDC ratings for a wide variety of applications including photovoltaic and solar applications. Can be used with UltraSafe™ fuse holders 1 1/2" x 13/32" (10mm x 38mm) dimensions
Manufacturer Information	
Brand	Mersen
GTIN	00782001900656
Manufacturers Part Number	ATM1/2
UPC	782001900656
Taxonomies, Classifications, and	Categories
Category Description	NAIDOFT FLIGE
Туре	Midget Fuses
Packaging	
Carton	1

10

0.012



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Supplemental protection of of circuits up to 600VAC and 600VDC with 100kA I.R.
Mounting	Clip
standard	UL listed to standard 248-14 (1/10 to 30A) File E33925 DC Listed to UL Standard 248-14 (1/10 to 30A) CSA Certified to Standard
	C22.2 No. 248.14 (1/10 to 30A)