



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1105 West Sanger
88240-0000, NM Hobbs
Phone: 575-397-2122
Fax: 575-397-2178



AW1614P Encl 14.9X12.9 PNTD BK PNL For 16X14 Encl *Cooper B-Line/Cable Tray*

Catalog Number	AW1614P
Manufacturer	Cooper B-Line/Cable Tray
Description	Enclosure Panel, Steel, Painted, White, 14.87 In Overall Length, 12.87 In Overall Width, 0.25 In (Hole Diameter) Diameter, 3.64 LB
Weight per unit	3.6 (lbs/each)
Product Category	Enclosure General Accessories

Features

dimensions	12.8750 IN X 0.0630 IN X 14.8700 IN
Material	Galvanized Steel

Dimensions and Weight

Size	12.87 In Width X 14.87 In Height
------	----------------------------------

Descriptions

Description	ENCL 14.9X12.9 PNTD BK PNL FOR 16X14 ENCL
extra long description	B-LINE AW1614P JIC PNL, ENC, 16X14
Features	Eaton offers numerous panel options that mount inside B-Line series enclosures. Mounting panels provide a surface to mount various electrical components within the enclosure.
Special Features	Hole Diameter 0.25 In

Manufacturer Information

Brand	Eaton
GTIN	00782051793901
UPC	782051793901

Taxonomies, Classifications, and Categories

Category Description	STEEL JUNCTION BOXES
Type	Panels and Panel Accessories

Packaging

Carton	1
Weight Per each	3.64



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1105 West Sanger
88240-0000, NM Hobbs
Phone: 575-397-2122
Fax: 575-397-2178

Uses, Certifications, and Standards

Application

Ind Facilities & Factories - Industrial Facilities/Factories -
OtherUtility - Substations, Utility Transmission and
DistributionInd Facilities & Factories - Facility: Lighting and
Lighting ControlsInd Facilities & Factories - Facility: Power
Distribution and ControlInd Facilities & Factories - Facility: Critical
PowerCommercial / Institutional Buildings / Structures - Lighting
and Lighting ControlsInd Facilities & Factories - Mfg. Process
Electrification and ControlCommercial / Institutional Buildings /
St

standard

CSA C22.2, UL Listed, NEMA