



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## BR24L125SP 1PH 125A Mlo 2/4 Cir Al Bus Surface Cover

Eaton Corp

|                  |  |
|------------------|--|
| Catalog Number   | BR24L125SP   |
| Manufacturer     | Eaton Corp   |
| Description      | Main Lug Load Center, 2 Spaces, 4 Circuits, 125 A, 120/240 V Ac, #14 to 1/0 Awg Wire Size, Metallic Material, Aluminum Bus Material, 6.88 In Overall Length, 4.50 In Overall Width, 12 In Overall Height, Surface Mount (Trim) |
| Weight per unit  | 5.4 (lbs/each)   |
| Product Category | Single Phase Main Lug Load Cen   |

### Features

|                 |                                     |
|-----------------|-------------------------------------|
| amperage rating | 125                                 |
| Cover Type      | Cover not included                  |
| dimensions      | 3.8800 IN X 14.3100 IN X 21.0000 IN |
| Phase           | 1                                   |
| Wattage         | Four-pole                           |

### Dimensions and Weight

|        |       |
|--------|-------|
| Depth  | 3.88  |
| Height | 21    |
| Size   | 6     |
| Width  | 14.31 |

### Descriptions

|                        |   |
|------------------------|---|
| Description            | 1PH 125A MLO 2/4 CIR AL BUS SURFACE COVER |
| extra long description | ETN BR24L125SP 1Ph/BR LC 125A MLO 2       |
| Special Features       | Current design                            |

### Manufacturer Information

|      |                |
|------|----------------|
| GTIN | 00786676002271 |
| UPC  | 786676002271   |

### Taxonomies, Classifications, and Categories

|                      |                      |
|----------------------|----------------------|
| Category Description | LOADCENTERS & COVERS |
| Type                 | Main lug loadcenter  |

### Packaging

|                 |     |
|-----------------|-----|
| Carton          | 1   |
| Weight Per each | 5.4 |

### Uses, Certifications, and Standards

|          |               |
|----------|---------------|
| Mounting | Surface Mount |
| standard | UL 50,UL 67   |