

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



BRCAF115CS Eaton BR Afci Circuit Bre Eaton Corp

Catalog Number	BRCAF115CS
Manufacturer	Eaton Corp
Description	Eaton BR Afci Circuit Breaker, Afci Circuit Breaker, Clamshell Pack, 15 A, 10 Kaic, Single-Pole, 120 V, BRC, Pigtail, #14-4 Awg
	Cu/AI, Q30, Type BR Loadcenters
Weight per unit	0.4500 (lbs/each) In Circuit Breakers
Product Category	In circuit breakers
Features	
connection	Pigtail
dimensions	6.0000 IN X 3.5000 IN X 1.2500 IN
interrupt rating	
Poles	1
Voltage Rating	120 V
Descriptions	
Description	EATON BR AFCI CIRCUIT BRE
extra long description	ETN BRCAF115CS BR COMBINATION AFCI,
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR loadcenters, spa panels, meter breakers and sub panels. They ar designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstream main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.
Long Description	Eaton BR AFCI circuit breaker, AFCI Circuit breaker, Clamshell pack, 15 A, 10 kAIC, Single-pole, 120 V, BRC, Pigtail, #14-4 AWG Cu/AI, Q30, Type BR Loadcenters
Product Type	BR Combination Afci, 1P, 15A, 10KAIC,
Special Features	Clamshell pack
Manufacturer Information	
Brand	Eaton
GTIN	00786685514369
Manufacturers Part Number	BRCAF115CS
UPC	786685514369
Taxonomies, Classifications, and (Categories
Category Description	
Туре	
Packaging	1
Carton	



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application

standard

Generation - Renewable Energy - Alternative EnergyGeneration -
Conventional Energy - Conventional EnergyMarine Vessels and
Equipment - Marine Vessels and Equipment -
 OtherOtherDatacenters - IT Space: CI and Hyper Converged
 UL 1699, Federal Specifications Classification W-C375