Eaton CDR3033

Catalog Number: CDR3033

Eaton Crouse-Hinds series PowerMate CDR receptacle, 30A, Three-wire, three-pole, Style 1, Copper-free aluminum, 600 Vac/250 Vdc

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series PowerMate	CDR3033
CDR receptacle	UPC 662276277038
Product Length/Depth	Product Height
2.88 in	3.38 in
Product Width 3.38 in	Product Weight 2.2 lb

Photo is representative



Certifications and compliances

Area classification

Ordinary/Non-Hazardous Locations

Standards type NEC/CEC

NEMA Rating

4X

Product specifications

Amperage Rating

30A

Grounding type

Style 1

Configuration

Three-wire, three-pole

Voltage rating 600 Vac/250 Vdc

Material Copper-free aluminum

Resources

3D CAD drawing package

Eaton Crouse-Hinds CDR3033 3D drawing

Brochures

PowerMate Drilling Pin and Sleeve Devices brochure

Catalogs

PowerMate Drilling Pin and Sleeve Devices catalog page

Certification reports

PowerMate Drilling Pin and Sleeve Devices UL certification (Receptacles)

Installation instructions

IF 1834 - PowerMate Pin and Sleeve Devices with Nested Bushing IF 1632 - 30, 60, 100 and 150A PowerMate Pin and Sleeve Devices

Specifications and datasheets

Eaton Specification Sheet - CDR3033

PowerMate Connectors



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2025 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia

Eaton CDR3033

Catalog Number: CDR3033

Eaton Crouse-Hinds series PowerMate CDR receptacle, 30A, Three-wire, three-pole, Style 1, Copper-free aluminum, 600 Vac/250 Vdc

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series PowerMate	CDR3033
CDR receptacle	UPC 662276277038
Product Length/Depth	Product Height
2.88 in	3.38 in
Product Width 3.38 in	Product Weight 2.2 lb

Photo is representative



Certifications and compliances

Area classification

Ordinary/Non-Hazardous Locations

Standards type NEC/CEC

NEMA Rating

4X

Product specifications

Amperage Rating

30A

Grounding type

Style 1

Configuration

Three-wire, three-pole

Voltage rating 600 Vac/250 Vdc

Material Copper-free aluminum

Resources

3D CAD drawing package

Eaton Crouse-Hinds CDR3033 3D drawing

Brochures

PowerMate Drilling Pin and Sleeve Devices brochure

Catalogs

PowerMate Drilling Pin and Sleeve Devices catalog page

Certification reports

PowerMate Drilling Pin and Sleeve Devices UL certification (Receptacles)

Installation instructions

IF 1834 - PowerMate Pin and Sleeve Devices with Nested Bushing IF 1632 - 30, 60, 100 and 150A PowerMate Pin and Sleeve Devices

Specifications and datasheets

Eaton Specification Sheet - CDR3033

PowerMate Connectors



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2025 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia