


ELLIOTT ELECTRIC SUPPLY 411 Autumn Street 71901-0000, AR Hot Springs Phone: 501-762-8210 Fax: 501-762-8211





CGE193 1/2" NPT 90D Male Cord/Cable Fitting (.250-.375) Crouse-Hinds

Catalog Number	CGE193
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Cge Cable Gland, Cable Range Min/Max: 0.250-0.375", Non-Armoured and Tray Cable, 90° Angle, Non-Armoured Gland, Feraloy Iron Alloy, General Purpose 1/2" NPT
Weight per unit	0.2700 (lbs/each)
Product Category	Cable & Cord Grips
Features	
connection	Male NPT
dimensions	2.8700 IN X 1.1400 IN X 1.1400 IN
Material	Aluminum Body, Neoprene Seal
Material, Color, and Finish Finish	Electrogalvanized With Chromate Treatment
Dimensions and Weight	· · · · · · · · · · · · · · · · · · ·
Size	1/2 in
Descriptions	
Description	1/2" NPT 90D MALE CORD/CABLE FITTING (.250375)
extra long description	CRS-H CGE193 1/2 NPT 90 DEG CORD/CA
Features	They are also listed for use with tray cable types TC, TC-ER, TC-ER-HLA, ITC, ITC-ER, ITC-HL, PLTC and PLTC-ER. When installed in accordance with NEC501.10(B)(4), CGB, CGD, CGE and CGFP non-armoured glands are suitable for use in Class I, Divisior 2 hazardous locations. Crouse-Hinds series CGB, CGD, CGE and CGFP non-armoured glands are installed to provide a means for passing a cord, unarmoured cable or flexible conduit into an enclosure. The glands form an environmental seal for cord or unarmoured round
Long Description	Eaton Crouse-Hinds series CGE cable gland, Cable range min/max: 0.250-0.375", Non-armoured and tray cable, 90° angle, Non-armoured gland, Feraloy iron alloy, General purpose, 1/2" NPT
Product Type	1/2 NPT 90 Deg Cord/Cab FTG Neo Bush
Special Features	Non-Armored Gland, Cord Size 0.250 To 0.375 In



ELLIOTT ELECTRIC SUPPLY 411 Autumn Street 71901-0000, AR Hot Springs Phone: 501-762-8210 Fax: 501-762-8211

Manufacturer Information

Brand	Eaton
GTIN	00782274142005
Manufacturers Part Number	CGE193
UPC	782274142005

Taxonomies, Classifications, and Categories

Category Description	CORD CONNECTORS & CORD GRIPS
Type	Cable gland

Packaging

magnig		
Carton	1	
Package	10	
•	0.27	

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Enclosure	Class I Div 2
standard	UL, cUL
Temperature Rating	-25 To 40 Deg C