


# Carlton®




PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DE4X - C	3/4"	1.05 [26,7]	.74 [18.8]	.060 [1,5]
DF4X - C	1"	1.32 [33,4]	.98 [24,9]	.060 [1,5]
DG4X - C	1 1/4"	1.67 [42,4]	1.31 [33,3]	.080 [2,0]
DH4X - C	1 1/2"	1.91 [48,4]	1.54 [39,1]	.080 [2,0]
DJ4X - C	2"	2.38 [60,3]	2.00 [50,8]	.080 [2,0]

**NOTES:**

- 1) "LENGTH" IS DETERMINED PER ORDER
- 2) PART NUMBER SUFFIX (UNDERSCORE):
  - 1 = ORANGE
  - 3 = GREY
  - 4 = WHITE
  - 7 = YELLOW
- 3) "C" ON THE END ON PART NUMBER DENOTES PULLTAPE

**SEE SHEET 2 FOR A SPECIFIC PART NUMBER.**

<b>GENERAL NOTES</b>		 www.tnb.com			
1. ALL DIMENSIONS ARE FOR REFERENCE ONLY. 2. DIMENSIONS IN BRACKETS [ ] ARE IN METRIC UNITS.					
<b>REVISIONS</b>		<b>DESCRIPTION: PVC WIDEHAT RISER-GARD FIBER OPTIC CORRUGATED CONDUIT</b>			
D SEE ERN 2015818 FOR APPROVAL SIGNATURES & RELEASE DATE. PROJECT NO: 5AM000010		ORIGINAL PROJECT NO / ( ERN NO )	SHEET NO:	REV. NO:	DRAWING NO:
		/ ( )	1 OF 3	D	WSD-AC04182

# Carlton®

PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DE4X1-1000 DE4X1-1000S DE4X1-350 DE4X2-1000	3/4"	1.05 [26,7]	.74 [18.8]	.060 [1,5]
DF4X1-250 DF4X1-250S DF4X1C-1000 DF4X1C-125 DF4X1C-1500 DF4X1C-2700 DF4X1C-4000 DF4X1C-500 DF4X1C-500R DF4X1C-5200 DF4X1C-6500 DF4X1C-7000 DF4X1C-8000 DF4X1C-9400 DF4X1C-5200 DF4X7C-5200 DF4X7C-8000 DF4X7D-5200	1"	1.32 [33,4]	.98 [24,9]	.060 [1,5]

**Thomas & Betts**  
www.tnb.com

DESCRIPTION: **PVC WIDEHAT RISER-GARD  
FIBER OPTIC CORRUGATED CONDUIT**

SHEET NO:  
2 OF 3

REV. NO:  
D

DRAWING NO:  
WSD-AC04182

# Carlton®

PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DG4X1-200 DG4X1-200S DG4X1-500S DG4X1-7000X DG4X1C-1500 DG4X1C-1600 DG4X1C-200 DG4X1C-3200 DG4X1C-4500 DG4X1C-500 DG4X1C-500R DG4X1C-5600 DG4X1C-6500 DG4X1C-700 DG4X1C-900 DG4X1C-950 DG4X1C-1100 DG4X4C-1000 DG4X4C-500 DG4X7C-5000 DG4X7C-6000	1 1/4"	1.67 [42,4]	1.31 [33,3]	.080 [2,0]
DH4X1-150S DH4X1C-1200 DH4X1C-150 DH4X1C-300 DH4X1C-4000 DH4X1C-4500	1 1/2"	1.91 [48,4]	1.54 [39,1]	.080 [2,0]
DJ4X1-100S DJ4X1C-100 DJ4X1C-2000 DJ4X1C-2800 DJ4X1C-700 DJ4X1C-250 DJ4X1C-750	2"	2.38 [60,3]	2.00 [50,8]	.080 [2,0]

**Thomas & Betts**  
www.tnb.com


DESCRIPTION: **PVC WIDEHAT RISER-GARD  
FIBER OPTIC CORRUGATED CONDUIT**

SHEET NO:  
3 OF 3

REV. NO:  
D

DRAWING NO:  
WSD-AC04182

# Carlton®




PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DE4X - C	3/4"	1.05 [26,7]	.74 [18.8]	.060 [1,5]
DF4X - C	1"	1.32 [33,4]	.98 [24,9]	.060 [1,5]
DG4X - C	1 1/4"	1.67 [42,4]	1.31 [33,3]	.080 [2,0]
DH4X - C	1 1/2"	1.91 [48,4]	1.54 [39,1]	.080 [2,0]
DJ4X - C	2"	2.38 [60,3]	2.00 [50,8]	.080 [2,0]

**NOTES:**

- 1) "LENGTH" IS DETERMINED PER ORDER
- 2) PART NUMBER SUFFIX (UNDERSCORE):
  - 1 = ORANGE
  - 3 = GREY
  - 4 = WHITE
  - 7 = YELLOW
- 3) "C" ON THE END ON PART NUMBER DENOTES PULLTAPE

SEE SHEET 2 FOR A SPECIFIC PART NUMBER.

<b>GENERAL NOTES</b>		 www.tnb.com			
1. ALL DIMENSIONS ARE FOR REFERENCE ONLY. 2. DIMENSIONS IN BRACKETS [ ] ARE IN METRIC UNITS.					
<b>REVISIONS</b>		<b>DESCRIPTION: PVC WIDEHAT RISER-GARD FIBER OPTIC CORRUGATED CONDUIT</b>			
D SEE ERN 2015818 FOR APPROVAL SIGNATURES & RELEASE DATE. PROJECT NO: 5AM000010		ORIGINAL PROJECT NO / ( ERN NO ) / ( )	SHEET NO: 1 OF 3	REV. NO: D	DRAWING NO: WSD-AC04182

# Carlton®

PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DE4X1-1000 DE4X1-1000S DE4X1-350 DE4X2-1000	3/4"	1.05 [26,7]	.74 [18.8]	.060 [1,5]
DF4X1-250 DF4X1-250S DF4X1C-1000 DF4X1C-125 DF4X1C-1500 DF4X1C-2700 DF4X1C-4000 DF4X1C-500 DF4X1C-500R DF4X1C-5200 DF4X1C-6500 DF4X1C-7000 DF4X1C-8000 DF4X1C-9400 DF4X1C-5200 DF4X7C-5200 DF4X7C-8000 DF4X7D-5200	1"	1.32 [33,4]	.98 [24,9]	.060 [1,5]

**Thomas & Betts**  
www.tnb.com

DESCRIPTION: **PVC WIDEHAT RISER-GARD  
FIBER OPTIC CORRUGATED CONDUIT**

SHEET NO:  
2 OF 3

REV. NO:  
D

DRAWING NO:  
WSD-AC04182

# Carlton®

PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DG4X1-200 DG4X1-200S DG4X1-500S DG4X1-7000X DG4X1C-1500 DG4X1C-1600 DG4X1C-200 DG4X1C-3200 DG4X1C-4500 DG4X1C-500 DG4X1C-500R DG4X1C-5600 DG4X1C-6500 DG4X1C-700 DG4X1C-900 DG4X1C-950 DG4X1C-1100 DG4X4C-1000 DG4X4C-500 DG4X7C-5000 DG4X7C-6000	1 1/4"	1.67 [42,4]	1.31 [33,3]	.080 [2,0]
DH4X1-150S DH4X1C-1200 DH4X1C-150 DH4X1C-300 DH4X1C-4000 DH4X1C-4500	1 1/2"	1.91 [48,4]	1.54 [39,1]	.080 [2,0]
DJ4X1-100S DJ4X1C-100 DJ4X1C-2000 DJ4X1C-2800 DJ4X1C-700 DJ4X1C-250 DJ4X1C-750	2"	2.38 [60,3]	2.00 [50,8]	.080 [2,0]

**Thomas & Betts**  
www.tnb.com

DESCRIPTION: **PVC WIDEHAT RISER-GARD  
FIBER OPTIC CORRUGATED CONDUIT**

SHEET NO:  
3 OF 3

REV. NO:  
D

DRAWING NO:  
WSD-AC04182