

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## DG134031FBC21C DG1 480V FR3 N1 20HP 31A CT 25HP 38A VT W/ BC Eaton Corp

. * .	
Catalog Number	DG134031FBC21C
Manufacturer	Eaton Corp
Description	Eaton Powerxl DG1 Variable Frequency Drive, 525-600V Input 1 KW 20 HP CT, 3PH, 50/60 HZ, 31A, Output IP21/Type 1 Enclosure, FR4, LCD Display, Internal Emc Filter and DC Choke Ethernet, RS-485
Weight per unit	50.7 (lbs/each)
Product Category	Ac Drives
atures	
display	LCD graphical
Input Voltage	575 V, 525-600 V(-15%, +10%)
keypad	Included
mensions and Weight	
Depth	27
Height	16.5
Width	12
escriptions	
Description	DG1 480V FR3 N1 20HP 31A CT 25HP 38A VT W/ BC
extra long description	ETN DG1-34031FB-C21C DG1,480V FR3,N
Features	Demand more flexibility. Eaton's PowerXL DG1 general purpose variable frequency drives are engineered for today's demanding commercial and industrial applications. With an industry leading energy efficiency algorithm, high short-circuit current rating and robust design, the DG1 offers customers increased efficiency, safety and reliability.
Long Description	Eaton PowerXL DG1 variable frequency drive, 525-600V input 1 kW 20 Hp CT, 3PH, 50/60 Hz, 31A ,output IP21/type 1 enclosure FR4, LCD display, Internal EMC filter and DC choke EtherNet, RS-485
Product Type	DG1, 480V FR3, N1, 20HP, 31A/25HP, 38A, BC
anufacturer Information	
Brand	Eaton
GTIN	00786685878805
OTIIN	
Manufacturers Part Number	DG1-34031FB-C21C

Variable Frequency Drive

Category Description DRIVES

Type



## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging Carton	1
Weight Per each	50.71
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure	IP21/type 1 enclosure
standard	UL Listed,IEC 61508,UL 508C,EN ISO 13849-1,cUL Listed,EN 61800-3,EN 61800-5-1,EN 62061,CE Marked,RoHS Compliant,C-Tick Compliant,GoST-R