

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

475 Boardwalk 78119-2604, TX Kenedy Phone: 830-299-4593 Fax: 830-583-9886



Weight Per each

E57LBL18A2E 18MM STD Ind Prox 2W Ac

E57LBL18A2E
Eaton Corp
Inductive Proximity Sensor, E57, Straight, Unshielded, 360° Viewable Led, 6.6 FT, 250 Ma At 250V, <3% Sensing Range, PVC, 2-Wire Ac, NC, 20-250V
0.7000 (lbs/each)
Inductive Proximity Sensor
< 3% sensing range
2.6000 IN X 0.7100 IN X 0.7100 IN
Yes
18mm/8mm
18MM STD IND PROX 2W AC
ETN E57LBL18A2E 18MM STD IND PROX 2
E57G general purpose sensors are a cost-effective solution that is optimised to include only those functions that are necessary for basic, reliable sensing without lacking the performance or features you expect in an Eaton product. These sensors include various diameter options designed to fit a variety of applications.
Inductive Proximity Sensor, E57, Straight, Unshielded, 360° viewable LED, 6.6 ft, 250 mA at 250V, <3% sensing range, PVC, 2-wire AC, NC, 20-250V
18MM STD Ind Prox 2W Ac
EATON CUTLER-HAMMER
00782113743240
E57LBL18A2E
782113743240
and Categories
SENSORS
Inductive Proximity Sensor

0.7

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

475 Boardwalk 78119-2604, TX Kenedy Phone: 830-299-4593 Fax: 830-583-9886

Uses, Certifications, and Standards

Application	Stationary Mach Equip In Factory - Other Stationary Machinery and Equipment - In Factory
environmental conditions	NEMA 4, NEMA 4X, NEMA 6, NEMA 6P, NEMA 12, NEMA 13, IP67, IP69K
standard	CSA Certified,UL Listed,CE Marked