


ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





EN4200 42" Enclosure W/Screw On Cover Pass & Seymour/Legrand

Catalog Number	EN4200
Manufacturer	Pass & Seymour/Legrand
Description	<p>Perfect For Larger Installations, This 42"" Enclosure Features Universal On-Q Style Mounting Holes That Are Compatible With All Bay-Style Modules. It Also Includes Larger Top Openings That Make Pulling Wire Easier As Well As Additional Knockouts, More S</p>
Weight per unit	22.1 (lbs/each)
Product Category	Enclosures & Cabinets
Features	
Cable Entry	(2) rectangular knockouts for 1-gang electrical box
Enclosure Size	42.0
face plate	Screw-on Cover
frame	Cold Rolled Steel
Material	Steel
Material, Color, and Finish	
Color	White
Finish	Powder Coat
Dimensions and Weight	
Depth	3.7"
Height	42.1"
Thickness	0.1
Width	14.3"
Descriptions	
Description	42" ENCLOSURE W/SCREW ON COVER
extra long description	OnQ EN4200 42 ENCL W/SCREW ON COVER
Long Description	Perfect for larger installations, this 42"" enclosure features universal On-Q style mounting holes that are compatible with all bay-style modules. It also includes larger top openings that make pulling wire easier as well as additional knockouts, more s
Product Type	42 Encl W/Screw On Cover
Special Features	Flanged covers hide drywall openings- Flush and surface-mounted- Mounting tabs provide correct flush-mount position



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Manufacturer Information

Brand	Legrand On-Q
GTIN	00804428023166
Manufacturers Part Number	EN4200
UPC	804428023166

Taxonomies, Classifications, and Categories

Category Description	Datacom Wiring Devices and Accessories
Type	ENCLOSURE

Packaging

99		
Carton	1	
Weight Per each	22.06	

Uses, Certifications, and Standards

Application	Residential
Mounting	Surface or Flush
standard	UL, CULUS, ROHS, CSA, UL (UL985, UL1023, UL1863), cULus, CSA,
	RoHS