

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

F1X2LG6 1" X 2" Slotted Wiring Duct, Light Gray Panduit Corporation

Catalog Number	F1X2LG6	
Manufacturer	Panduit Corporation	
Description	The F1X2LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct Features A Narrow Slot/Finger Design That Closely Matches The Spacing Of High-Density Components. Upper and Lower Scorelines Allow For Easy Finger/Sidewall Section Removal. UI 94	
	Flame Class Of V-0 With A UI Recognized Continuous-Use Temperature Up to 122°F (50°C). Mounting Holes Provided. Lead-Free PVC. 1" X 2" (25.4 MM X 50.8 MM) and 6' (1.83 M)	
	Long. Cover Sold Separately. Color Light Gray.	
Weight per unit		
Product Category	Ducts, Raceways, Runways, Tray	
Features		
connection	Mounting Holes	
media	Yes	
Dimensions and Weight		
Height	2.12	
Length	6.00	
Size	1.00 x 2.00	
Descriptions		
Description	1" X 2" SLOTTED WIRING DUCT, LIGHT GRAY	
extra long description	PAN F1X2LG6 Panduct® F1X2LG6 Base W	
Long Description	The F1X2LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closely matches the	
	spacing of high-density components. Upper and lower scoreline allow for easy finger/sidewall section removal. UL 94 flame class	
	of V-0 with a UL recognized continuous-use temperature up to	
	122°F (50°C). Mounting holes provided. Lead-free PVC. 1" x 2"	
	(25.4 mm x 50.8 mm) and 6' (1.83 m) long. Cover sold	
Product Typo	separately. Color Light Gray. Panduct® F1X2LG6 Base Wiring Duct	
Product Type	Failuuct FIAZLOO Dase Willing Duct	
Manufacturer Information	DANIDLUT	
Brand	PANDUIT	
GTIN Manufacturars Part Number		
Manufacturers Part Number UPC	F1X2LG6	
Taxonomies, Classifications, and (074983375110	

Category Description WIRE DUCT AND COVERS



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Availability minimum qty	6	
Packaging Carton	6	
Package	120	