Eaton FAZ-C50/2-NA

Catalog Number: FAZ-C50/2-NA

Eaton FAZ branch protector,UL 489 Industrial miniature circuit breaker - supplementary protector,Medium levels of inrush current are expected,50 A,10 kAIC,Two-pole,240 V,5-10X /n,50-60 Hz,Screw terminals,C Curve



General specifications

Product Name

Eaton FAZ branch protector

UPC

786689042387

Product Height

1.5 in

Product Weight

0.5 lb

Certifications

UL 489

Catalog Number

FAZ-C50/2-NA

Product Length/Depth

1.4 in

Product Width

3 in

Warranty

1 year



Physical Attributes

Number of poles

Two-pole

Terminals

Screw

Type

UL 489 Industrial miniature circuit breaker - supplementary protector

Performance Ratings

Amperage Rating

50 A

Circuit protection

C curve

Frequency rating

50-60 Hz

Interrupt rating

10 kAIC

Trip Type

5-10X /n

Voltage rating

277/480V

Miscellaneous

Application

Suitable for applications where medium levels of inrush current are expected

Resources

Catalogs

UL 489 DIN rail miniature circuit breakers

Specifications and datasheets

Eaton Specification Sheet - FAZ-C50/2-NA



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton FAZ-C50/2-NA

Catalog Number: FAZ-C50/2-NA

Eaton FAZ branch protector,UL 489 Industrial miniature circuit breaker - supplementary protector,Medium levels of inrush current are expected,50 A,10 kAIC,Two-pole,240 V,5-10X /n,50-60 Hz,Screw terminals,C Curve



General specifications

Product Name

Eaton FAZ branch protector

UPC

786689042387

Product Height

1.5 in

Product Weight

0.5 lb

Certifications

UL 489

Catalog Number

FAZ-C50/2-NA

Product Length/Depth

1.4 in

Product Width

3 in

Warranty

1 year



Physical Attributes

Number of poles

Two-pole

Terminals

Screw

Type

UL 489 Industrial miniature circuit breaker - supplementary protector

Performance Ratings

Amperage Rating

50 A

Circuit protection

C curve

Frequency rating

50-60 Hz

Interrupt rating

10 kAIC

Trip Type

5-10X /n

Voltage rating

277/480V

Miscellaneous

Application

Suitable for applications where medium levels of inrush current are expected

Resources

Catalogs

UL 489 DIN rail miniature circuit breakers

Specifications and datasheets

Eaton Specification Sheet - FAZ-C50/2-NA



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

