

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



FD1030 FD BRKR 1 Pole 30AMP With Load Only Terms Eaton Corp

Catalog Number	FD1030
Catalog Number Manufacturer	Eaton Corp
Description	Eaton Series C Complete Molded Case Circuit Breaker, F-Frame,
Description	FD, Complete Breaker, Fixed Thermal, Fixed Magnetic Trip Type Single-Pole, 30 A, 347 Vac, 125 VDC, Load Side, 50/60 HZ
Weight per unit	-
Product Category	
atures	
Current Rating	30 A
dimensions	3.3800 IN X 1.3800 IN X 6.0000 IN
frame	F
interrupt rating	35 kAIC at 277 Vac18 kAIC at 347 Vac
media	Yes
Poles	
Voltage Rating	
scriptions	
Description	FD BRKR 1 POLE 30AMP WITH LOAD ONLY TERMS
extra long description	ETN FD1030 FD BRK 1P 30A WITH LOAD
Features	Experience the superior quality of the Eaton Series C Molded Case Circuit Breaker. The Series C circuit breaker is ideal for panelboards, switchboards, motor control centers, and busway applications. Choose from a premier selection of trip units including thermal magnetic, electronic, and magnetic only switches. Available for systems up to 600 VAC or 250 VDC with current ratings up to 800A.
Long Description	Eaton Series C complete molded case circuit breaker, F-frame, FD, Complete breaker, Fixed thermal, Fixed magnetic trip type, Single-pole, 30 A, 347 Vac, 125 Vdc, Load side, 50/60 Hz
Product Type	FD BRK 1P 30A With Load Only Terminals
anufacturer Information	
Brand	Eaton
GTIN	
Manufacturers Part Number	FD1030
UPC	786679312131
xonomies, Classifications, and (Categories
Category Description	
Туре	Molded case circuit breaker



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	1
Weight Per each	1.5
Uses, Certifications, and Standards	
Application	Elec Assemblies, Panels & EOEM - Electrical Assemblies and
	EOEMs - Other
standard	UL Listed