NON-METALLIC & STEEL BOXES



FLOOR BOX KITS and Boxes • Covers • Accessories



### NON-METALLIC BOXES THREE STYLES



## **FLUSH FIT**

Arlington's **UL Listed FLOOR BOX KITS** offer installers the low cost, convenient way to put a receptacle in the floor – with a box that installs flush with the floor.

We have a floor box for nearly any job site condition. There's one for new concrete pours, a box for existing floors - and an adjustable box that fits most finished floor heights up to 2". All are available with oversized non-metallic or metal covers. And all install flush with the floor surface

**COVERS** Our non-metallic boxes have gasketed covers that prevent water intrusion - with your choice of threaded plugs or flip lids that protect the receptacle when it's not in use. Best of all, they're oversized to hide miscut flooring!

Arlington's single-gang floor box kits are available with metal or non-metallic

covers in a variety of colors and finishes.

Non-metallic in white, black, brown, light almond and metal in brass and nickel-plated brass.


















### ON EXISTING FLOORS





## **ADJUSTS TO FINAL FLOOR HEIGHT**




### FOR FLOORS UP TO 2" THICK

#### **FOR NEW CONCRETE POURS**



Flip Lid **Cover Style** 

Suppled with 1/8", 1/4", 1/2" and 3/4" spacers to allow for increases in floor thickness; tile, wood, carpet, etc.



Adjustable boxes for varying floor heights





FLBA101MB Rectangular, **Brass Cover** 

Adjustable Bracket positions box flush with floor





#### **FOR EXISTING FLOORS**



| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997 | <b>DESCRIPTION</b> UL Listed Floor Box Kit | COVER<br>MATERIAL | COVER<br>STYLE/SHAPE | COVER<br>COLOR      | UNIT<br>PKG | STD<br>PKG |
|-------------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBRF101W         | 16253                        |                                            | Non-Metallic      |                      | White               | 1           | 4          |
| FLBRF101LA        | 16252                        | 20.0 cubic inch                            | Non-Metallic      | RECTANGULAR          | Light Almond        | 1           | 4          |
| FLBRF101BR        | 16251                        | <b>BOX FOR</b>                             | Non-Metallic      | with                 | Brown               | 1           | 4          |
| FLBRF101BL        | 16250                        | <b>EXISTING FLOORS</b>                     | Non-Metallic      | TWO                  | Black               | 1           | 4          |
| FLBRF101ME        | 16254                        | Flush-to-the-floor                         | Metal             | FLIP LIDS            | Brass               | 1           | 4          |
| FLBRF101NL        | 16255                        | Installation. Put a                        | Metal             |                      | Nickel-plated brass | 1           | 4          |
| FLBR101W          | 04356                        | receptacle where you need iteasy.          | Non-Metallic      | RECTANGULAR          | White               | 1           | 4          |
| FLBR101LA         | 04357                        | you need iteasy.                           | Non-Metallic      | with                 | Light Almond        | 1           | 4          |
| FLBR101BR         | 04359                        | (ŮL)                                       | Non-Metallic      | TWO                  | Brown               | 1           | 4          |
| FLBR101BL         | 04358                        |                                            | Non-Metallic      | THREADED             | Black               | 1           | 4          |
| FLBR101MB         | 52263                        | LISTED                                     | Metal             | PLUGS                | Brass               | 1           | 4          |
| FLBR101NL         | 52453                        |                                            | Metal             |                      | Nickel-plated brass | 1           | 4          |

Includes: Floor Box, duplex receptacle, (1) NM94 connector, back plate on non-metallic covers, gasketed cover, (5) #6-32 cover plate screws and threaded plugs or flip lids.

FLBRF101LA




Not shown:

FLBRF101NL (Nickel-plated cover with flip lids)

FLBRF101BR (Non-metallic, brown cover with flip lids)





Not shown:

 $\textbf{FLBR101W} \ (\textbf{Non-metallic}, \textbf{white cover with threaded plugs})$ 





FLBR101LA



INSTALLS FLUSH WITH FLOOR



# ADJUSTABLE... FOR FLOORS UP TO 2" H



| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997 | <b>DESCRIPTION</b> UL Listed Floor Box Kit | COVER<br>MATERIAL | COVER<br>STYLE/SHAPE                | COVER<br>COLOR      | UNIT<br>PKG | STD<br>PKG |
|-------------------|------------------------------|--------------------------------------------|-------------------|-------------------------------------|---------------------|-------------|------------|
| FLBAF101W         | 04340                        |                                            | Non-Metallic      |                                     | White               | 1           | 4          |
| FLBAF101LA        | 04341                        |                                            | Non-Metallic      | RECTANGULAR                         | Light Almond        | 1           | 4          |
| FLBAF101BR        | 04343                        |                                            | Non-Metallic      | with                                | Brown               | 1           | 4          |
| FLBAF101BL        | 04342                        |                                            | Non-Metallic      | TWO                                 | Black               | 1           | 4          |
| FLBAF101ME        | 13805                        |                                            | Metal             | FLIP LIDS                           | Brass               | 1           | 4          |
| FLBAF101NL        | 13806                        | 18.3 cubic inch                            | Metal             |                                     | Nickel-plated brass | 1           | 4          |
| FLBA101W          | 04344                        | ADJUSTABLE BOX Fits most finished          | Non-Metallic      | RECTANGULAR with TWO THREADED PLUGS | White               | 1           | 4          |
| FLBA101LA         | 04345                        | floor heights                              | Non-Metallic      |                                     | Light Almond        | 1           | 4          |
| FLBA101BR         | 04347                        | up to 2"                                   | Non-Metallic      |                                     | Brown               | 1           | 4          |
| FLBA101BL         | 04346                        | ар 10 <u>г</u>                             | Non-Metallic      |                                     | Black               | 1           | 4          |
| FLBA101MB         | 52259                        | (Ůľ)                                       | Metal             |                                     | Brass               | 1           | 4          |
| FLBA101NL         | 52450                        | LISTED                                     | Metal             |                                     | Nickel-plated brass | 1           | 4          |
| FLBAR101W         | 04348                        |                                            | Non-Metallic      | ROUND                               | White               | 1           | 4          |
| FLBAR101LA        | 04349                        |                                            | Non-Metallic      | with                                | Light Almond        | 1           | 4          |
| FLBAR101BR        | 04351                        |                                            | Non-Metallic      | TWO                                 | Brown               | 1           | 4          |
| FLBAR101BL        | 04350                        |                                            | Non-Metallic      | THREADED                            | Black               | 1           | 4          |
| FLBAR101MI        | <b>3</b> 52261               |                                            | Metal             | PLUGS                               | Brass               | 1           | 4          |
| FLBAR101NL        | 52451                        |                                            | Metal             |                                     | Nickel-plated brass | 1           | 4          |

Includes: Adjustable Floor Box, (1) tamper-resistant ("TR") duplex receptacle, (1) cover plate w/ gasket, flip lids or threaded plugs, (2) #6-32 x 1\* long screws, (2) #6 drywall screws, (1) NM94 connector, (1) NM900 plug, (1) cap (covers adjustable screw hole in cover plate)



**NON-METALLIC COVER COLORS** 








FLBAR101BL
















#### **FOR CONCRETE POURS**





|            | UPC/DCI/NAED<br>MFG. #018997 | <b>DESCRIPTION</b> UL Listed Floor Box Kit | COVER<br>MATERIAL | COVER<br>STYLE/SHAPE | COVER<br>COLOR      | UNIT<br>PKG | STD<br>PKG |
|------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBCF101W  | 06950                        |                                            | Non-Metallic      |                      | White               | 1           | 1          |
| FLBCF101LA | 06951                        |                                            | Non-Metallic      | RECTANGULAR          | Light Almond        | 1           | 1          |
| FLBCF101BR | 06952                        | BOX FOR                                    | Non-Metallic      | with                 | Brown               | 1           | 1          |
| FLBCF101BL | 06953                        | NEW CONCRETE                               | Non-Metallic      | TWO                  | Black               | 1           | 1          |
| FLBCF101MB | 52454                        | Includes spacers                           | Metal             | FLIP LIDS            | Brass               | 1           | 1          |
| FLBCF101NL | 52455                        | for adjusting box to finished floor        | Metal             |                      | Nickel-plated brass | 1           | 1          |
| FLBC101W   | 04352                        | height                                     | Non-Metallic      | - RECTANGULAR        | White               | 1           | 1          |
| FLBC101LA  | 04353                        |                                            | Non-Metallic      | with                 | Light Almond        | 1           | 1          |
| FLBC101BR  | 04355                        | (PL)                                       | Non-Metallic      | TWO                  | Brown               | 1           | 1          |
| FLBC101BL  | 04354                        | LISTED                                     | Non-Metallic      | THREADED             | Black               | 1           | 1          |
| FLBC101MB  | 52265                        |                                            | Metal             | PLUGS                | Brass               | 1           | 1          |
| FLBC101NL  | 52452                        |                                            | Metal             |                      | Nickel-plated brass | 1           | 1          |

Includes: Concrete box, mud cover, (4) 3/4" plugs, (2) 1" plugs, (1) 1/8" spacer, (1) 1/4" spacer, (1) 1/2" spacer and (1) 3/4" spacer, mounting bracket, duplex receptacle, gasketed cover plate, (5) #6-32 x 1/2" long cover plate screws, (4) #8 x 5/8" long sheet metal screws, (4) #8 x 1-1/4" long sheet metal screws and threaded plugs or flip lids.











## **ROUGH-IN & TRIM KITS**

#### **FOR NEW CONCRETE**

#### **ROUGH-IN KIT**

Non-metallic concrete box and plugs



| CATALOG   | UPC/DCI/NAED | DESCRIPTION                                       | BOX          | COLOR        | UNIT | STD |
|-----------|--------------|---------------------------------------------------|--------------|--------------|------|-----|
| NUMBER    | MFG. #018997 | Rough-In Kit                                      | MATERIAL     |              | PKG  | PKG |
| FLBC101RK | 13820        | Non-metallic concrete box, plugs<br>and mud cover | Non-Metallic | Gray plastic | 1    | 1   |

Includes: Concrete box, (4) 3/4" plugs, (2) 1" plugs and mud cover (not shown)



| CATALOG<br>NUMBER | JPC/DCI/NAED<br>MFG. #018997 | DESCRIPTION<br>Trim Kit                 | COVER<br>MATERIAL | COVER<br>STYLE/SHAPE | COVER<br>COLOR      | UNIT<br>PKG | STD<br>PKG |
|-------------------|------------------------------|-----------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBCF101WTI       | 13827                        |                                         | Non-Metallic      |                      | White               | - 1         | 1          |
| FLBCF101LAT       | <b>K</b> 13828               | TRIM KIT                                | Non-Metallic      | RECTANGULAR          | Light Almond        | 1           | 1          |
| FLBCF101BRT       | <b>K</b> 13829               | Includes (4) spacers, mounting bracket, | Non-Metallic      | COVER                | Brown               | 1           | 1          |
| FLBCF101BLT       | <b>(</b> 13830               | receptacle, (1) gasketed                | Non-Metallic      | with <b>TWO</b>      | Black               | 1           | 1          |
| FLBCF101MB        | <b>TK</b> 13831              | cover with flip lids                    | Metal             | FLIP LIDS            | Brass               | 1           | 1          |
| FLBCF101NLT       | <b>K</b> 13832               | , , ,                                   | Metal             |                      | Nickel-plated brass | 1           | 1          |
| FLBC101WTK        | 13821                        | TRIM KIT                                | Non-Metallic      | RECTANGULAR          | White               | 1           | 1          |
| FLBC101LATK       | 13822                        | Includes (4) spacers,                   | Non-Metallic      | COVER with           | Light Almond        | 1           | 1          |
| FLBC101BRTK       | 13823                        | mounting bracket,                       | Non-Metallic      | TWO                  | Brown               | 1           | 1          |
| FLBC101BLTK       | 13824                        | receptacle, (1) gasketed                | Non-Metallic      | THREADED             | Black               | 1           | 1          |
| FLBC101MBTI       | <b>(</b> 13825               | cover with threaded plugs               | Metal             | PLUGS                | Brass               | 1           | 1          |
| FLBC101NLTK       | 13826                        |                                         | Metal             |                      | Nickel-plated brass | 1           | 1          |



**NON-METALLIC COVER COLORS** 



**BRASS & NICKEL-PLATED BRASS METAL COVERS** 

## INTERCHANGEABLE FLOOR BOX KITS, COVERS, ACCESSORIES

## **NEW & EXIST**

Arlington's cost-effective **FLOOR BOX KITS** offer installers the low cost, *convenient* way to install a receptacle *flush with the floor* wherever your customer needs one.

This new series of floor box kits, covers and accessories is designed for installation convenience in new and existing floors, and new concrete pours – as well as interchangeability with a variety of other manufacturers' floor boxes.

Available with a **steel** box and a gasketed brass or nickel-plated brass cover to prevent water intrusion, the cover comes with threaded plugs or flip lids to protect the receptacle when it's not in use.

With a variety of floor box kits and individual metal covers and accessories, Arlington offers just about any option you could possibly need...

- Single and two-gang floor box kits...and a combination box kit with an installed divider for power and low voltage in the same box.
- Rectangular or square metal covers with flip lids or threaded plugs...also sold separately.











# COVERS TO FIT OTHER MANUFACTURERS' BOXES FOR GOOD LOOKS ANYWHERE!



## ING FLOORS and NEW CONCRETE

Arlington's FLOOR BOX KITS and COVERS **FOR NEW CONCRETE** offer flexibility and convenience.

Made of
heavy-duty
plastic,
our 4.5"
non-metallic
concrete box
is a universal
"fits all" size,

that accommodates our 6" round covers as well as most other round covers on the market.

Our versatile concrete box **covers** are available with flip lids or threaded plugs – in brass or nickel-plated brass. They deliver easier-than-ever installation of receptacles so they'll look great wherever they're installed!

A selection of leveling rings and adapters allows our covers to fit our boxes *and* most other manufacturers' concrete boxes.

For the fastest installation, our trapdoor covers ship *ready to use* with a pre-installed gasket and decorator-style receptacle.





(open and back)

## STEEL BOX FLOOR BOX KITS LINGTON PRODUCTS Metal Covers, Boxes

## COVERS WITH FLIP LIDS



| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997 | DESCRIPTION COVERS WITH FLIP LIDS                                                      | COVER<br>SIZE & STYLE             | COVER<br>SHAPE | UNIT<br>PKG | STD<br>PKG |
|-------------------|------------------------------|----------------------------------------------------------------------------------------|-----------------------------------|----------------|-------------|------------|
|                   |                              | FLOOR BOX KITS • with STEEL BOX                                                        |                                   |                |             |            |
| FLB5331M          | <b>B</b> 22019               | Single-gang steel box, gaskets, (1) duplex                                             | Brass with Two Flip Lids          |                | 1           | 4          |
| FLB5331N          | <b>L</b> 22020               | receptacle, gasketed cover, mounting screws                                            | Nickel-plated with Two Flip Lids  |                | 1           | 4          |
| FLB5551M          | <b>B</b> 22038               | Two-gang steel box, gaskets, (2) duplex                                                | Brass with Four Flip Lids         |                | 1           | 4          |
| FLB5551N          | <b>L</b> 22039               | receptacles, gasketed cover, mounting screws                                           | Nickel-plated w/ Four Flip Lids   |                | 1           | 4          |
|                   | ı                            | METAL GASKETED COVERS with receptacle                                                  |                                   |                |             |            |
| FLB5330M          | <b>B</b> 22017               | Brass Cover                                                                            | Single-gang with Two Flip Lids    |                | 1           | 10         |
| FLB5330N          | <b>L</b> 22018               | Nickel-plated Cover                                                                    | Single-gang with Two Flip Lids    |                | 1           | 10         |
| FLB5550M          | <b>B</b> 22036               | Brass Cover                                                                            | Two-gang with Four Flip Lids      |                | 1           | 10         |
| FLB5550N          | <b>L</b> 22037               | Nickel-plated Cover                                                                    | Two-gang with Four Flip Lids      |                | 1           | 10         |
|                   | FLOOR                        | BOX KITS • with TWO-GANG STEEL COMB                                                    | О ВОХ                             |                |             |            |
| FLB5552M          | <b>B</b> 22050               | Two-gang steel box with installed low voltage                                          | Brass with Four Flip Lids         |                | 1           | 4          |
| FLB5552N          | <b>L</b> 22051               | divider, gaskets, (1) duplex receptacle, (1) low voltage duplex plate, mounting screws | Nickel-plated with Four Flip Lids |                | 1           | 4          |
|                   |                              |                                                                                        |                                   |                |             |            |





#### **SINGLE & TWO-GANG FLOOR BOX KITS**







| Carlon • T&B                       | Hubbell                           | Lew           | WireMold • P&S                  |
|------------------------------------|-----------------------------------|---------------|---------------------------------|
|                                    |                                   |               |                                 |
| 71W-DS                             | B2481 + S3825 (needs receptacle)  | SWB-2-LR      | 880W1818TCAL (needs receptacle) |
| 71W-DS-N                           | B2481 + SA3825 (needs receptacle) | SWB-2-LRA     | 880W1818TCAL (needs receptacle) |
| 62W + (2) 64-DS (needs receptacle) | B2482 + SB3082 + (2) S3925        | SWB-4-PQ-LR   | 880W2827B (needs receptacle)    |
| 62W + (2) 64-AL (needs receptacle) | B2482 + SB3082 + (2) SA3825       | SWB-4-PQ-LR   | 880W2827B (needs receptacle)    |
|                                    |                                   |               |                                 |
| P-64-DS                            | S3825                             | RRP-2-LRR     | 828R                            |
| P-64-DS-AL                         | SA3825                            | RRP-2-LR-AR   | 828R-TCAL                       |
| (2) 64-DS                          | SB3084 + S3825                    | RRP-4-BP-LR   | (2) 828R                        |
| (2) 64-DS-AL                       | SB3082 + (2) SA3825               | RRP-4-PQ-LR-A | (2) 828R-TCAL                   |
|                                    |                                   |               |                                 |
|                                    |                                   |               |                                 |
|                                    |                                   |               |                                 |
|                                    |                                   | 1             |                                 |



ARLINGTON'S METAL GASKETED COVERS with FLIP LIDS

Arlington's steel floor outlet boxes are compatible with our metal floor box covers on pages 10 and 12. Features include: installed grounding screw, adjustable mounting ears and multiple 1/2" knockouts.





#### **STEEL OUTLET BOXES FOR NEW OR RETROFIT CONSTRUCTION**

| CATALOG<br>NUMBER | UPC/DCI/NAE |                                                                                                     | CUBIC | # OF<br>KNOCKOUTS | UNIT<br>PKG | STD<br>PKG |
|-------------------|-------------|-----------------------------------------------------------------------------------------------------|-------|-------------------|-------------|------------|
| FLB5319           | 22060       | Single-gang Steel Floor Outlet Box                                                                  | 18.0  | 9                 | 1           | 10         |
| FLB5548           | 22061       | Two-gang Steel Floor Outlet Box                                                                     | 36.0  | 14                | 1           | 10         |
| FLB5549           | 22062       | Two-gang Steel Floor Combination Box<br>with installed (removable) divider<br>for power/low voltage | 36.0  | 14                | 1           | 10         |



## STEEL BOX FLOOR BOX KITS LINGTON PRODUCTS Metal Covers, Boxes

#### COVERS WITH THREADED PLUGS





FLB5541MB Floor Box Kit (exploded view)





| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997 | DESCRIPTION COVERS WITH FLIP LIDS           | COVER<br>SIZE & STYLE                  | COVER<br>SHAPE | UNIT<br>PKG | STD<br>PKG |
|-------------------|------------------------------|---------------------------------------------|----------------------------------------|----------------|-------------|------------|
|                   |                              | FLOOR BOX KIT • with STEEL BOX              |                                        |                |             |            |
| FLB5321M          | <b>B</b> 22015               | Single-gang steel box, gaskets, receptacle, | Brass with Two Threaded Plugs          |                | 1           | 4          |
| FLB5321N          | <b>L</b> 22016               | gasketed cover, mounting screws             | Nickel-plated with Two Threaded Plugs  |                | 1           | 4          |
| FLB5541M          | <b>B</b> 22034               | Two-gang steel box, gaskets, receptacles,   | Brass with Four Threaded Plugs         |                | 1           | 4          |
| FLB5541N          | <b>L</b> 22035               | gasketed cover, mounting screws             | Nickel-plated with Four Threaded Plugs |                | 1           | 4          |
|                   |                              | METAL GASKETED COVER with recepta           | cle                                    |                |             |            |
| FLB5320M          | <b>IB</b> 22013              | Brass Cover                                 | Single-gang with Two Threaded Plugs    |                | 1           | 10         |
| FLB5320N          | <b>L</b> 22014               | Nickel-plated Cover                         | Single-gang with Two Threaded Plugs    |                | 1           | 10         |
| FLB5540M          | <b>IB</b> 22005              | Brass Cover                                 | Two-gang with Four Threaded Plugs      |                | 1           | 10         |
| FLB5540N          | <b>L</b> 22033               | Nickel-plated Cover                         | Two-gang with Four Threaded Plugs      |                | 1           | 10         |
|                   |                              |                                             |                                        |                |             |            |



**SINGLE & TWO-GANG FLOOR BOX KITS** 



## FIT THESE MANUFACTURERS' CROSS REFERENCE and others' PRODUCTS

| Carlon • T&B                         | Hubbell                           | Lew        | WireMold • P&S                   |
|--------------------------------------|-----------------------------------|------------|----------------------------------|
|                                      |                                   |            |                                  |
| 61W + P-64-DU (needs receptacle)     | B2481 + S3625 (needs receptacle)  | SWB-2      | 880W1+828SPTC (needs receptacle) |
| 61W + P-64-DU-AL (needs receptacle)  | B2481 + SA3625 (needs receptacle) | SWB-2-NS   | (2) 828SPTC                      |
| 62W + (2) P-64-DU (needs receptacle) | B2482 + SB3084W + SA3625          | SWB-4-PQ   | 880W2                            |
| 62W + (2) P-64-DU-AL                 | B2482 + SA3084 + (2)SA3625        | SWB-4-PQ-A | 880W2 + (2) 828SPTC              |
| P-64-DU                              | S3625                             | RRP-2-BR   | 828SPTC                          |
| P-64-DU-AL                           | SA3625                            | RRP-2-NS   |                                  |
| (2) P-64-DU                          | SB3084W + (2) SA3625              | RRP-4-BP   | 880W1+(2) 828SPTC                |
| (2) P-64-DU-AL                       | SA3084W + (2) SA3625              | RRP-4-BP-A | (2) 828SPTC                      |
|                                      |                                   |            |                                  |
|                                      |                                   |            |                                  |
|                                      |                                   |            |                                  |



ARLINGTON'S METAL GASKETED COVERS with THREADED PLUGS

Arlington's single and two-gang steel floor outlet boxes are compatible with our metal floor box covers on pages 10 and 12.

Features include: installed grounding screw, adjustable mounting ears and multiple 1/2" knockouts.

#### **STEEL OUTLET BOXES FOR NEW OR RETROFIT CONSTRUCTION**

| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997 | DESCRIPTION                        | CUBIC | # OF<br>KNOCKOUTS | UNIT<br>PKG | STD<br>PKG |
|-------------------|------------------------------|------------------------------------|-------|-------------------|-------------|------------|
| FLB5319           | 22060                        | Single-gang Steel Floor Outlet Box | 18.0  | 9                 | 1           | 10         |
| FLB5548           | 22061                        | Two-gang Steel Floor Outlet Box    | 36.0  | 14                | 1           | 10         |



## ARLINGTON PRODUCTS

**Metal Covers, Non-Metallic Boxes, Accessories** 

## FOR NEW CONCRETE POURS



| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997 | <b>DESCRIPTION</b> NOTES                                                                   | UNIT<br>PKG | STD<br>PKG |   |
|-------------------|------------------------------|--------------------------------------------------------------------------------------------|-------------|------------|---|
| FLBC4500          | 22010                        | 4.5" Non-metallic Round Box for Concrete Pours (conduit plugs, mud cover, voltage divider) | 1           | 5          |   |
| FLB6230ME         | <b>3</b> 22025               | Cover Kit 6" Round, Brass w two flip lids *hole pattern fits FLBC4500LR                    | 1           | 10         |   |
| FLB6230NL         | 22026                        | Cover Kit 6" Round, Nickel-plated w two flip lids *hole pattern fits FLBC4500LR            | 1           | 10         | L |
| FLB6220ME         | <b>3</b> 22021               | Cover Kit 6" Round, Brass w two threaded plugs *hole pattern fits FLBC4500LR               | 1           | 10         |   |
| FLB6220NL         | 22022                        | Cover Kit 6" Round, Nickel-plated w two threaded plugs *hole pattern fits FLBC4500LR       | 1           | 10         | Ĺ |
| FLBC4500L         | <b>R</b> 22011               | Leveling Ring for Arlington FLBC4500 & above round covers (has bosses for cover mounting)  | 1           | 10         |   |
| FLBT6615M         | <b>B</b> 22030               | Trapdoor Cover Round, Brass. Pre-mounted gasket & decorator-style 15A receptacle           | 1           | 10         |   |
| FLBT6615N         | <b>L</b> 22031               | Trapdoor Cover Round, Nickel-plated. Pre-mounted gasket & decorator-style 15A receptacle   | 1           | 10         |   |
| FLBT6615LF        | 22029                        | Leveling Ring for Arlington FLBC4500 box w FLBT6615 trapdoor style cover                   | 1           | 10         |   |
| FLBC4500A         | <b>R</b> 22004               | Oversized Adapater Ring for 5" diameter concrete boxes                                     | 1           | 10         |   |
| FLBC4500Y         | 22012                        | "Y" Adapter - Provides (2) 1" openings for conduit entering 1" hub                         | 1           | 10         |   |

#### **NON-METALLIC CONCRETE BOX**



#### **COVER KITS with FLIP LIDS**

#### FLB6230MB Brass cover

Includes cover with flip lids, gaskets, receptacle.

Also available with Nickel-plated cover FLB6230NL (not shown)



#### **COVER KITS with THREADED PLUGS**

#### FLB6220MB

Brass cover

Includes cover with threaded plugs, gaskets, receptacle.

(NOT SHOWN)


FLB6220NL Nickel-plated cover



#### **LEVELING RING**

Hole pattern fits above round covers: FLB6230MB FLB6230NL FLB6220MB FLB6220NL







## FIT THESE MANUFACTURERS' CROSS REFERENCE and others' PRODUCTS

| Carlon • T&B    | Hubbell       | Lew      | WireMold • P&S         |
|-----------------|---------------|----------|------------------------|
| E971FB, 68P     | PFB1          | FB       | 881 E971FB, 68P        |
| E97BR2, P60DS   | S3925 + S3082 | TCP-2-LR | 895T E97BR2, P60DS     |
| E97SS2, P60CACP |               | TCP-LR-A | 895 E97SS2, P60CACP    |
| P-60-DUP-60-CP  | S3725 + S3082 | TCP-2    | 895SP P-60-DUP-60-CP   |
| <br>            |               |          |                        |
| E97ABR2, 68-PAR | PFBA1         | LRA      | 881ADP E97ABR2, 68-PAR |
|                 |               | PUFP-BD  |                        |
|                 |               | PUFF-SD  |                        |
|                 |               | PUFF-LRA |                        |
|                 |               | LRA-HT   |                        |
| E972Y           | PFBYA1        | Y-CONN   | N/A E972Y              |
|                 |               |          |                        |

#### **ARLINGTON'S TRAPDOOR COVERS & LEVELING RING**









FLBT6615MB Trapdoor cover (open & closed)

FLBT6615NL Trapdoor cover

FLBT6615LR Leveling Ring for trapdoor covers



FLBT6615MB Trapdoor cover on FLBC4500 Concrete box



#### **ARLINGTON'S ADAPTERS**



FLBC4500AR Oversized Adapter Ring



FLBC4500Y "Y" Adapter





FLOOR BOX KITS

and INTERCHANGEABLE FLOOR BOXES • COVERS • ACCESSORIES



| Distributed by |  |  |
|----------------|--|--|
|                |  |  |
|                |  |  |
|                |  |  |

NON-METALLIC & STEEL BOXES



FLOOR BOX KITS and Boxes • Covers • Accessories



### NON-METALLIC BOXES THREE STYLES



## **FLUSH FIT**

Arlington's **UL Listed FLOOR BOX KITS** offer installers the low cost, convenient way to put a receptacle in the floor – with a box that installs flush with the floor.

We have a floor box for nearly any job site condition. There's one for new concrete pours, a box for existing floors - and an adjustable box that fits most finished floor heights up to 2". All are available with oversized non-metallic or metal covers. And all install flush with the floor surface

**COVERS** Our non-metallic boxes have gasketed covers that prevent water intrusion - with your choice of threaded plugs or flip lids that protect the receptacle when it's not in use. Best of all, they're oversized to hide miscut flooring!

Arlington's single-gang floor box kits are available with metal or non-metallic

covers in a variety of colors and finishes.

Non-metallic in white, black, brown, light almond and metal in brass and nickel-plated brass.


















### ON EXISTING FLOORS





## **ADJUSTS TO FINAL FLOOR HEIGHT**




### FOR FLOORS UP TO 2" THICK

#### **FOR NEW CONCRETE POURS**



Flip Lid **Cover Style** 

Suppled with 1/8", 1/4", 1/2" and 3/4" spacers to allow for increases in floor thickness; tile, wood, carpet, etc.



Adjustable boxes for varying floor heights





FLBA101MB Rectangular, **Brass Cover** 

Adjustable Bracket positions box flush with floor





#### **FOR EXISTING FLOORS**



| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997 | <b>DESCRIPTION</b> UL Listed Floor Box Kit | COVER<br>MATERIAL | COVER<br>STYLE/SHAPE | COVER<br>COLOR      | UNIT<br>PKG | STD<br>PKG |
|-------------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBRF101W         | 16253                        |                                            | Non-Metallic      |                      | White               | 1           | 4          |
| FLBRF101LA        | 16252                        | 20.0 cubic inch                            | Non-Metallic      | RECTANGULAR          | Light Almond        | 1           | 4          |
| FLBRF101BR        | 16251                        | <b>BOX FOR</b>                             | Non-Metallic      | with                 | Brown               | 1           | 4          |
| FLBRF101BL        | 16250                        | <b>EXISTING FLOORS</b>                     | Non-Metallic      | TWO                  | Black               | 1           | 4          |
| FLBRF101ME        | 16254                        | Flush-to-the-floor                         | Metal             | FLIP LIDS            | Brass               | 1           | 4          |
| FLBRF101NL        | 16255                        | Installation. Put a                        | Metal             |                      | Nickel-plated brass | 1           | 4          |
| FLBR101W          | 04356                        | receptacle where you need iteasy.          | Non-Metallic      | RECTANGULAR          | White               | 1           | 4          |
| FLBR101LA         | 04357                        | you need iteasy.                           | Non-Metallic      | with                 | Light Almond        | 1           | 4          |
| FLBR101BR         | 04359                        | (ŮL)                                       | Non-Metallic      | TWO                  | Brown               | 1           | 4          |
| FLBR101BL         | 04358                        |                                            | Non-Metallic      | THREADED             | Black               | 1           | 4          |
| FLBR101MB         | 52263                        | LISTED                                     | Metal             | PLUGS                | Brass               | 1           | 4          |
| FLBR101NL         | 52453                        |                                            | Metal             |                      | Nickel-plated brass | 1           | 4          |

Includes: Floor Box, duplex receptacle, (1) NM94 connector, back plate on non-metallic covers, gasketed cover, (5) #6-32 cover plate screws and threaded plugs or flip lids.

FLBRF101LA




Not shown:

FLBRF101NL (Nickel-plated cover with flip lids)

FLBRF101BR (Non-metallic, brown cover with flip lids)





Not shown:

 $\textbf{FLBR101W} \ (\textbf{Non-metallic}, \textbf{white cover with threaded plugs})$ 





FLBR101LA



INSTALLS FLUSH WITH FLOOR



# ADJUSTABLE... FOR FLOORS UP TO 2" H



| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997 | <b>DESCRIPTION</b> UL Listed Floor Box Kit | COVER<br>MATERIAL | COVER<br>STYLE/SHAPE | COVER<br>COLOR      | UNIT<br>PKG | STD<br>PKG |
|-------------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBAF101W         | 04340                        |                                            | Non-Metallic      |                      | White               | 1           | 4          |
| FLBAF101LA        | 04341                        |                                            | Non-Metallic      | RECTANGULAR          | Light Almond        | 1           | 4          |
| FLBAF101BR        | 04343                        |                                            | Non-Metallic      | with                 | Brown               | 1           | 4          |
| FLBAF101BL        | 04342                        |                                            | Non-Metallic      | TWO                  | Black               | 1           | 4          |
| FLBAF101ME        | 13805                        |                                            | Metal             | FLIP LIDS            | Brass               | 1           | 4          |
| FLBAF101NL        | 13806                        | 18.3 cubic inch                            | Metal             |                      | Nickel-plated brass | 1           | 4          |
| FLBA101W          | 04344                        | ADJUSTABLE BOX Fits most finished          | Non-Metallic      | RECTANGULAR          | White               | 1           | 4          |
| FLBA101LA         | 04345                        | floor heights                              | Non-Metallic      | with                 | Light Almond        | 1           | 4          |
| FLBA101BR         | 04347                        | up to 2"                                   | Non-Metallic      | TWO                  | Brown               | 1           | 4          |
| FLBA101BL         | 04346                        | ар 10 <u>г</u>                             | Non-Metallic      | THREADED             | Black               | 1           | 4          |
| FLBA101MB         | 52259                        | (Ůľ)                                       | Metal             | PLUGS                | Brass               | 1           | 4          |
| FLBA101NL         | 52450                        | LISTED                                     | Metal             |                      | Nickel-plated brass | 1           | 4          |
| FLBAR101W         | 04348                        |                                            | Non-Metallic      | ROUND                | White               | 1           | 4          |
| FLBAR101LA        | 04349                        |                                            | Non-Metallic      | with                 | Light Almond        | 1           | 4          |
| FLBAR101BR        | 04351                        |                                            | Non-Metallic      | TWO                  | Brown               | 1           | 4          |
| FLBAR101BL        | 04350                        |                                            | Non-Metallic      | THREADED             | Black               | 1           | 4          |
| FLBAR101MI        | <b>3</b> 52261               |                                            | Metal             | PLUGS                | Brass               | 1           | 4          |
| FLBAR101NL        | 52451                        |                                            | Metal             |                      | Nickel-plated brass | 1           | 4          |

Includes: Adjustable Floor Box, (1) tamper-resistant ("TR") duplex receptacle, (1) cover plate w/ gasket, flip lids or threaded plugs, (2) #6-32 x 1\* long screws, (2) #6 drywall screws, (1) NM94 connector, (1) NM900 plug, (1) cap (covers adjustable screw hole in cover plate)



**NON-METALLIC COVER COLORS** 








FLBAR101BL
















#### **FOR CONCRETE POURS**





|            | UPC/DCI/NAED<br>MFG. #018997 | <b>DESCRIPTION</b> UL Listed Floor Box Kit | COVER<br>MATERIAL | COVER<br>STYLE/SHAPE | COVER<br>COLOR      | UNIT<br>PKG | STD<br>PKG |
|------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBCF101W  | 06950                        |                                            | Non-Metallic      |                      | White               | 1           | 1          |
| FLBCF101LA | 06951                        |                                            | Non-Metallic      | RECTANGULAR          | Light Almond        | 1           | 1          |
| FLBCF101BR | 06952                        | BOX FOR                                    | Non-Metallic      | with                 | Brown               | 1           | 1          |
| FLBCF101BL | 06953                        | NEW CONCRETE                               | Non-Metallic      | TWO                  | Black               | 1           | 1          |
| FLBCF101MB | 52454                        | Includes spacers                           | Metal             | FLIP LIDS            | Brass               | 1           | 1          |
| FLBCF101NL | 52455                        | for adjusting box to finished floor        | Metal             |                      | Nickel-plated brass | 1           | 1          |
| FLBC101W   | 04352                        | height                                     | Non-Metallic      | - RECTANGULAR        | White               | 1           | 1          |
| FLBC101LA  | 04353                        |                                            | Non-Metallic      | with                 | Light Almond        | 1           | 1          |
| FLBC101BR  | 04355                        | (PL)                                       | Non-Metallic      | TWO                  | Brown               | 1           | 1          |
| FLBC101BL  | 04354                        | LISTED                                     | Non-Metallic      | THREADED             | Black               | 1           | 1          |
| FLBC101MB  | 52265                        |                                            | Metal             | PLUGS                | Brass               | 1           | 1          |
| FLBC101NL  | 52452                        |                                            | Metal             |                      | Nickel-plated brass | 1           | 1          |

Includes: Concrete box, mud cover, (4) 3/4" plugs, (2) 1" plugs, (1) 1/8" spacer, (1) 1/4" spacer, (1) 1/2" spacer and (1) 3/4" spacer, mounting bracket, duplex receptacle, gasketed cover plate, (5) #6-32 x 1/2" long cover plate screws, (4) #8 x 5/8" long sheet metal screws, (4) #8 x 1-1/4" long sheet metal screws and threaded plugs or flip lids.











## **ROUGH-IN & TRIM KITS**

#### **FOR NEW CONCRETE**

#### **ROUGH-IN KIT**

Non-metallic concrete box and plugs



| CATALOG   | UPC/DCI/NAED | DESCRIPTION                                       | BOX          | COLOR        | UNIT | STD |
|-----------|--------------|---------------------------------------------------|--------------|--------------|------|-----|
| NUMBER    | MFG. #018997 | Rough-In Kit                                      | MATERIAL     |              | PKG  | PKG |
| FLBC101RK | 13820        | Non-metallic concrete box, plugs<br>and mud cover | Non-Metallic | Gray plastic | 1    | 1   |

Includes: Concrete box, (4) 3/4" plugs, (2) 1" plugs and mud cover (not shown)



| CATALOG<br>NUMBER | JPC/DCI/NAED<br>MFG. #018997 | DESCRIPTION<br>Trim Kit                 | COVER<br>MATERIAL | COVER<br>STYLE/SHAPE | COVER<br>COLOR      | UNIT<br>PKG | STD<br>PKG |
|-------------------|------------------------------|-----------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBCF101WTI       | 13827                        |                                         | Non-Metallic      |                      | White               | - 1         | 1          |
| FLBCF101LAT       | <b>K</b> 13828               | TRIM KIT                                | Non-Metallic      | RECTANGULAR          | Light Almond        | 1           | 1          |
| FLBCF101BRT       | <b>K</b> 13829               | Includes (4) spacers, mounting bracket, | Non-Metallic      | COVER                | Brown               | 1           | 1          |
| FLBCF101BLT       | <b>(</b> 13830               | receptacle, (1) gasketed                | Non-Metallic      | with <b>TWO</b>      | Black               | 1           | 1          |
| FLBCF101MB        | <b>TK</b> 13831              | cover with flip lids                    | Metal             | FLIP LIDS            | Brass               | 1           | 1          |
| FLBCF101NLT       | <b>K</b> 13832               | , , ,                                   | Metal             |                      | Nickel-plated brass | 1           | 1          |
| FLBC101WTK        | 13821                        | TRIM KIT                                | Non-Metallic      | RECTANGULAR          | White               | 1           | 1          |
| FLBC101LATK       | 13822                        | Includes (4) spacers,                   | Non-Metallic      | COVER with           | Light Almond        | 1           | 1          |
| FLBC101BRTK       | 13823                        | mounting bracket,                       | Non-Metallic      | TWO                  | Brown               | 1           | 1          |
| FLBC101BLTK       | 13824                        | receptacle, (1) gasketed                | Non-Metallic      | THREADED             | Black               | 1           | 1          |
| FLBC101MBTI       | <b>(</b> 13825               | cover with threaded plugs               | Metal             | PLUGS                | Brass               | 1           | 1          |
| FLBC101NLTK       | 13826                        |                                         | Metal             |                      | Nickel-plated brass | 1           | 1          |



**NON-METALLIC COVER COLORS** 



**BRASS & NICKEL-PLATED BRASS METAL COVERS** 

## INTERCHANGEABLE FLOOR BOX KITS, COVERS, ACCESSORIES

## **NEW & EXIST**

Arlington's cost-effective **FLOOR BOX KITS** offer installers the low cost, *convenient* way to install a receptacle *flush with the floor* wherever your customer needs one.

This new series of floor box kits, covers and accessories is designed for installation convenience in new and existing floors, and new concrete pours – as well as interchangeability with a variety of other manufacturers' floor boxes.

Available with a **steel** box and a gasketed brass or nickel-plated brass cover to prevent water intrusion, the cover comes with threaded plugs or flip lids to protect the receptacle when it's not in use.

With a variety of floor box kits and individual metal covers and accessories, Arlington offers just about any option you could possibly need...

- Single and two-gang floor box kits...and a combination box kit with an installed divider for power and low voltage in the same box.
- Rectangular or square metal covers with flip lids or threaded plugs...also sold separately.









## COVERS TO FIT OTHER MANUFACTURERS' BOXES FOR GOOD LOOKS ANYWHERE!



## ING FLOORS and NEW CONCRETE

Arlington's FLOOR BOX KITS and COVERS **FOR NEW CONCRETE** offer flexibility and convenience.

Made of
heavy-duty
plastic,
our 4.5"
non-metallic
concrete box
is a universal
"fits all" size,

that accommodates our 6" round covers as well as most other round covers on the market.

Our versatile concrete box **covers** are available with flip lids or threaded plugs – in brass or nickel-plated brass. They deliver easier-than-ever installation of receptacles so they'll look great wherever they're installed!

A selection of leveling rings and adapters allows our covers to fit our boxes *and* most other manufacturers' concrete boxes.

For the fastest installation, our trapdoor covers ship *ready to use* with a pre-installed gasket and decorator-style receptacle.





(open and back)

## STEEL BOX FLOOR BOX KITS LINGTON PRODUCTS Metal Covers, Boxes

## COVERS WITH FLIP LIDS



| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997 | DESCRIPTION COVERS WITH FLIP LIDS                                                      | COVER<br>SIZE & STYLE             | COVER<br>SHAPE | UNIT<br>PKG | STD<br>PKG |
|-------------------|------------------------------|----------------------------------------------------------------------------------------|-----------------------------------|----------------|-------------|------------|
|                   |                              | FLOOR BOX KITS • with STEEL BOX                                                        |                                   |                |             |            |
| FLB5331M          | <b>B</b> 22019               | Single-gang steel box, gaskets, (1) duplex                                             | Brass with Two Flip Lids          |                | 1           | 4          |
| FLB5331N          | <b>L</b> 22020               | receptacle, gasketed cover, mounting screws                                            | Nickel-plated with Two Flip Lids  |                | 1           | 4          |
| FLB5551M          | <b>B</b> 22038               | Two-gang steel box, gaskets, (2) duplex                                                | Brass with Four Flip Lids         |                | 1           | 4          |
| FLB5551N          | <b>L</b> 22039               | receptacles, gasketed cover, mounting screws                                           | Nickel-plated w/ Four Flip Lids   |                | 1           | 4          |
|                   | ı                            | METAL GASKETED COVERS with receptacle                                                  |                                   |                |             |            |
| FLB5330M          | <b>B</b> 22017               | Brass Cover                                                                            | Single-gang with Two Flip Lids    |                | 1           | 10         |
| FLB5330N          | <b>L</b> 22018               | Nickel-plated Cover                                                                    | Single-gang with Two Flip Lids    |                | 1           | 10         |
| FLB5550M          | <b>B</b> 22036               | Brass Cover                                                                            | Two-gang with Four Flip Lids      |                | 1           | 10         |
| FLB5550N          | <b>L</b> 22037               | Nickel-plated Cover                                                                    | Two-gang with Four Flip Lids      |                | 1           | 10         |
|                   | FLOOR                        | BOX KITS • with TWO-GANG STEEL COMB                                                    | О ВОХ                             |                |             |            |
| FLB5552M          | <b>B</b> 22050               | Two-gang steel box with installed low voltage                                          | Brass with Four Flip Lids         |                | 1           | 4          |
| FLB5552N          | <b>L</b> 22051               | divider, gaskets, (1) duplex receptacle, (1) low voltage duplex plate, mounting screws | Nickel-plated with Four Flip Lids |                | 1           | 4          |
|                   |                              |                                                                                        |                                   |                |             |            |





#### **SINGLE & TWO-GANG FLOOR BOX KITS**







| Carlon • T&B                       | Hubbell                           | Lew           | WireMold • P&S                  |
|------------------------------------|-----------------------------------|---------------|---------------------------------|
|                                    |                                   |               |                                 |
| 71W-DS                             | B2481 + S3825 (needs receptacle)  | SWB-2-LR      | 880W1818TCAL (needs receptacle) |
| 71W-DS-N                           | B2481 + SA3825 (needs receptacle) | SWB-2-LRA     | 880W1818TCAL (needs receptacle) |
| 62W + (2) 64-DS (needs receptacle) | B2482 + SB3082 + (2) S3925        | SWB-4-PQ-LR   | 880W2827B (needs receptacle)    |
| 62W + (2) 64-AL (needs receptacle) | B2482 + SB3082 + (2) SA3825       | SWB-4-PQ-LR   | 880W2827B (needs receptacle)    |
|                                    |                                   |               |                                 |
| P-64-DS                            | S3825                             | RRP-2-LRR     | 828R                            |
| P-64-DS-AL                         | SA3825                            | RRP-2-LR-AR   | 828R-TCAL                       |
| (2) 64-DS                          | SB3084 + S3825                    | RRP-4-BP-LR   | (2) 828R                        |
| (2) 64-DS-AL                       | SB3082 + (2) SA3825               | RRP-4-PQ-LR-A | (2) 828R-TCAL                   |
|                                    |                                   |               |                                 |
|                                    |                                   |               |                                 |
|                                    |                                   |               |                                 |
|                                    |                                   | 1             |                                 |



ARLINGTON'S METAL GASKETED COVERS with FLIP LIDS

Arlington's steel floor outlet boxes are compatible with our metal floor box covers on pages 10 and 12. Features include: installed grounding screw, adjustable mounting ears and multiple 1/2" knockouts.





#### **STEEL OUTLET BOXES FOR NEW OR RETROFIT CONSTRUCTION**

| CATALOG<br>NUMBER | UPC/DCI/NAE |                                                                                                     | CUBIC | # OF<br>KNOCKOUTS | UNIT<br>PKG | STD<br>PKG |
|-------------------|-------------|-----------------------------------------------------------------------------------------------------|-------|-------------------|-------------|------------|
| FLB5319           | 22060       | Single-gang Steel Floor Outlet Box                                                                  | 18.0  | 9                 | 1           | 10         |
| FLB5548           | 22061       | Two-gang Steel Floor Outlet Box                                                                     | 36.0  | 14                | 1           | 10         |
| FLB5549           | 22062       | Two-gang Steel Floor Combination Box<br>with installed (removable) divider<br>for power/low voltage | 36.0  | 14                | 1           | 10         |



## STEEL BOX FLOOR BOX KITS LINGTON PRODUCTS Metal Covers, Boxes

# COVERS WITH THREADED PLUGS





FLB5541MB Floor Box Kit (exploded view)









SINGLE & TWO-GANG FLOOR BOX KITS



## FIT THESE MANUFACTURERS' CROSS REFERENCE and others' PRODUCTS

| Carlon • T&B                         | Hubbell                           | Lew        | WireMold • P&S                   |
|--------------------------------------|-----------------------------------|------------|----------------------------------|
|                                      |                                   |            |                                  |
| 61W + P-64-DU (needs receptacle)     | B2481 + S3625 (needs receptacle)  | SWB-2      | 880W1+828SPTC (needs receptacle) |
| 61W + P-64-DU-AL (needs receptacle)  | B2481 + SA3625 (needs receptacle) | SWB-2-NS   | (2) 828SPTC                      |
| 62W + (2) P-64-DU (needs receptacle) | B2482 + SB3084W + SA3625          | SWB-4-PQ   | 880W2                            |
| 62W + (2) P-64-DU-AL                 | B2482 + SA3084 + (2)SA3625        | SWB-4-PQ-A | 880W2 + (2) 828SPTC              |
| P-64-DU                              | S3625                             | RRP-2-BR   | 828SPTC                          |
| P-64-DU-AL                           | SA3625                            | RRP-2-NS   |                                  |
| (2) P-64-DU                          | SB3084W + (2) SA3625              | RRP-4-BP   | 880W1+(2) 828SPTC                |
| (2) P-64-DU-AL                       | SA3084W + (2) SA3625              | RRP-4-BP-A | (2) 828SPTC                      |
|                                      |                                   |            |                                  |
|                                      |                                   |            |                                  |
|                                      |                                   |            |                                  |



ARLINGTON'S METAL GASKETED COVERS with THREADED PLUGS

Arlington's single and two-gang steel floor outlet boxes are compatible with our metal floor box covers on pages 10 and 12.

Features include: installed grounding screw, adjustable mounting ears and multiple 1/2" knockouts.

#### **STEEL OUTLET BOXES FOR NEW OR RETROFIT CONSTRUCTION**

| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997            | DESCRIPTION                     | CUBIC | # OF<br>KNOCKOUTS | UNIT<br>PKG | STD<br>PKG |
|-------------------|-----------------------------------------|---------------------------------|-------|-------------------|-------------|------------|
| FLB5319           | 22060 Single-gang Steel Floor Outlet Bo |                                 | 18.0  | 9                 | 1           | 10         |
| FLB5548           | 22061                                   | Two-gang Steel Floor Outlet Box | 36.0  | 14                | 1           | 10         |



## ARLINGTON PRODUCTS

**Metal Covers, Non-Metallic Boxes, Accessories** 

## FOR NEW CONCRETE POURS



| CATALOG<br>NUMBER | UPC/DCI/NAED<br>MFG. #018997 | <b>DESCRIPTION</b> NOTES                                                                   | UNIT<br>PKG | STD<br>PKG |   |
|-------------------|------------------------------|--------------------------------------------------------------------------------------------|-------------|------------|---|
| FLBC4500          | 22010                        | 4.5" Non-metallic Round Box for Concrete Pours (conduit plugs, mud cover, voltage divider) | 1           | 5          |   |
| FLB6230ME         | <b>3</b> 22025               | Cover Kit 6" Round, Brass w two flip lids *hole pattern fits FLBC4500LR                    | 1           | 10         |   |
| FLB6230NL         | 22026                        | Cover Kit 6" Round, Nickel-plated w two flip lids *hole pattern fits FLBC4500LR            | 1           | 10         | L |
| FLB6220ME         | <b>3</b> 22021               | Cover Kit 6" Round, Brass w two threaded plugs *hole pattern fits FLBC4500LR               | 1           | 10         |   |
| FLB6220NL         | 22022                        | Cover Kit 6" Round, Nickel-plated w two threaded plugs *hole pattern fits FLBC4500LR       | 1           | 10         | Ĺ |
| FLBC4500L         | <b>R</b> 22011               | Leveling Ring for Arlington FLBC4500 & above round covers (has bosses for cover mounting)  | 1           | 10         |   |
| FLBT6615M         | <b>B</b> 22030               | Trapdoor Cover Round, Brass. Pre-mounted gasket & decorator-style 15A receptacle           | 1           | 10         |   |
| FLBT6615N         | <b>L</b> 22031               | Trapdoor Cover Round, Nickel-plated. Pre-mounted gasket & decorator-style 15A receptacle   | 1           | 10         |   |
| FLBT6615LF        | 22029                        | Leveling Ring for Arlington FLBC4500 box w FLBT6615 trapdoor style cover                   | 1           | 10         |   |
| FLBC4500A         | <b>R</b> 22004               | Oversized Adapater Ring for 5" diameter concrete boxes                                     | 1           | 10         |   |
| FLBC4500Y         | 22012                        | "Y" Adapter - Provides (2) 1" openings for conduit entering 1" hub                         | 1           | 10         |   |

#### **NON-METALLIC CONCRETE BOX**



#### **COVER KITS with FLIP LIDS**

#### FLB6230MB Brass cover

Includes cover with flip lids, gaskets, receptacle.

Also available with Nickel-plated cover FLB6230NL (not shown)



#### **COVER KITS with THREADED PLUGS**

#### FLB6220MB

Brass cover

Includes cover with threaded plugs, gaskets, receptacle.

(NOT SHOWN)


FLB6220NL Nickel-plated cover



#### **LEVELING RING**

Hole pattern fits above round covers: FLB6230MB FLB6230NL FLB6220MB FLB6220NL







## FIT THESE MANUFACTURERS' CROSS REFERENCE and others' PRODUCTS

| Carlon • T&B    | Hubbell       | Lew      | WireMold • P&S         |
|-----------------|---------------|----------|------------------------|
| E971FB, 68P     | PFB1          | FB       | 881 E971FB, 68P        |
| E97BR2, P60DS   | S3925 + S3082 | TCP-2-LR | 895T E97BR2, P60DS     |
| E97SS2, P60CACP |               | TCP-LR-A | 895 E97SS2, P60CACP    |
| P-60-DUP-60-CP  | S3725 + S3082 | TCP-2    | 895SP P-60-DUP-60-CP   |
| <br>            |               |          |                        |
| E97ABR2, 68-PAR | PFBA1         | LRA      | 881ADP E97ABR2, 68-PAR |
|                 |               | PUFP-BD  |                        |
|                 |               | PUFF-SD  |                        |
|                 |               | PUFF-LRA |                        |
|                 |               | LRA-HT   |                        |
| E972Y           | PFBYA1        | Y-CONN   | N/A E972Y              |
|                 |               |          |                        |

#### **ARLINGTON'S TRAPDOOR COVERS & LEVELING RING**









FLBT6615MB Trapdoor cover (open & closed)

FLBT6615NL Trapdoor cover

FLBT6615LR Leveling Ring for trapdoor covers



FLBT6615MB Trapdoor cover on FLBC4500 Concrete box



#### **ARLINGTON'S ADAPTERS**



FLBC4500AR Oversized Adapter Ring



FLBC4500Y "Y" Adapter





FLOOR BOX KITS

and INTERCHANGEABLE FLOOR BOXES • COVERS • ACCESSORIES



| Distributed by |  |  |
|----------------|--|--|
|                |  |  |
|                |  |  |
|                |  |  |