

## ELLIOT ELECTRIC SUPPLY Ma Deliver Lower Cost. Quality Products, & Personal Service 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## GUAC69 2" Guac Cond Body&CVR Crouse-Hinds

Catalog Number	GUAC69
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Gua Conduit Outlet Box With Cover, 5" Cover Opening Diameter, Feraloy Iron Alloy, C Shape,
Weight per unit	
Product Category	Bodies & Covers
eatures	
Cable Entry	Feed Through
dimensions	7.8800 IN X 4.0300 IN X 5.7500 IN
imensions and Weight	
Size	2 in
escriptions	
Construction	Explosionproof, Dust-Ignitionproof, Raintight
Description	2" GUAC COND BODY&CVR
extra long description	CRS-H GUAC69 2 OUTLET BX 5 CVR FOR
Features	Crouse-Hinds series GUA and GUR explosionproof conduit outlet boxes are installed in conduit systems in hazardous areas to protect conductors in threaded rigid conduit, act as pull and splice boxes, change conduit direction, and provide access to conductors for maintenance and future system changes. GUA and GUR outlet boxes are certified for Class I, Division 1, Groups B, C, D and Class II, Division 1, Groups E, F, G. GUA boxes are available in ten different hub arrangements, maximizing flexibility in th
Long Description	Eaton Crouse-Hinds series Condulet GUA conduit outlet box with cover, 5" cover opening diameter, Feraloy iron alloy, C shape, 2"
Product Type	2 Outlet BX 5 CVR For THRD Rigid/Imc
Special Features	With Cover, Cover Opening Diameter 5 In
Nanufacturer Information	
Brand	EATON CROUSE-HINDS SERIES
GTIN	00782274462806
Manufacturers Part Number	
UPC	782274462806
axonomies, Classifications, and (	Categories
	HUB STYLE BOXES (GUAB, GUAT, ETC)
	Conduit outlet box with cover



## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

## Packaging

Carton	1
Weight Per each	9.3
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Mounting	PAD
standard	UL 886, CSA C22.2