

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



HBL460C7W PS, IEC, Conn, 3P4W, 60A 3P 480V, 4X/69K Hubbell Wiring Devices

Catalog Number	HBL460C7W		
Manufacturer	Hubbell Wiring Devices		
Description	Heavy Duty Products, IEC Pin and Sleeve Devices, Industrial Grade, Female, Connector Body, 60A 3-Phase Delta 480V Ac, 3-Pole 4-Wire Grounding, Terminal Screws, Red, Watertight		
Weight per unit	2.9 (lbs/each)		
Product Category	Pin & Sleeve Devices		
eatures			
connection	Pressure Screw Terminal		
Material	COMPOSITE		
imensions and Weight			
Size	Standard		
escriptions			
Description	PS, IEC, CONN, 3P4W, 60A 3P 480V,4X/69K		
extra long description	HWDK HBL460C7W PS, IEC, CONN, 3P4W,		
Features	Watertight Devices - Hubbell's IEC 60309 Pin and Sleeve plugs, connectors, inlets and receptacles are the highest performing products available. The HBL® series of IEC pin and sleeve were designed for the demanding North American market. Hubbell was the first and is still only manufacturer of IEC 60309 devices in the USA and have numerous innovative features noted below. The IEC line of plugs and connectors are made with a rugged super tough, one-piece housing. The thermoset polyester contactors are provi		
Long Description	Heavy Duty Products, IEC Pin and Sleeve Devices, Industrial Grade, Female, Connector Body, 60A 3-Phase Delta 480V AC, 3-Pole 4-Wire Grounding, Terminal Screws, Red, Watertight		
Product Type	PS, IEC, Conn, 3P4W, 60A 3P 480V, 4X/69K		
lanufacturer Information			
Brand	WIRING DEVICE-KELLEMS		
GTIN	00783585404806		
Manufacturers Part Number	HBL460C7W		
UPC	783585404806		
axonomies, Classifications, and C Category Description	• • • • • • • • • • • • • • • • • • •		



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging		
Carton	1	
Package	10	
Weight Per each	2.9	
Uses, Certifications, and S	tandards	
Mounting	Cord	