


## PVC-Coated Conduit Bodies and Fittings

Unique sealing ring and groove design for optimum performance!

### Ocal-Blue® Double-Coat and Stainless Steel Hubs

- Captive sealing ring won't buckle or slip during installation and provides a complete 360° seal — even when conduit isn't perpendicular to the enclosure
- Hexagonal/splined body and locknut enable fast and easy installation
- Insulated throat molded from 105° C-rated thermoplastic, UL94V0 flammability rated
- Sharper and deeper teeth provide a more penetrating bite for improved bonding to the enclosure
- Zinc or copper-free aluminum with a nominal .040" (40 mil) PVC coating bonded to exterior — in blue, white, gray or custom colors
- Pressure-sealing sleeves protect your connections
- Also available uncoated in 316-grade stainless steel




HUB1-1/4-G  
PVC-Coated Zinc Hub

STG6-G  
PVC-Coated Zinc Grounded Hub



H050GRSST  
Stainless Steel  
Grounded Hub



| Cat. No.                       | Color     |
|--------------------------------|-----------|
| <b>HUB1 -</b>                  |           |
| - = space for color identifier | G = Gray  |
|                                | W = White |
|                                | B = Blue  |
| Custom colors also available.  |           |

### Knockout Hubs

| PVC-COATED ZINC HUB CAT. NO. | PVC-COATED ALUMINUM HUB CAT. NO. | PVC-COATED ZINC GROUNDED HUB CAT. NO. | 316 STAINLESS GROUNDED HUB CAT. NO. | PIPE SIZE |     | DIMENSIONS (UNCOATED HUB) |        |      |       |      |       |                          |      |                 |        |  |
|------------------------------|----------------------------------|---------------------------------------|-------------------------------------|-----------|-----|---------------------------|--------|------|-------|------|-------|--------------------------|------|-----------------|--------|--|
|                              |                                  |                                       |                                     | IN.       | MM  | A (OVERALL DIA.)          |        | B    |       | C    |       | D (MAX. PANEL THICKNESS) |      | E (THROAT DIA.) |        |  |
|                              |                                  |                                       |                                     |           |     | IN.                       | MM     | IN.  | MM    | IN.  | MM    | IN.                      | MM   | IN.             | MM     |  |
| HUB1/2-                      | HUB1/2SA-                        | STG1-                                 | H050GRSST                           | 1/2       | 16  | 1.44                      | 36.58  | 1.56 | 39.62 | .88  | 22.35 | .19                      | 4.83 | .59             | 14.99  |  |
| HUB3/4-                      | HUB3/4SA-                        | STG2-                                 | H075GRSST                           | 3/4       | 21  | 1.44                      | 36.58  | 1.59 | 40.39 | .91  | 23.11 | .19                      | 4.83 | .78             | 19.81  |  |
| HUB1-                        | HUB1SA-                          | STG3-                                 | H100GRSST                           | 1         | 27  | 2.00                      | 50.80  | 1.81 | 45.97 | 1.06 | 26.92 | .25                      | 6.35 | 1.00            | 25.40  |  |
| HUB1-1/4-                    | HUB1-1/4SA-                      | STG4-                                 | H125GRSST                           | 1 1/4     | 35  | 2.38                      | 60.45  | 1.88 | 47.75 | 1.06 | 26.92 | .25                      | 6.35 | 1.31            | 33.27  |  |
| HUB1-1/2-                    | HUB1-1/2SA-                      | STG5-                                 | H150GRSST                           | 1 1/2     | 41  | 2.75                      | 69.85  | 1.88 | 47.75 | 1.06 | 26.92 | .25                      | 6.35 | 1.53            | 38.86  |  |
| HUB2-                        | HUB2SA-                          | STG6-                                 | H200GRSST                           | 2         | 53  | 3.25                      | 82.55  | 1.94 | 49.28 | 1.16 | 29.46 | .25                      | 6.35 | 1.97            | 50.04  |  |
| HUB2-1/2-                    | HUB2-1/2SA-                      | STG7-                                 | —                                   | 2 1/2     | 63  | 3.75                      | 95.25  | 2.56 | 65.02 | 1.56 | 39.62 | .25                      | 6.35 | 2.41            | 61.21  |  |
| HUB3-                        | HUB3SA-                          | STG8-                                 | —                                   | 3         | 78  | 4.38                      | 111.25 | 2.44 | 61.98 | 1.59 | 40.39 | .25                      | 6.35 | 2.97            | 75.44  |  |
| HUB3-1/2-                    | HUB3-1/2SA-                      | STG9-                                 | —                                   | 3 1/2     | 91  | 5.00                      | 127.00 | 2.72 | 69.09 | 1.63 | 41.40 | .25                      | 6.35 | 3.41            | 86.61  |  |
| HUB4-                        | HUB4SA-                          | STG10-                                | —                                   | 4         | 103 | 5.50                      | 139.70 | 2.72 | 69.09 | 1.63 | 41.40 | .25                      | 6.35 | 3.88            | 98.55  |  |
| HUB5-                        | HUB5SA-                          | STG11-                                | —                                   | 5         | 129 | 6.88                      | 174.75 | 3.03 | 76.96 | 1.94 | 49.28 | .25                      | 6.35 | 4.94            | 125.48 |  |
| HUB6-                        | HUB6SA-                          | STG12-                                | —                                   | 6         | 155 | 7.69                      | 195.33 | 3.16 | 80.26 | 2.00 | 50.80 | .31                      | 7.87 | 6.00            | 152.40 |  |

### T&B® Grounding and Bonding Locknuts for Hubs

- Available in zinc, copper-free aluminum or 316 stainless steel
- UL File No. E-3060, CSA File No. 4484
- Use as replacement locknuts for the hubs featured above



| ZINC CAT. NO. | ALUMINUM CAT. NO. | 316 STAINLESS CAT. NO. | PIPE SIZE |                         | DIAMETER |        | HEIGHT |       | GROUND SCREW  |     | MAX. COND. SIZE |        |
|---------------|-------------------|------------------------|-----------|-------------------------|----------|--------|--------|-------|---------------|-----|-----------------|--------|
|               |                   |                        | IN.       | METRIC SIZE DESIGNATOR* | IN.      | MM     | IN.    | MM    | IN.           | MM  | AWG             | SQ. MM |
| L050GR-TB     | L050GRA-TB        | L050GRSST              | 1/2       | 16                      | 1.50     | 38.10  | .41    | 10.41 | #10-32 x 1/4" | #10 | 6               |        |
| L075GR-TB     | L075GRA-TB        | L075GRSST              | 3/4       | 21                      | 1.69     | 42.93  | .41    | 10.41 | #10-32 x 1/4" | #10 | 6               |        |
| L100GR-TB     | L100GRA-TB        | L100GRSST              | 1         | 27                      | 2.00     | 50.80  | .41    | 10.41 | #10-32 x 1/4" | #10 | 6               |        |
| L125GR-TB     | L125GRA-TB        | L125GRSST              | 1 1/4     | 35                      | 2.38     | 60.45  | .47    | 11.94 | 1/4-20 x 1/4" | #10 | 6               |        |
| L150GR-TB     | L150GRA-TB        | L150GRSST              | 1 1/2     | 41                      | 2.75     | 69.85  | .47    | 11.94 | 1/4-20 x 3/8" | #8  | 10              |        |
| L200GR-TB     | L200GRA-TB        | L200GRSST              | 2         | 53                      | 3.25     | 82.55  | .47    | 11.94 | 1/4-20 x 3/8" | #8  | 10              |        |
| L250GR-TB     | L250GRA-TB        | —                      | 2 1/2     | 63                      | 3.75     | 95.25  | .69    | 17.53 | 1/4-20 x 3/8" | #6  | 16              |        |
| L300GR-TB     | L300GRA-TB        | —                      | 3         | 78                      | 4.38     | 111.25 | .72    | 18.29 | 1/4-20 x 3/8" | #6  | 16              |        |
| L350GR-TB     | L350GRA-TB        | —                      | 3 1/2     | 91                      | 5.00     | 127.00 | .72    | 18.29 | 1/4-20 x 3/8" | #6  | 16              |        |
| L400GR-TB     | L400GRA-TB        | —                      | 4         | 103                     | 5.50     | 139.70 | .72    | 18.29 | 1/4-20 x 3/8" | #4  | 25              |        |
| L500GR-TB     | L500GRA-TB        | —                      | 5         | 129                     | 6.63     | 168.40 | .72    | 18.29 | 3/8-16 x 3/8" | #2  | 35              |        |
| L600GR-TB     | L600GRA-TB        | —                      | 6         | 155                     | 7.69     | 195.33 | .72    | 18.29 | 3/8-16 x 3/8" | #1  | 50              |        |

\* Metric size designator (ANSI C80.1-1994).

## PVC-Coated Conduit Bodies and Fittings

Unique sealing ring and groove design for optimum performance!

### Ocal-Blue® Double-Coat and Stainless Steel Hubs

- Captive sealing ring won't buckle or slip during installation and provides a complete 360° seal — even when conduit isn't perpendicular to the enclosure
- Hexagonal/splined body and locknut enable fast and easy installation
- Insulated throat molded from 105° C-rated thermoplastic, UL94V0 flammability rated
- Sharper and deeper teeth provide a more penetrating bite for improved bonding to the enclosure
- Zinc or copper-free aluminum with a nominal .040" (40 mil) PVC coating bonded to exterior — in blue, white, gray or custom colors
- Pressure-sealing sleeves protect your connections
- Also available uncoated in 316-grade stainless steel




HUB1-1/4-G  
PVC-Coated Zinc Hub

STG6-G  
PVC-Coated Zinc Grounded Hub



H050GRSST  
Stainless Steel  
Grounded Hub



| Cat. No.                       | Color     |
|--------------------------------|-----------|
| <b>HUB1 -</b>                  |           |
| - = space for color identifier | G = Gray  |
|                                | W = White |
|                                | B = Blue  |
| Custom colors also available.  |           |

### Knockout Hubs

| PVC-COATED ZINC HUB CAT. NO. | PVC-COATED ALUMINUM HUB CAT. NO. | PVC-COATED ZINC GROUNDED HUB CAT. NO. | 316 STAINLESS GROUNDED HUB CAT. NO. | PIPE SIZE |     | DIMENSIONS (UNCOATED HUB) |        |      |       |      |       |                          |      |                 |        |  |  |
|------------------------------|----------------------------------|---------------------------------------|-------------------------------------|-----------|-----|---------------------------|--------|------|-------|------|-------|--------------------------|------|-----------------|--------|--|--|
|                              |                                  |                                       |                                     | IN.       | MM  | A (OVERALL DIA.)          |        | B    |       | C    |       | D (MAX. PANEL THICKNESS) |      | E (THROAT DIA.) |        |  |  |
|                              |                                  |                                       |                                     |           |     | IN.                       | MM     | IN.  | MM    | IN.  | MM    | IN.                      | MM   | IN.             | MM     |  |  |
| HUB1/2-                      | HUB1/2SA-                        | STG1-                                 | H050GRSST                           | 1/2       | 16  | 1.44                      | 36.58  | 1.56 | 39.62 | .88  | 22.35 | .19                      | 4.83 | .59             | 14.99  |  |  |
| HUB3/4-                      | HUB3/4SA-                        | STG2-                                 | H075GRSST                           | 3/4       | 21  | 1.44                      | 36.58  | 1.59 | 40.39 | .91  | 23.11 | .19                      | 4.83 | .78             | 19.81  |  |  |
| HUB1-                        | HUB1SA-                          | STG3-                                 | H100GRSST                           | 1         | 27  | 2.00                      | 50.80  | 1.81 | 45.97 | 1.06 | 26.92 | .25                      | 6.35 | 1.00            | 25.40  |  |  |
| HUB1-1/4-                    | HUB1-1/4SA-                      | STG4-                                 | H125GRSST                           | 1 1/4     | 35  | 2.38                      | 60.45  | 1.88 | 47.75 | 1.06 | 26.92 | .25                      | 6.35 | 1.31            | 33.27  |  |  |
| HUB1-1/2-                    | HUB1-1/2SA-                      | STG5-                                 | H150GRSST                           | 1 1/2     | 41  | 2.75                      | 69.85  | 1.88 | 47.75 | 1.06 | 26.92 | .25                      | 6.35 | 1.53            | 38.86  |  |  |
| HUB2-                        | HUB2SA-                          | STG6-                                 | H200GRSST                           | 2         | 53  | 3.25                      | 82.55  | 1.94 | 49.28 | 1.16 | 29.46 | .25                      | 6.35 | 1.97            | 50.04  |  |  |
| HUB2-1/2-                    | HUB2-1/2SA-                      | STG7-                                 | —                                   | 2 1/2     | 63  | 3.75                      | 95.25  | 2.56 | 65.02 | 1.56 | 39.62 | .25                      | 6.35 | 2.41            | 61.21  |  |  |
| HUB3-                        | HUB3SA-                          | STG8-                                 | —                                   | 3         | 78  | 4.38                      | 111.25 | 2.44 | 61.98 | 1.59 | 40.39 | .25                      | 6.35 | 2.97            | 75.44  |  |  |
| HUB3-1/2-                    | HUB3-1/2SA-                      | STG9-                                 | —                                   | 3 1/2     | 91  | 5.00                      | 127.00 | 2.72 | 69.09 | 1.63 | 41.40 | .25                      | 6.35 | 3.41            | 86.61  |  |  |
| HUB4-                        | HUB4SA-                          | STG10-                                | —                                   | 4         | 103 | 5.50                      | 139.70 | 2.72 | 69.09 | 1.63 | 41.40 | .25                      | 6.35 | 3.88            | 98.55  |  |  |
| HUB5-                        | HUB5SA-                          | STG11-                                | —                                   | 5         | 129 | 6.88                      | 174.75 | 3.03 | 76.96 | 1.94 | 49.28 | .25                      | 6.35 | 4.94            | 125.48 |  |  |
| HUB6-                        | HUB6SA-                          | STG12-                                | —                                   | 6         | 155 | 7.69                      | 195.33 | 3.16 | 80.26 | 2.00 | 50.80 | .31                      | 7.87 | 6.00            | 152.40 |  |  |

### T&B® Grounding and Bonding Locknuts for Hubs

- Available in zinc, copper-free aluminum or 316 stainless steel
- UL File No. E-3060, CSA File No. 4484
- Use as replacement locknuts for the hubs featured above



| ZINC CAT. NO. | ALUMINUM CAT. NO. | 316 STAINLESS CAT. NO. | PIPE SIZE |                         | DIAMETER |        | HEIGHT |       | GROUND SCREW  |     | MAX. COND. SIZE |        |
|---------------|-------------------|------------------------|-----------|-------------------------|----------|--------|--------|-------|---------------|-----|-----------------|--------|
|               |                   |                        | IN.       | METRIC SIZE DESIGNATOR* | IN.      | MM     | IN.    | MM    | IN.           | MM  | AWG             | SQ. MM |
| L050GR-TB     | L050GRA-TB        | L050GRSST              | 1/2       | 16                      | 1.50     | 38.10  | .41    | 10.41 | #10-32 x 1/4" | #10 | 6               |        |
| L075GR-TB     | L075GRA-TB        | L075GRSST              | 3/4       | 21                      | 1.69     | 42.93  | .41    | 10.41 | #10-32 x 1/4" | #10 | 6               |        |
| L100GR-TB     | L100GRA-TB        | L100GRSST              | 1         | 27                      | 2.00     | 50.80  | .41    | 10.41 | #10-32 x 1/4" | #10 | 6               |        |
| L125GR-TB     | L125GRA-TB        | L125GRSST              | 1 1/4     | 35                      | 2.38     | 60.45  | .47    | 11.94 | 1/4-20 x 1/4" | #10 | 6               |        |
| L150GR-TB     | L150GRA-TB        | L150GRSST              | 1 1/2     | 41                      | 2.75     | 69.85  | .47    | 11.94 | 1/4-20 x 3/8" | #8  | 10              |        |
| L200GR-TB     | L200GRA-TB        | L200GRSST              | 2         | 53                      | 3.25     | 82.55  | .47    | 11.94 | 1/4-20 x 3/8" | #8  | 10              |        |
| L250GR-TB     | L250GRA-TB        | —                      | 2 1/2     | 63                      | 3.75     | 95.25  | .69    | 17.53 | 1/4-20 x 3/8" | #6  | 16              |        |
| L300GR-TB     | L300GRA-TB        | —                      | 3         | 78                      | 4.38     | 111.25 | .72    | 18.29 | 1/4-20 x 3/8" | #6  | 16              |        |
| L350GR-TB     | L350GRA-TB        | —                      | 3 1/2     | 91                      | 5.00     | 127.00 | .72    | 18.29 | 1/4-20 x 3/8" | #6  | 16              |        |
| L400GR-TB     | L400GRA-TB        | —                      | 4         | 103                     | 5.50     | 139.70 | .72    | 18.29 | 1/4-20 x 3/8" | #4  | 25              |        |
| L500GR-TB     | L500GRA-TB        | —                      | 5         | 129                     | 6.63     | 168.40 | .72    | 18.29 | 3/8-16 x 3/8" | #2  | 35              |        |
| L600GR-TB     | L600GRA-TB        | —                      | 6         | 155                     | 7.69     | 195.33 | .72    | 18.29 | 3/8-16 x 3/8" | #1  | 50              |        |

\* Metric size designator (ANSI C80.1-1994).