

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

JDL20 20A 600V CI Edison Fuses	ass J Time Delay Fuse
Catalog Number	JDL20
Manufacturer	Edison Fuses
Description	Eaton Edison Series JDL Fuse, Time-Delay Current-Limiting Fuse, Non-Indicating, 20 A, Dual, J, Non-Indicating, 200 Kaic, 10, 600 V
Weight per unit	0.0900 (lbs/each)
Product Category	Dual Element
eatures	
amperage rating	20 A
amps	20
class	Class J
dimensions	2.2500 IN X 0.8100 IN X 0.8100 IN
Fuse Type	Class Lime Delay Euses
interrupt rating	200 kAIC
media	Yes
Voltage	600V
Voltage Rating	600 V
Descriptions	
Description	20A 600V CLASS J TIME DELAY FUSE
extra long description	MOR T626-JDL20 Class J Time Delay F
Features	Edison's UL Class J fuse products are offered in both Dual-Element Time-Delay (JDL) and Fast-Acting (JFL) types. Both types have 200,000 amp interrupting rating at 600Vac RMS Sym amps. Their small physical size and high performance characteristics makes Class J fuses ideal for any space-limited applications. Edison's JFL fuses are best suited for the protection of non-inductive loads such as resistive heating and lighting circuits.
Long Description	Eaton Edison series JDL fuse, Time-delay current-limiting fuse, Non-indicating, 20 A, Dual, J, Non-indicating, 200 kAIC, 10, 600 V
Product Type	Class J Time Delay Fuses 600V 20a
Special Features	Non-Indicating
Anufacturer Information Brand	Eaton
GTIN	00782634803386
Manufacturers Part Number	JDL20
UPC	782634803386



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Туре	FUSE
Packaging	
Carton	1
Package	10
Weight Per each	0.09
Uses, Certifications, and Standards	Ind Easilities 0. Easteries . Easility, Cafety and Casymity, Cystems

Application	Ind Facilities & Factories - Facility: Safety and Security Systems
standard	RoHS Compliant,CE Marked