

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



JJS80 Tron Fast Acting Fuse Class T Bussmann Fuses

Catalog Number	JJS80
Manufacturer	Bussmann Fuses
Description	Eaton Bussmann Series JJS Fuse, Current-Limiting, Small Footprint, VFD Line Protection, 80 A, Class T, Non-Indicating, Bolted Blade End X Bolted Blade End, 200 Kaic At 600 V, Standard, 5, 600 V
Weight per unit	
Product Category	
eatures	
amperage rating	80
class	
connection	Bolted Blade End X Bolted Blade End
dimensions	2.9500 IN X 0.7500 IN X 0.7500 IN
Fuse Class	Class T
interrupt rating	200 kAIC at 600 Vac
Voltage Rating	600 V
imensions and Weight	
Size	0.75 In Diameter X 2.95 In Length
escriptions	
Description	TRON FAST ACTING FUSE CLASS T
extra long description	BUSS JJS-80 TRON FAST ACTING FUSE C
Features	Bussmann's Class T current-limiting, fast-acting fuses. Provides 10X better current limitation to help prevent equipment damage caused by short-circuit events. 200 kA Interrupting rating complies with NEC Section 110.9 for today's large capacity systems. Small, space-saving fuses provide a high degree of current limitation on short-circuits for excellent component protection.
Long Description	Eaton Bussmann series JJS fuse, Current-limiting, Small footprint VFD line protection, 80 A, Class T, Non-indicating, Bolted blade end x bolted blade end, 200 kAIC at 600 V, Standard, 5, 600 V
Product Type	Tron Fast Acting Fuse Class T
Special Features	Rejection Style
Nanufacturer Information	
Brand	Eaton Bussmann series
GTIN	00051712628808
Manufacturers Part Number	JJS-80
UPC	051712628808



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Туре	FUSE
Packaging	
Carton	1
Package	5
Weight Per each	0.009
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Facility: Safety and Security Systems
standard	CE Marked,RoHS Compliant