






Outlet and Switch Boxes

Masonry Boxes

2-1/2" Deep x 3-3/4" High With Concentric Knockouts (Non-Gangable)

NEC:

Listed for Ordinary Locations






| | Width (Inches) | Wiring Cubic Inch Capacity | Concentric Knockout Description | | | Weight per 100 kg (lb) | Catalog Number |
|--|-------------------|-------------------------------|--|-----------------|-----------------|---------------------------|----------------|
| | | | Sides | Ends | Bottom | | |
|  <p>1-13/16" Wide, Welded, Single gang</p> | 1-13/16 | 15.5 | (4) 1/2" - 3/4" | (2) 1/2" - 3/4" | (2) 1/2" - 3/4" | 29.94 (66.0) | M1-250 |
|  <p>3-5/8" Wide, Welded, Two gang</p> | 3-5/8 | 31.0 | (4) 1/2" - 3/4" | (4) 1/2" - 3/4" | (4) 1/2" - 3/4" | 52.62 (116.0) | M2-250 |
|  <p>5-7/16" Wide, Welded; Three gang</p> | 5-7/16 | 46.5 | (4) 1/2" - 3/4" | (6) 1/2" - 3/4" | (6) 1/2" - 3/4" | 63.50 (140.0) | M3-250 |
|  <p>7-3/8" Wide, Welded, Four gang</p> | 7-3/8 | 67.0 | (4) 1/2" - 3/4" | (8) 1/2" - 3/4" | (4) 1/2" - 3/4" | 72.57 (160.0) | M4-250 |
| Low Voltage Partitions | | | | | | | |
|  | | 0.0 | For 2-1/2" 2- and 3-Gang Masonry Boxes | | | 7.26 (16.0) | LVP-250 |

Outlet and Switch Boxes

Masonry Boxes

3-1/2" Deep x 3-3/4" High with Concentric Knockouts (Non-Gangable)

NEC:
Listed for Ordinary Locations

| | Depth (Inches) | Wiring Cubic Inch Capacity | Knockout Description | | | Weight per 100 kg (lb) | Catalog Number |
|---|-------------------|-------------------------------|--|------------------|--------------------|---------------------------|----------------|
| | | | Sides | Ends | Bottom | | |
|  1-13/16" Wide, Welded Single gang | 1-13/16 | 22.0 | (4) 1/2" - 3/4" | (4) 1/2" - 3/4" | (2) 1/2" - 3/4" | 39.01 (86.0) | M1-350 |
|  3-5/8" Wide, Welded Two gang | 3-5/8 | 44.0 | (4) 1/2" - 3/4" | (8) 1/2" - 3/4" | (4) 1/2" - 3/4" | 57.15 (126.0) | M2-350 |
|  5-7/16" Wide, Welded Three gang | 5-7/16 | 66.0 | (4) 1/2" - 3/4" | (12) 1/2" - 3/4" | (6) 1/2" - 3/4" | 73.94 (163.0) | M3-350 |
|  7-3/8" Wide, Welded Four gang | 7-3/8 | 92.0 | (4) 1/2" - 3/4" | (16) 1/2" - 3/4" | (4) 1/2" - 3/4" | 90.72 (200.0) | M4-350 |
| Low Voltage Partitions | | | | | | | |
|  | | 0.0 | For 3-1/2" 2-, 3- and 4-Gang Masonry Boxes | | | 10.89 (24.0) | LVP-350 |

Appleton OZGEDNEY

COMMERCIAL AND INDUSTRIAL FITTINGS: OUTLET BOXES, SWITCH BOXES AND COVERS






Outlet and Switch Boxes

Masonry Boxes

2-1/2" Deep x 3-3/4" High With Concentric Knockouts (Non-Gangable)

NEC:

Listed for Ordinary Locations






| | Width (Inches) | Wiring Cubic Inch Capacity | Concentric Knockout Description | | | Weight per 100 kg (lb) | Catalog Number |
|--|-------------------|-------------------------------|--|-----------------|-----------------|---------------------------|----------------|
| | | | Sides | Ends | Bottom | | |
|  <p>1-13/16" Wide, Welded, Single gang</p> | 1-13/16 | 15.5 | (4) 1/2" - 3/4" | (2) 1/2" - 3/4" | (2) 1/2" - 3/4" | 29.94 (66.0) | M1-250 |
|  <p>3-5/8" Wide, Welded, Two gang</p> | 3-5/8 | 31.0 | (4) 1/2" - 3/4" | (4) 1/2" - 3/4" | (4) 1/2" - 3/4" | 52.62 (116.0) | M2-250 |
|  <p>5-7/16" Wide, Welded; Three gang</p> | 5-7/16 | 46.5 | (4) 1/2" - 3/4" | (6) 1/2" - 3/4" | (6) 1/2" - 3/4" | 63.50 (140.0) | M3-250 |
|  <p>7-3/8" Wide, Welded, Four gang</p> | 7-3/8 | 67.0 | (4) 1/2" - 3/4" | (8) 1/2" - 3/4" | (4) 1/2" - 3/4" | 72.57 (160.0) | M4-250 |
| Low Voltage Partitions | | | | | | | |
|  | | 0.0 | For 2-1/2" 2- and 3-Gang Masonry Boxes | | | 7.26 (16.0) | LVP-250 |

Outlet and Switch Boxes

Masonry Boxes

3-1/2" Deep x 3-3/4" High with Concentric Knockouts (Non-Gangable)

NEC:
Listed for Ordinary Locations

| | Depth (Inches) | Wiring Cubic Inch Capacity | Knockout Description | | | Weight per 100 kg (lb) | Catalog Number |
|---|----------------|----------------------------|--|------------------|-----------------|------------------------|----------------|
| | | | Sides | Ends | Bottom | | |
|  1-13/16" Wide, Welded Single gang | 1-13/16 | 22.0 | (4) 1/2" - 3/4" | (4) 1/2" - 3/4" | (2) 1/2" - 3/4" | 39.01 (86.0) | M1-350 |
|  3-5/8" Wide, Welded Two gang | 3-5/8 | 44.0 | (4) 1/2" - 3/4" | (8) 1/2" - 3/4" | (4) 1/2" - 3/4" | 57.15 (126.0) | M2-350 |
|  5-7/16" Wide, Welded Three gang | 5-7/16 | 66.0 | (4) 1/2" - 3/4" | (12) 1/2" - 3/4" | (6) 1/2" - 3/4" | 73.94 (163.0) | M3-350 |
|  7-3/8" Wide, Welded Four gang | 7-3/8 | 92.0 | (4) 1/2" - 3/4" | (16) 1/2" - 3/4" | (4) 1/2" - 3/4" | 90.72 (200.0) | M4-350 |
| Low Voltage Partitions | | | | | | | |
|  | | 0.0 | For 3-1/2" 2-, 3- and 4-Gang Masonry Boxes | | | 10.89 (24.0) | LVP-350 |

Appleton OZGEDNEY

COMMERCIAL AND INDUSTRIAL FITTINGS: OUTLET BOXES, SWITCH BOXES AND COVERS