



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



PB2 2HOLE Oil Tight PB Encl *Hubbell--Wiegmann*

Catalog Number	PB2
Manufacturer	Hubbell--Wiegmann
Description	N4 30.5 MM 2 Pushbutton Enclosure 5.7X3.2X2.7 Carbon Steel - Gray
Weight per unit	N/A
Product Category	Control Station Enclosures

Features

Number of Holes	2
-----------------	---

Material, Color, and Finish

Color	Ansi-61 Gray Textured
Housing Material	Carbon Steel

Dimensions and Weight

Depth	6
Height	6
Size	5.75" H x 3.25" W x 2.81" D
Width	3

Descriptions

Construction	Continuously welded seams
Description	2HOLE OIL TIGHT PB ENCL
extra long description	WIEG PB2 N4 30.5 MM 2 PB ENCL 5.7X3
Long Description	N4 30.5 MM 2 Pushbutton Enclosure 5.7X3.2X2.7 Carbon Steel - Gray
Product Type	N4 30.5 MM 2 PB Encl 5.7X3.2X2.7 CS-Gr
Special Features	Bodies and doors fabricated from 14 gauge steel. Continuously welded seams ground smooth. Closed cell oil resistant neoprene gasket. External mounting plates, top and bottom of enclosure. Captivated cover screws thread into sealed wells. Standard "4-way" pushbutton holes accept all brands of oil-tight push buttons, switches, and pilot lights. Grounding provisions provided.

Manufacturer Information

Brand	WIEGMANN
GTIN	00786725430109
series	PB
UPC	786725430109



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Type	Standard Push Button Enclosure

Packaging

Carton	1
Weight Per each	0

Uses, Certifications, and Standards

Application	Designed to hold all standard brands of pushbuttons, switches, and pilot lights. Provide protection from dust, dirt, oil and water.
Mounting	External Mounting Plates
nema rating	4
standard	cULus;TAA Compliant (All status valid till December 2024)