



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## PLG35 1" SQ Head Plug *Crouse-Hinds*

|                  |   |
|------------------|---|
| Catalog Number   | PLG35   |
| Manufacturer     | Crouse-Hinds  |
| Description      | Plug, 1 In Trade Size, PLG Model, Electro Galvanized With Chromate Treatment, Threaded Connection, 0.23 LB/Ea |
| Weight per unit  | 0.2300 (lbs/each)   |
| Product Category | Rigid Conduit Fittings - Steel  |

### Features

|            |                                   |
|------------|-----------------------------------|
| connection | Threaded                          |
| dimensions | 1.3200 IN X 1.5000 IN X 1.3200 IN |
| Material   | Steel                             |

### Dimensions and Weight

|      |      |
|------|------|
| Size | 1 in |
|------|------|

### Descriptions

|                        |  |
|------------------------|--|
| Description            | 1" SQ HEAD PLUG  |
| extra long description | CRS-H PLG35 1 SQ HEAD PLG  |
| Features               | Crouse-Hinds series RE, REA and REC explosionproof reducers are used in rigid/IMC conduit systems to reduce conduit hubs to a smaller size (RE), connect two different sizes of conduit together (REC), or enlarge drilled and tapped openings by one NPT size (REA). PLG explosionproof plugs are used for closing threaded conduit hubs. |

### Manufacturer Information

|       |                |
|-------|----------------|
| Brand | Eaton          |
| GTIN  | 00782274566405 |
| UPC   | 782274566405   |

### Taxonomies, Classifications, and Categories

|                      |   |
|----------------------|---|
| Category Description | Locknuts, Bushings, Re-Bushings, Re-Washers, Threaded Plugs, Knockout Plugs |
| Type                 | Conduit plug  |

### Packaging

|                 |      |
|-----------------|------|
| Carton          | 1    |
| Package         | 25   |
| Weight Per each | 0.23 |

### Uses, Certifications, and Standards

|          |                   |
|----------|-------------------|
| standard | UL 886, CSA C22.2 |
|----------|-------------------|