Eaton PRL1X3100X30C

Catalog Number: PRL1X3100X30C

Eaton PRL1X INTERIOR 120/208 3P 4W 100A 30 CKT CU BUS

General specifications

T

 Product Name
 Catalog Number

 Eaton Pow-R-Xpress PRL1X panelboard
 PRL1X3100X30C

UPC

Product Height

786689363079

6.5 in Product Weight

29 lb

Certifications UL 67 Product Length/Depth 43.75 in

Product Width 18.25 in

Compliances NEMA Compliant



FREE

Physical Attributes

Bus material

Copper

Number of circuits

30

Туре

PRL1X INTERIOR

Performance Ratings

Amperage Rating

100A

Resources

Brochures

Pow-R-Xpress quick selector reference guide

Eaton's Pow-R-Xpress stocking program

Pow-R-Xpress stocking program flyer

Multimedia

Pow-R-Line Xpert family overview

Specifications and datasheets

Eaton Specification Sheet - PRL1X3100X30C



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2025 Eaton. All Righ Reserved.

Eaton is a registered trademark.

© 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia

Eaton PRL1X3100X30C

Catalog Number: PRL1X3100X30C

Eaton PRL1X INTERIOR 120/208 3P 4W 100A 30 CKT CU BUS

General specifications

T

 Product Name
 Catalog Number

 Eaton Pow-R-Xpress PRL1X panelboard
 PRL1X3100X30C

UPC

Product Height

786689363079

6.5 in Product Weight

29 lb

Certifications UL 67 Product Length/Depth 43.75 in

Product Width 18.25 in

Compliances NEMA Compliant



FREE

Physical Attributes

Bus material

Copper

Number of circuits

30

Туре

PRL1X INTERIOR

Performance Ratings

Amperage Rating

100A

Resources

Brochures

Pow-R-Xpress quick selector reference guide

Eaton's Pow-R-Xpress stocking program

Pow-R-Xpress stocking program flyer

Multimedia

Pow-R-Line Xpert family overview

Specifications and datasheets

Eaton Specification Sheet - PRL1X3100X30C



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2025 Eaton. All Righ Reserved.

Eaton is a registered trademark.

© 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia