

# Eaton REN-15

Catalog Number: REN-15

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 15 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

## General specifications



Photo is representative

|                                |                             |
|--------------------------------|-----------------------------|
| <b>Product Name</b>            | <b>Catalog Number</b>       |
| Eaton Bussmann series REN fuse | REN-15                      |
| <b>UPC</b>                     | <b>Product Length/Depth</b> |
| 051712100151                   | 2 in                        |
| <b>Product Height</b>          | <b>Product Width</b>        |
| 0.56 in                        | 0.56 in                     |
| <b>Product Weight</b>          | <b>Warranty</b>             |
| 0.55 lb                        | Not Applicable              |
| <b>Compliances</b>             |                             |
| Not Applicable                 |                             |

## Electrical rating

### Amperage Rating

15 A

### Interrupt rating

10 kAIC

### Voltage rating

250 V

## Physical details

### Packaging type

Standard

## General information

### Class

Class H

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Quantity

10

### Special features

Super lag, time lag, non current-limiting

## Resources

### Catalogs

[REN-15~SUPER LAG RENEW. FUSE 15/250](#)

[Bussmann series complete full line catalog no. 1007](#)

### Multimedia

[Bussmann series Fuseology](#)

### Specifications and datasheets

[Eaton Specification Sheet - REN-15](#)

# Eaton REN-15

Catalog Number: REN-15

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 15 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

## General specifications



Photo is representative

|                                |                             |
|--------------------------------|-----------------------------|
| <b>Product Name</b>            | <b>Catalog Number</b>       |
| Eaton Bussmann series REN fuse | REN-15                      |
| <b>UPC</b>                     | <b>Product Length/Depth</b> |
| 051712100151                   | 2 in                        |
| <b>Product Height</b>          | <b>Product Width</b>        |
| 0.56 in                        | 0.56 in                     |
| <b>Product Weight</b>          | <b>Warranty</b>             |
| 0.55 lb                        | Not Applicable              |
| <b>Compliances</b>             |                             |
| Not Applicable                 |                             |

## Electrical rating

### Amperage Rating

15 A

### Interrupt rating

10 kAIC

### Voltage rating

250 V

## Physical details

### Packaging type

Standard

## General information

### Class

Class H

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Quantity

10

### Special features

Super lag, time lag, non current-limiting

## Resources

### Catalogs

[REN-15~SUPER LAG RENEW. FUSE 15/250](#)

[Bussmann series complete full line catalog no. 1007](#)

### Multimedia

[Bussmann series Fuseology](#)

### Specifications and datasheets

[Eaton Specification Sheet - REN-15](#)