Eaton REN-20

Catalog Number: REN-20

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 20 A, Class H, Nonindicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

General specifications

Product Name Eaton Bussmann series REN fuse	Catalog Number REN-20
UPC 051712100205	EAN 5027590098250
Product Length/Depth 0.56 in	Product Height 2 in
Product Width	Product Weight
0.56 in	0.41 lb
Warranty	Compliances
Not Applicable	Not Applicable
	RoHS Compliant



Photo is representative



Electrical rating

Amperage Rating

20 A

Interrupt rating 10 kAIC

Voltage rating

250 V

Physical details

Packaging type

Standard

General information

Class

Class H

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Super lag, time lag, non current-limiting

Resources

Catalogs

REN-20~SUPER LAG RENEWABLE FUSE 20/250

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - REN-20



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2025 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2025 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia

Eaton REN-20

Catalog Number: REN-20

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 20 A, Class H, Nonindicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

General specifications

Product Name Eaton Bussmann series REN fuse	Catalog Number REN-20
UPC 051712100205	EAN 5027590098250
Product Length/Depth 0.56 in	Product Height 2 in
Product Width	Product Weight
0.56 in	0.41 lb
Warranty	Compliances
Not Applicable	Not Applicable
	RoHS Compliant



Photo is representative



Electrical rating

Amperage Rating

20 A

Interrupt rating 10 kAIC

Voltage rating

250 V

Physical details

Packaging type

Standard

General information

Class

Class H

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Super lag, time lag, non current-limiting

Resources

Catalogs

REN-20~SUPER LAG RENEWABLE FUSE 20/250

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - REN-20



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2025 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2025 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia