# Eaton REN-50

## Catalog Number: REN-50

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 50 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

### General specifications

REN-60 V1S SUPER-LOS SUPER-LOS SUPER-LOS FUSE CLASS H Product Name Catalog Number

Eaton Bussmann series REN fuse REN-50

UPC EAN

051712100502 5027590465793

Product Length/Depth Product Height

0.82 in 2.98 in

Product Width Product Weight

0.82 in 0.12 lb

Warranty Compliances

Not Applicable Not Applicable

Photo is representative



## Electrical rating

**Amperage Rating** 

50 A

Interrupt rating

10 kAIC

Voltage rating

250 V

## Physical details

Packaging type

Standard

## General information

Class

Class H

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Super lag, time lag, non current-limiting

### Resources

## Catalogs

REN-50~SUPER LAG RENEWABLE FUSE 50/250

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - REN-50

Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.





# Eaton REN-50

## Catalog Number: REN-50

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 50 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

### General specifications

REN-60 V1S SUPER-LOS SUPER-LOS SUPER-LOS FUSE CLASS H Product Name Catalog Number

Eaton Bussmann series REN fuse REN-50

UPC EAN

051712100502 5027590465793

Product Length/Depth Product Height

0.82 in 2.98 in

Product Width Product Weight

0.82 in 0.12 lb

Warranty Compliances

Not Applicable Not Applicable

Photo is representative



## Electrical rating

**Amperage Rating** 

50 A

Interrupt rating

10 kAIC

Voltage rating

250 V

## Physical details

Packaging type

Standard

## General information

Class

Class H

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Super lag, time lag, non current-limiting

### Resources

## Catalogs

REN-50~SUPER LAG RENEWABLE FUSE 50/250

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - REN-50

Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.



