**PASS & SEYMOUR®**

# radiant® Screwless Wall Plates



## Modern low-profile Screwless Wall Plates fit for today's homes and hospitality settings.

RWP26, RWP262, RWP263, RWP264, RWP265, RWP266

Part of the redesigned radiant® collection of wiring devices and home automation controls, Legrand's broad offering of screwless wall plates are a step above ordinary with modern low profiles that fit more flush to the wall than standard wall plates. These wall plates color-match radiant® devices and are equipped with one-piece plastic subplates and screws to align devices and ensure proper positioning. Ideal for residential, multi-dwelling, commercial office and hospitality applications, radiant® screwless wall plates are available in one- to six-gang configurations, each in six standard colors and two metallic finishes.

## Features & Benefits

**Redesigned screwless wall plates** feature a lower, more modern profile in keeping with today's design trends.

**Molded of rugged .065" thick polycarbonate.**

**One-piece plastic subplate** mounts over the device for easy retrofit and lower profile.



**An extra 3/8" width and height than standard-size wall plates** for more tolerance in covering ragged sheet rock openings.

**Opening accommodates all NEMA 26-opening devices.**

**Subplate screws align devices** to ensure proper positioning of wall plates.


**RWP26LA**

- **Part of the radiant® collection.**
- **New, lower profile.**
- **Available in Ivory, White, Brown, Gray, Black, and Light Almond; and two metallic finishes** – Nickel, Dark Bronze and Graphite.


## 3rd Party Compliance

c UL us Listed to UL514. CSA Certified.

## Wall Plate Dimensions/Materials




**radiant® Screwless Wall Plate**




**radiant® Screwless Wall Plate Plastic Subplate**

### Materials

| | |
|---|---|
| Body Construction | Molded of .065" thick polycarbonate |
| Sub-plate Construction | Polyphenylene Ether and Polystyrene |
| Mounting Screws | Steel |

### radiant® Screwless Polycarbonate Wall Plates

- Available in 26-style openings.
- Extra 3/8" width and height than standard size wall plates.
- Provide better sheet rock coverage with standard size appearance.
- Molded of .065" thick polycarbonate.
- One-piece plastic subplate.
- Available in two metallic finishes and six standard colors.

### Wall Plate Dimensions





| | |
|---|---|
| **1 gang** | 3.15" x 4.94" |
| **2 gang** | 4.96" x 4.94" |
| **3 gang** | 6.77" x 4.94" |
| **4 gang** | 8.59" x 4. 94" |
| **5 gang** | 10.40" x 4.94" |
| **6 gang** | 12.21" x 4.94" |

### Subplate Dimensions

| | |
|---|---|
| **1 gang** | 1.81" x 4.78" x .15" |
| **2 gang** | 3.62" x 4.78" x .15" |
| **3 gang** | 5.44" x 4.78" x .15" |
| **4 gang** | 7.25" x 4.78" x .15" |
| **5 gang** | 9.06" x 4.78" x .15" |
| **6 gang** | 10.87" x 4.78" x .15" |


## Ordering Information

**radiant® Metallic Finish Screwless Wall Plates – Polycarbonate Screwless 26 Openings – Plastic Subplate included**


| Description | Color | 26 Openings |
|---|---|---|
| **One Gang**  | Nickel | RWP26NI |
| | Dark Bronze | RWP26DBCC6 |
| | Graphite | RWP26GCC6 |
| **Two Gang**  | Nickel | RWP262NI |
| | Dark Bronze | RWP262DBCC6 |
| | Graphite | RWP262GCC6 |
| **Three Gang**  | Nickel | RWP263NI |
| | Dark Bronze | RWP263DBCC6 |
| | Graphite | RWP263GCC6 |
| **Four Gang**  | Nickel | RWP264NI |
| | Dark Bronze<br>Graphite | RWP264DB<br>RWP264GCC6 |
| **Five Gang**  | Nickel | RWP265NI |
| | Dark Bronze<br>Graphite | RWP265DB<br>RWP265G |
| **Six Gang**  | Nickel | RWP266NI |
| | Dark Bronze<br>Graphite | RWP266DB<br>RWP266G |




**One Gang**
**Nickel**



**Two Gang**
**Dark Bronze**



**Four Gang**
**Dark Bronze**




**Six Gang**
**Dark Bronze**


## Ordering Information

**radiant® Screwless Wall Plates – Polycarbonate Screwless Wall Plates – Plastic Subplate included**


| Description | Color | 26 Openings |
|---|---|---|
| One Gang | Ivory | RWP26I |
| | White | RWP26W |
| | Brown | RWP26 |
| | Gray | RWP26GRY |
| | Black | RWP26BK |
| | Light Almond | RWP26LA |
| Two Gang | Ivory | RWP262I |
| | White | RWP262W |
| | Brown | RWP262 |
| | Gray | RWP262GRY |
| | Black | RWP262BK |
| | Light Almond | RWP262LA |
| Three Gang | Ivory | RWP263I |
| | White | RWP263W |
| | Brown | RWP263 |
| | Gray | RWP263GRY |
| | Black | RWP263BK |
| | Light Almond | RWP263LA |
| Four Gang | Ivory | RWP264I |
| | White | RWP264W |
| | Brown | RWP264 |
| | Gray | RWP264GRY |
| | Black | RWP264BK |
| | Light Almond | RWP264LA |
| Five Gang | Ivory | RWP265I |
| | White | RWP265W |
| | Brown | RWP265 |
| | Gray | RWP265GRY |
| | Black | RWP265BK |
| | Light Almond | RWP265LA |
| Six Gang | Ivory | RWP266I |
| | White | RWP266W |
| | Brown | RWP266 |
| | Gray | RWP266GRY |
| | Black | RWP266BK |
| | Light Almond | RWP266LA |





One Gang




Two Gang




Three Gang




Four Gang




One Gang
Plastic Subplate




Two Gang
Plastic Subplate

**Screwless 26 Openings Plastic Subplate included**

| Description | Height | Width |
|---|---|---|
| One Gang | 4.94" | 3.15" |
| Two Gang | 4.94" | 4.96" |
| Three Gang | 4.94" | 6.77" |
| Four Gang | 4.94" | 8.59" |
| Five Gang | 4.94" | 10.40" |
| Six Gang | 4.94" | 12.21" |

**Screwless Plastic Subplate Dimensions**

| Description | Height | Width |
|---|---|---|
| One Gang | 4.78" | 1.81" |
| Two Gang | 4.78" | 3.62" |
| Three Gang | 4.78" | 5.44" |
| Four Gang | 4.78" | 7.25" |
| Five Gang | 4.78" | 9.06" |
| Six Gang | 4.78" | 10.87" |

## Vertical Markets

- **Office**
- **Residential**
- **Multiple Dwelling**
- **Hospitality/Lodging**

## Also available in the radiant® collection

- **GFCI Receptacles**
- **Standard & Tamper-Resistant Receptacles**
- **Paddle Switches**
- **Lighting & Fan Controls**
- **Timers**
- **Sensors**
- **Combination Devices**
- **USB Charging Devices**
- **Night Lights**
- **Home Automation Controls**

The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act complaint. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.

**Legrand, North America**
60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

FOLLOW US

**SF20194 September 2019** **©2019 Legrand All Rights Reserved**

**PASS & SEYMOUR®**

# radiant® Screwless Wall Plates



## Modern low-profile Screwless Wall Plates fit for today's homes and hospitality settings.

RWP26, RWP262, RWP263, RWP264, RWP265, RWP266

Part of the redesigned radiant® collection of wiring devices and home automation controls, Legrand's broad offering of screwless wall plates are a step above ordinary with modern low profiles that fit more flush to the wall than standard wall plates. These wall plates color-match radiant® devices and are equipped with one-piece plastic subplates and screws to align devices and ensure proper positioning. Ideal for residential, multi-dwelling, commercial office and hospitality applications, radiant® screwless wall plates are available in one- to six-gang configurations, each in six standard colors and two metallic finishes.

## Features & Benefits

**Redesigned screwless wall plates** feature a lower, more modern profile in keeping with today's design trends.

**Molded of rugged .065" thick polycarbonate.**

**One-piece plastic subplate** mounts over the device for easy retrofit and lower profile.



**An extra 3/8" width and height than standard-size wall plates** for more tolerance in covering ragged sheet rock openings.

**Opening accommodates all NEMA 26-opening devices.**

**Subplate screws align devices** to ensure proper positioning of wall plates.


**RWP26LA**

- **Part of the radiant® collection.**
- **New, lower profile.**
- **Available in Ivory, White, Brown, Gray, Black, and Light Almond; and two metallic finishes** – Nickel, Dark Bronze and Graphite.


## 3rd Party Compliance

c UL us Listed to UL514. CSA Certified.

## Wall Plate Dimensions/Materials




**radiant® Screwless Wall Plate**




**radiant® Screwless Wall Plate Plastic Subplate**

### Materials

| | |
|---|---|
| Body Construction | Molded of .065" thick polycarbonate |
| Sub-plate Construction | Polyphenylene Ether and Polystyrene |
| Mounting Screws | Steel |

### radiant® Screwless Polycarbonate Wall Plates

- Available in 26-style openings.
- Extra 3/8" width and height than standard size wall plates.
- Provide better sheet rock coverage with standard size appearance.
- Molded of .065" thick polycarbonate.
- One-piece plastic subplate.
- Available in two metallic finishes and six standard colors.

### Wall Plate Dimensions





| | |
|---|---|
| **1 gang** | 3.15" x 4.94" |
| **2 gang** | 4.96" x 4.94" |
| **3 gang** | 6.77" x 4.94" |
| **4 gang** | 8.59" x 4. 94" |
| **5 gang** | 10.40" x 4.94" |
| **6 gang** | 12.21" x 4.94" |

### Subplate Dimensions

| | |
|---|---|
| **1 gang** | 1.81" x 4.78" x .15" |
| **2 gang** | 3.62" x 4.78" x .15" |
| **3 gang** | 5.44" x 4.78" x .15" |
| **4 gang** | 7.25" x 4.78" x .15" |
| **5 gang** | 9.06" x 4.78" x .15" |
| **6 gang** | 10.87" x 4.78" x .15" |


## Ordering Information

**radiant® Metallic Finish Screwless Wall Plates – Polycarbonate Screwless 26 Openings – Plastic Subplate included**


| Description | Color | 26 Openings |
|---|---|---|
| **One Gang**  | Nickel | RWP26NI |
| | Dark Bronze | RWP26DBCC6 |
| | Graphite | RWP26GCC6 |
| **Two Gang**  | Nickel | RWP262NI |
| | Dark Bronze | RWP262DBCC6 |
| | Graphite | RWP262GCC6 |
| **Three Gang**  | Nickel | RWP263NI |
| | Dark Bronze | RWP263DBCC6 |
| | Graphite | RWP263GCC6 |
| **Four Gang**  | Nickel | RWP264NI |
| | Dark Bronze<br>Graphite | RWP264DB<br>RWP264GCC6 |
| **Five Gang**  | Nickel | RWP265NI |
| | Dark Bronze<br>Graphite | RWP265DB<br>RWP265G |
| **Six Gang**  | Nickel | RWP266NI |
| | Dark Bronze<br>Graphite | RWP266DB<br>RWP266G |




**One Gang**
**Nickel**



**Two Gang**
**Dark Bronze**



**Four Gang**
**Dark Bronze**




**Six Gang**
**Dark Bronze**


## Ordering Information

**radiant® Screwless Wall Plates – Polycarbonate Screwless Wall Plates – Plastic Subplate included**


| Description | Color | 26 Openings |
|---|---|---|
| One Gang | Ivory | RWP26I |
| | White | RWP26W |
| | Brown | RWP26 |
| | Gray | RWP26GRY |
| | Black | RWP26BK |
| | Light Almond | RWP26LA |
| Two Gang | Ivory | RWP262I |
| | White | RWP262W |
| | Brown | RWP262 |
| | Gray | RWP262GRY |
| | Black | RWP262BK |
| | Light Almond | RWP262LA |
| Three Gang | Ivory | RWP263I |
| | White | RWP263W |
| | Brown | RWP263 |
| | Gray | RWP263GRY |
| | Black | RWP263BK |
| | Light Almond | RWP263LA |
| Four Gang | Ivory | RWP264I |
| | White | RWP264W |
| | Brown | RWP264 |
| | Gray | RWP264GRY |
| | Black | RWP264BK |
| | Light Almond | RWP264LA |
| Five Gang | Ivory | RWP265I |
| | White | RWP265W |
| | Brown | RWP265 |
| | Gray | RWP265GRY |
| | Black | RWP265BK |
| | Light Almond | RWP265LA |
| Six Gang | Ivory | RWP266I |
| | White | RWP266W |
| | Brown | RWP266 |
| | Gray | RWP266GRY |
| | Black | RWP266BK |
| | Light Almond | RWP266LA |





One Gang




Two Gang




Three Gang




Four Gang




One Gang
Plastic Subplate




Two Gang
Plastic Subplate

**Screwless 26 Openings Plastic Subplate included**

| Description | Height | Width |
|---|---|---|
| One Gang | 4.94" | 3.15" |
| Two Gang | 4.94" | 4.96" |
| Three Gang | 4.94" | 6.77" |
| Four Gang | 4.94" | 8.59" |
| Five Gang | 4.94" | 10.40" |
| Six Gang | 4.94" | 12.21" |

**Screwless Plastic Subplate Dimensions**

| Description | Height | Width |
|---|---|---|
| One Gang | 4.78" | 1.81" |
| Two Gang | 4.78" | 3.62" |
| Three Gang | 4.78" | 5.44" |
| Four Gang | 4.78" | 7.25" |
| Five Gang | 4.78" | 9.06" |
| Six Gang | 4.78" | 10.87" |

## Vertical Markets

- **Office**
- **Residential**
- **Multiple Dwelling**
- **Hospitality/Lodging**

## Also available in the radiant® collection

- **GFCI Receptacles**
- **Standard & Tamper-Resistant Receptacles**
- **Paddle Switches**
- **Lighting & Fan Controls**
- **Timers**
- **Sensors**
- **Combination Devices**
- **USB Charging Devices**
- **Night Lights**
- **Home Automation Controls**

The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act complaint. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.

**Legrand, North America**
60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

FOLLOW US

**SF20194 September 2019** **©2019 Legrand All Rights Reserved**