# Eaton S811+T24N3S

### Catalog Number: S811+T24N3S

Eaton S811+ soft starter, 240 A, T-frame, Three pole, 24 V power, 200-600 V operating voltage, 47-63 Hz, 1-2 conductors, #4 AWG to 500 kcmil wire, 120 Vdc, 240 Vac, Modbus RTU, NEMA 0, LCD display, -30°C to -50°C

## General specifications

Eaton S811+ soft starter

786685558981

**Product Name** 

Product Height 12.71 in

Product Weight 45 lb

Compliances

CE Marked

S811+T24N3S Product Length/Depth 6.47 in

Catalog Number

Product Width 7.65 in

#### Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

#### Certifications

UL Recognized CSA file No. 3211-06 UL Listed IEC 60947-4-2 EN 60947-4-2 CSA Certified for Elevator Duty



#### Catalog Notes

All units require a 24 Vdc power supply found on catalog Page V6-T1-85, or equivalent., S811+T\_, S811+U\_ and S811+V\_ units require lug kits,

S811+U50 unit does not have IEC

Ct Product specifications

#### Used with

Three-phase motors

Amperage Rating

240A

Display material LCD

AC current - max 240 Vac

DC current - max

120 Vdc

Number Of Poles

Three-pole

#### Туре

Soft starter

Frequency rating

47-63 Hz

Power supply

24 V

Frame size

Т

Operating temperature - max 50 °C

Communication

Modbus RTU

#### NEMA rating

NEMA 0

#### Size

NEMA 0

Operating voltage 200-600 V

#### Wire size

#4 AWG-500 kcmil

#### Module interface

Digital interface module

Operating temperature - min -30 °C

#### Resources

Application notes S8x1 adjustment - Switching from S801+ to S811+

Catalogs Product Range Catalog Drives Engineering

Multimedia

Soft starter DS7 up to 200 A

Soft Starter DS7 up to 32 A

Soft Starter Product Family Overview

Specifications and datasheets

Eaton Specification Sheet - S811+T24N3S



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia