Eaton SP1-240D

Catalog Number: SP1-240D

Eaton Innovative Technology Protector surge protective device, Surge Protection Device, SP1 series, 50 kAIC, 240 delta, 300 L-L, 300 L-G operating voltage, Three-phase

General specifications



Eaton SP1 surge protective device

UPC

786685448343

Product Height

4.8 in

Product Weight

1.25 lb

Certifications

UL 1449

Catalog Number

SP1-240D

Product Length/Depth

2.5 in

Product Width

2.9 in

Warranty

2 year



Electrical properties

Voltage rating

240 delta (3W+G)

Phase

Three-phase

Physical properties

Type

SP1

Resources

Brochures

Eaton SP1 Surge Protective Device (SPD)

Installation instructions

SP1 Surge Protective Device Installation and Operation

Specifications and datasheets

Eaton Specification Sheet - SP1-240D



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia

Eaton SP1-240D

Catalog Number: SP1-240D

Eaton Innovative Technology Protector surge protective device, Surge Protection Device, SP1 series, 50 kAIC, 240 delta, 300 L-L, 300 L-G operating voltage, Three-phase

General specifications



Eaton SP1 surge protective device

UPC

786685448343

Product Height

4.8 in

Product Weight

1.25 lb

Certifications

UL 1449

Catalog Number

SP1-240D

Product Length/Depth

2.5 in

Product Width

2.9 in

Warranty

2 year



Electrical properties

Voltage rating

240 delta (3W+G)

Phase

Three-phase

Physical properties

Type

SP1

Resources

Brochures

Eaton SP1 Surge Protective Device (SPD)

Installation instructions

SP1 Surge Protective Device Installation and Operation

Specifications and datasheets

Eaton Specification Sheet - SP1-240D



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia