Specifications





Eaton SP1-240S

Eaton Surge Protection Device, SP1 series, 50 kAIC, 120/240V, 300 L-L, 150 L-N operating voltage, Split single-phase

General specification	IS
PRODUCT NAME	Eaton SP1 surge protective device
CATALOG NUMBER	SP1-240S
UPC	786685448329
PRODUCT LENGTH/DEPTH	2.5 in
PRODUCT HEIGHT	4.8 in
PRODUCT WIDTH	2.9 in
PRODUCT WEIGHT	1.25 lb
WARRANTY	2 year
CERTIFICATIONS	UL 1449



Electrical properties	
VOLTAGE RATING 120/240 V	
PHASE Split-phase	

Resources	
CATALOGS	<u>Commercial Distribution,</u> <u>Switching Devices, Volume 2,</u> <u>Tab 1</u>
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - SP1-240S

Physical properties	
ТҮРЕ	SP1

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road

Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.



Specifications





Eaton SP1-240S

Eaton Surge Protection Device, SP1 series, 50 kAIC, 120/240V, 300 L-L, 150 L-N operating voltage, Split single-phase

General specification	IS
PRODUCT NAME	Eaton SP1 surge protective device
CATALOG NUMBER	SP1-240S
UPC	786685448329
PRODUCT LENGTH/DEPTH	2.5 in
PRODUCT HEIGHT	4.8 in
PRODUCT WIDTH	2.9 in
PRODUCT WEIGHT	1.25 lb
WARRANTY	2 year
CERTIFICATIONS	UL 1449



Electrical properties	
VOLTAGE RATING 120/240 V	
PHASE Split-phase	

Resources	
CATALOGS	<u>Commercial Distribution,</u> <u>Switching Devices, Volume 2,</u> <u>Tab 1</u>
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - SP1-240S

Physical properties	
ТҮРЕ	SP1

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road

Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

