

# Specifications

## Eaton SPD250208Y2K

Surge Protection Device, SPD series, 250 kAIC, 120/208V wye (4W+G), Standard feature package, NEMA 1 enclosure, External side mount, 150 L-N, 150 L-G, 150 N-G, 300 L-L operating voltage

### General specifications

|                             |  |
|-----------------------------|--|
| <b>PRODUCT NAME</b>         | Eaton SPD series surge protection device |
| <b>CATALOG NUMBER</b>       | SPD250208Y2K                             |
| <b>UPC</b>                  | 786685328546                             |
| <b>PRODUCT LENGTH/DEPTH</b> | 9.5 in                                   |
| <b>PRODUCT HEIGHT</b>       | 3.45 in                                  |
| <b>PRODUCT WIDTH</b>        | 5.4 in                                   |
| <b>PRODUCT WEIGHT</b>       | 3.5 lb                                   |
| <b>WARRANTY</b>             | 15 year                                  |
| <b>CERTIFICATIONS</b>       | UL 1449                                  |

## Product specifications

|                          |                                       |
|--------------------------|---------------------------------------|
| <b>ACCESSORIES</b>       | Standard feature package              |
| <b>VOLTAGE RATING</b>    | 120/208V wye (4W+G)                   |
| <b>ENCLOSURE</b>         | NEMA 1                                |
| <b>MOUNTING METHOD</b>   | External side                         |
| <b>INTERRUPT RATING</b>  | 250 kAIC                              |
| <b>OPERATING VOLTAGE</b> | 150 L-N, 150 L-G, 150 N-G,<br>300 L-L |
| <b>SERIES</b>            | SPD                                   |
| <b>TYPE</b>              | Surge protection device               |
| <b>SPECIAL FEATURES</b>  | External side mount                   |

## Resources

|                                      |   |
|--------------------------------------|---|
| <b>BROCHURES</b>                     | <a href="#">Eaton's SPD Series (Sidemount Versions) Brochure</a>  |
| <b>CATALOGS</b>                      | <a href="#">Power Distribution and Control Assemblies, SPD, Power Conditioning, PF Capacitors and Harmonic Filters, Volume 3, Tab 2</a> |
| <b>INSTALLATION INSTRUCTIONS</b>     | <a href="#">Eaton SPD Series - For Mounting External To Electrical Distribution Equipment Installation Manual</a>                       |
| <b>SPECIFICATIONS AND DATASHEETS</b> | <a href="#">Eaton Specification Sheet - SPD250208Y2K</a>  |
| <b>TECHNICAL DATA SHEETS</b>         | <a href="#">Eaton's SPD Series (Sidemount Versions) Data Sheet</a>  |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



### Eaton Corporation plc

Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



# Specifications

## Eaton SPD250208Y2K

Surge Protection Device, SPD series, 250 kAIC, 120/208V wye (4W+G), Standard feature package, NEMA 1 enclosure, External side mount, 150 L-N, 150 L-G, 150 N-G, 300 L-L operating voltage

### General specifications

|                             |  |
|-----------------------------|--|
| <b>PRODUCT NAME</b>         | Eaton SPD series surge protection device |
| <b>CATALOG NUMBER</b>       | SPD250208Y2K                             |
| <b>UPC</b>                  | 786685328546                             |
| <b>PRODUCT LENGTH/DEPTH</b> | 9.5 in                                   |
| <b>PRODUCT HEIGHT</b>       | 3.45 in                                  |
| <b>PRODUCT WIDTH</b>        | 5.4 in                                   |
| <b>PRODUCT WEIGHT</b>       | 3.5 lb                                   |
| <b>WARRANTY</b>             | 15 year                                  |
| <b>CERTIFICATIONS</b>       | UL 1449                                  |

## Product specifications

|                          |                                       |
|--------------------------|---------------------------------------|
| <b>ACCESSORIES</b>       | Standard feature package              |
| <b>VOLTAGE RATING</b>    | 120/208V wye (4W+G)                   |
| <b>ENCLOSURE</b>         | NEMA 1                                |
| <b>MOUNTING METHOD</b>   | External side                         |
| <b>INTERRUPT RATING</b>  | 250 kAIC                              |
| <b>OPERATING VOLTAGE</b> | 150 L-N, 150 L-G, 150 N-G,<br>300 L-L |
| <b>SERIES</b>            | SPD                                   |
| <b>TYPE</b>              | Surge protection device               |
| <b>SPECIAL FEATURES</b>  | External side mount                   |

## Resources

|                                      |   |
|--------------------------------------|---|
| <b>BROCHURES</b>                     | <a href="#">Eaton's SPD Series (Sidemount Versions) Brochure</a>  |
| <b>CATALOGS</b>                      | <a href="#">Power Distribution and Control Assemblies, SPD, Power Conditioning, PF Capacitors and Harmonic Filters, Volume 3, Tab 2</a> |
| <b>INSTALLATION INSTRUCTIONS</b>     | <a href="#">Eaton SPD Series - For Mounting External To Electrical Distribution Equipment Installation Manual</a>                       |
| <b>SPECIFICATIONS AND DATASHEETS</b> | <a href="#">Eaton Specification Sheet - SPD250208Y2K</a>  |
| <b>TECHNICAL DATA SHEETS</b>         | <a href="#">Eaton's SPD Series (Sidemount Versions) Data Sheet</a>  |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



### Eaton Corporation plc

Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

