Eaton TCF30

Catalog Number: TCF30

Eaton Bussmann Series Class CF fuse, TCF, time-delay, dualelement current limiting cube fuse, 30 A, indicating fuse, interrupting rating of 100 kA at 300 Vdc and 300 kA at 600 Vac

General specifications



Eaton Bussmann series TCF fuse

UPC

051712615037

Product Height

1 in

Product Weight

0.08 lb

Certifications

UL Listed
CSA Certified

Catalog Number

TCF30

Product Length/Depth

1.88 in

Product Width

0.75 in

Compliances

RoHS Compliant



Electrical rating

Amperage Rating

30 A

Frequency rating - max

60 Hz

Frequency rating - min

50 Hz

Interrupt rating

300 kAIC at 600 Vac 100 kAIC at 300 Vdc

Voltage rating

600 Vac, 300 Vdc

Physical details

Color

Black

Fuse type

Class CF

Time delay

Material

Glass filled PES

Number of elements

Dual

General information

Class

Class CF

Connection

Blade end

Fuse indicator

With Indicator

Special features

Finger safe

Used with

TCFH30N, CCP2-3-30CF

Resources

Catalogs

Bussmann Full Line Catalog

Low Voltage Branch Circuit Fuse Chapter

Compliance information

RoHS Search Tool

Multimedia

Bussmann series Fuseology

The Power of Space

Technical data sheets

Bussmann series UL Class CF CUBEFuse data sheet no. 9000



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia