



SWITCHES


TradeMaster® Tamper-Resistant Decorator Combination Switches 15A, 120/125VAC




TM818TRWCC



TM838TRLACC



TM83USBWCC6



NTL873WCC6

CATALOG NUMBER	RATING		COLOR	NEMA CONFIG. NO.	3rd PARTY COMPLIANCE		
	A.	VAC			UL20	UL498	cULus
TAMPER-RESISTANT SINGLE POLE SWITCH & SINGLE RECEPTACLE							
TM818TRICC	15	120/125	Ivory	5-15R	•	•	•
TM818TRWCC	15	120/125	White	5-15R	•	•	•
TM818TRCC	15	120/125	Brown	5-15R	•	•	•
TM818TRBKCC	15	120/125	Black	5-15R	•	•	•
TM818TRLACC	15	120/125	Light Almond	5-15R	•	•	•
TAMPER-RESISTANT SINGLE POLE SWITCH & SINGLE RECEPTACLE WITH PILOT LIGHT							
TM818TRPLICC	15	120/125	Ivory	5-15R	•	•	•
TM818TRPLWCC	15	120/125	White	5-15R	•	•	•
TM818TRPLBKCC	15	120/125	Black	5-15R	•	•	•
TM818TRPLLACC	15	120/125	Light Almond	5-15R	•	•	•
TAMPER-RESISTANT THREE-WAY SWITCH & SINGLE RECEPTACLE							
TM838TRICC	15	120/125	Ivory	5-15R	•	•	•
TM838TRWCC	15	120/125	White	5-15R	•	•	•
TM838TRCC	15	120/125	Brown	5-15R	•	•	•
TM838TRBKCC	15	120/125	Black	5-15R	•	•	•
TM838TRLACC	15	120/125	Light Almond	5-15R	•	•	•
TAMPER-RESISTANT TWO SINGLE POLE SWITCHES & SINGLE RECEPTACLE							
TM8118TRICC	15	120/125	Ivory	5-15R	•	•	•
TM8118TRWCC	15	120/125	White	5-15R	•	•	•
TM8118TRCC	15	120/125	Brown	5-15R	•	•	•
TM8118TRBKCC	15	120/125	Black	5-15R	•	•	•
TM8118TRLACC	15	120/125	Light Almond	5-15R	•	•	•

CATALOG NUMBER	RATING		COLOR	NEMA CONFIG. NO.	3rd PARTY COMPLIANCE
	A.	VAC			cULus
TWO USB CHARGERS WITH SINGLE POLE/3-WAY SWITCH					
TM83USBICC6	15	120	Ivory	5-15R	•
TM83USBWCC6	15	120	White	5-15R	•
TM83USBLACC6	15	120	Light Almond	5-15R	•
TM83USBBKCC6	15	120	Black	5-15R	•
TM83USBNICC6	15	120	Nickel	5-15R	•
NIGHT LIGHT WITH SINGLE POLE/3-WAY SWITCH WITH ADJUSTABLE LIGHT LEVELS					
NTL873ICC6	15	120/125	Ivory	5-15R	•
NTL873WCC6	15	120/125	White	5-15R	•
NTL873LACC6	15	120/125	Light Almond	5-15R	•
NTL873BKCC6	15	120/125	Black	5-15R	•
NTL873NICC6	15	120/125	Nickel	5-15R	•


TM83USB Features

- 2.1A Total Charging Capacity
- 5V DC


DEVICES & WALL PLATES

Color Selection Chart

Devices & Plastic Wall Plate Colors



Ivory Light Almond White Green Antique Brass Dark Bronze Nickel




Black Blue Brown Gray Orange Red

See specific device and wall plate catalog charts for particular color availabilities.

Metal Wall Plates


Metal Finish




Aluminum Brass (Brushed) Polished Brass Stainless Steel Brushed Bronze Chrome

Custom Metal Wall Plates Paint Finish Colors

Paint Color



Orange Green Gray Yellow Glossy Black Brown White



Primer Red Pink Flat Black Ivory Light Almond Blue


To order custom metal wall plates, see Pages P-41 – P-45.

For additional colors consult factory.


All devices listed on this page conform to NEMA WD-1 and WD-6.

SWITCHES


TradeMaster® Tamper-Resistant Decorator Combination Switches 15A, 120/125VAC




TM818TRWCC



TM838TRLACC



TM83USBWCC6



NTL873WCC6

CATALOG NUMBER	RATING		COLOR	NEMA CONFIG. NO.	3rd PARTY COMPLIANCE		
	A.	VAC			UL20	UL498	cULus
TAMPER-RESISTANT SINGLE POLE SWITCH & SINGLE RECEPTACLE							
TM818TRICC	15	120/125	Ivory	5-15R	•	•	•
TM818TRWCC	15	120/125	White	5-15R	•	•	•
TM818TRCC	15	120/125	Brown	5-15R	•	•	•
TM818TRBKCC	15	120/125	Black	5-15R	•	•	•
TM818TRLACC	15	120/125	Light Almond	5-15R	•	•	•
TAMPER-RESISTANT SINGLE POLE SWITCH & SINGLE RECEPTACLE WITH PILOT LIGHT							
TM818TRPLICC	15	120/125	Ivory	5-15R	•	•	•
TM818TRPLWCC	15	120/125	White	5-15R	•	•	•
TM818TRPLBKCC	15	120/125	Black	5-15R	•	•	•
TM818TRPLLACC	15	120/125	Light Almond	5-15R	•	•	•
TAMPER-RESISTANT THREE-WAY SWITCH & SINGLE RECEPTACLE							
TM838TRICC	15	120/125	Ivory	5-15R	•	•	•
TM838TRWCC	15	120/125	White	5-15R	•	•	•
TM838TRCC	15	120/125	Brown	5-15R	•	•	•
TM838TRBKCC	15	120/125	Black	5-15R	•	•	•
TM838TRLACC	15	120/125	Light Almond	5-15R	•	•	•
TAMPER-RESISTANT TWO SINGLE POLE SWITCHES & SINGLE RECEPTACLE							
TM8118TRICC	15	120/125	Ivory	5-15R	•	•	•
TM8118TRWCC	15	120/125	White	5-15R	•	•	•
TM8118TRCC	15	120/125	Brown	5-15R	•	•	•
TM8118TRBKCC	15	120/125	Black	5-15R	•	•	•
TM8118TRLACC	15	120/125	Light Almond	5-15R	•	•	•

CATALOG NUMBER	RATING		COLOR	NEMA CONFIG. NO.	3rd PARTY COMPLIANCE
	A.	VAC			cULus
TWO USB CHARGERS WITH SINGLE POLE/3-WAY SWITCH					
TM83USBICC6	15	120	Ivory	5-15R	•
TM83USBWCC6	15	120	White	5-15R	•
TM83USBLACC6	15	120	Light Almond	5-15R	•
TM83USBBKCC6	15	120	Black	5-15R	•
TM83USBNICC6	15	120	Nickel	5-15R	•
NIGHT LIGHT WITH SINGLE POLE/3-WAY SWITCH WITH ADJUSTABLE LIGHT LEVELS					
NTL873ICC6	15	120/125	Ivory	5-15R	•
NTL873WCC6	15	120/125	White	5-15R	•
NTL873LACC6	15	120/125	Light Almond	5-15R	•
NTL873BKCC6	15	120/125	Black	5-15R	•
NTL873NICC6	15	120/125	Nickel	5-15R	•


TM83USB Features

- 2.1A Total Charging Capacity
- 5V DC


DEVICES & WALL PLATES

Color Selection Chart

Devices & Plastic Wall Plate Colors



Ivory Light Almond White Green Antique Brass Dark Bronze Nickel




Black Blue Brown Gray Orange Red

See specific device and wall plate catalog charts for particular color availabilities.

Metal Wall Plates


Metal Finish




Aluminum Brass (Brushed) Polished Brass Stainless Steel Brushed Bronze Chrome

Custom Metal Wall Plates Paint Finish Colors

Paint Color



Orange Green Gray Yellow Glossy Black Brown White



Primer Red Pink Flat Black Ivory Light Almond Blue

To order custom metal wall plates, see Pages P-41 – P-45.

For additional colors consult factory.

All devices listed on this page conform to NEMA WD-1 and WD-6.