



# SWITCHES


## TradeMaster® Tamper-Resistant Decorator Combination Switches 15A, 120/125VAC




TM818TRWCC



TM838TRLACC



TM83USBWCC6



NTL873WCC6

CATALOG NUMBER	RATING		COLOR	NEMA CONFIG. NO.	3rd PARTY COMPLIANCE		
	A.	VAC			UL20	UL498	cULus
<b>TAMPER-RESISTANT SINGLE POLE SWITCH &amp; SINGLE RECEPTACLE</b>							
TM818TRICC	15	120/125	Ivory	5-15R	•	•	•
TM818TRWCC	15	120/125	White	5-15R	•	•	•
TM818TRCC	15	120/125	Brown	5-15R	•	•	•
TM818TRBKCC	15	120/125	Black	5-15R	•	•	•
TM818TRLACC	15	120/125	Light Almond	5-15R	•	•	•
<b>TAMPER-RESISTANT SINGLE POLE SWITCH &amp; SINGLE RECEPTACLE WITH PILOT LIGHT</b>							
TM818TRPLICC	15	120/125	Ivory	5-15R	•	•	•
TM818TRPLWCC	15	120/125	White	5-15R	•	•	•
TM818TRPLBKCC	15	120/125	Black	5-15R	•	•	•
TM818TRPLLACC	15	120/125	Light Almond	5-15R	•	•	•
<b>TAMPER-RESISTANT THREE-WAY SWITCH &amp; SINGLE RECEPTACLE</b>							
TM838TRICC	15	120/125	Ivory	5-15R	•	•	•
TM838TRWCC	15	120/125	White	5-15R	•	•	•
TM838TRCC	15	120/125	Brown	5-15R	•	•	•
TM838TRBKCC	15	120/125	Black	5-15R	•	•	•
TM838TRLACC	15	120/125	Light Almond	5-15R	•	•	•
<b>TAMPER-RESISTANT TWO SINGLE POLE SWITCHES &amp; SINGLE RECEPTACLE</b>							
TM8118TRICC	15	120/125	Ivory	5-15R	•	•	•
TM8118TRWCC	15	120/125	White	5-15R	•	•	•
TM8118TRCC	15	120/125	Brown	5-15R	•	•	•
TM8118TRBKCC	15	120/125	Black	5-15R	•	•	•
TM8118TRLACC	15	120/125	Light Almond	5-15R	•	•	•

CATALOG NUMBER	RATING		COLOR	NEMA CONFIG. NO.	3rd PARTY COMPLIANCE
	A.	VAC			cULus
<b>TWO USB CHARGERS WITH SINGLE POLE/3-WAY SWITCH</b>					
TM83USBICC6	15	120	Ivory	5-15R	•
TM83USBWCC6	15	120	White	5-15R	•
TM83USBLACC6	15	120	Light Almond	5-15R	•
TM83USBBKCC6	15	120	Black	5-15R	•
TM83USBNICC6	15	120	Nickel	5-15R	•
<b>NIGHT LIGHT WITH SINGLE POLE/3-WAY SWITCH WITH ADJUSTABLE LIGHT LEVELS</b>					
NTL873ICC6	15	120/125	Ivory	5-15R	•
NTL873WCC6	15	120/125	White	5-15R	•
NTL873LACC6	15	120/125	Light Almond	5-15R	•
NTL873BKCC6	15	120/125	Black	5-15R	•
NTL873NICC6	15	120/125	Nickel	5-15R	•

### TM83USB Features

- 2.1A Total Charging Capacity
- 5V DC


# DEVICES & WALL PLATES

## Color Selection Chart

### Devices & Plastic Wall Plate Colors



Ivory    Light Almond    White    Green    Antique Brass    Dark Bronze    Nickel



Black    Blue    Brown    Gray    Orange    Red

See specific device and wall plate catalog charts for particular color availabilities.

### Metal Wall Plates

Metal Finish




Aluminum    Brass (Brushed)    Polished Brass    Stainless Steel    Brushed Bronze    Chrome

### Custom Metal Wall Plates Paint Finish Colors

Paint Color



Orange    Green    Gray    Yellow    Glossy Black    Brown    White



Primer    Red    Pink    Flat Black    Ivory    Light Almond    Blue


To order custom metal wall plates, see Pages P-41 – P-45.

**For additional colors consult factory.**


All devices listed on this page conform to NEMA WD-1 and WD-6.

# SWITCHES


## TradeMaster® Tamper-Resistant Decorator Combination Switches 15A, 120/125VAC




TM818TRWCC



TM838TRLACC



TM83USBWCC6



NTL873WCC6

CATALOG NUMBER	RATING		COLOR	NEMA CONFIG. NO.	3rd PARTY COMPLIANCE		
	A.	VAC			UL20	UL498	cULus
<b>TAMPER-RESISTANT SINGLE POLE SWITCH &amp; SINGLE RECEPTACLE</b>							
TM818TRICC	15	120/125	Ivory	5-15R	•	•	•
TM818TRWCC	15	120/125	White	5-15R	•	•	•
TM818TRCC	15	120/125	Brown	5-15R	•	•	•
TM818TRBKCC	15	120/125	Black	5-15R	•	•	•
TM818TRLACC	15	120/125	Light Almond	5-15R	•	•	•
<b>TAMPER-RESISTANT SINGLE POLE SWITCH &amp; SINGLE RECEPTACLE WITH PILOT LIGHT</b>							
TM818TRPLICC	15	120/125	Ivory	5-15R	•	•	•
TM818TRPLWCC	15	120/125	White	5-15R	•	•	•
TM818TRPLBKCC	15	120/125	Black	5-15R	•	•	•
TM818TRPLLACC	15	120/125	Light Almond	5-15R	•	•	•
<b>TAMPER-RESISTANT THREE-WAY SWITCH &amp; SINGLE RECEPTACLE</b>							
TM838TRICC	15	120/125	Ivory	5-15R	•	•	•
TM838TRWCC	15	120/125	White	5-15R	•	•	•
TM838TRCC	15	120/125	Brown	5-15R	•	•	•
TM838TRBKCC	15	120/125	Black	5-15R	•	•	•
TM838TRLACC	15	120/125	Light Almond	5-15R	•	•	•
<b>TAMPER-RESISTANT TWO SINGLE POLE SWITCHES &amp; SINGLE RECEPTACLE</b>							
TM8118TRICC	15	120/125	Ivory	5-15R	•	•	•
TM8118TRWCC	15	120/125	White	5-15R	•	•	•
TM8118TRCC	15	120/125	Brown	5-15R	•	•	•
TM8118TRBKCC	15	120/125	Black	5-15R	•	•	•
TM8118TRLACC	15	120/125	Light Almond	5-15R	•	•	•

CATALOG NUMBER	RATING		COLOR	NEMA CONFIG. NO.	3rd PARTY COMPLIANCE
	A.	VAC			cULus
<b>TWO USB CHARGERS WITH SINGLE POLE/3-WAY SWITCH</b>					
TM83USBICC6	15	120	Ivory	5-15R	•
TM83USBWCC6	15	120	White	5-15R	•
TM83USBLACC6	15	120	Light Almond	5-15R	•
TM83USBBKCC6	15	120	Black	5-15R	•
TM83USBNICC6	15	120	Nickel	5-15R	•
<b>NIGHT LIGHT WITH SINGLE POLE/3-WAY SWITCH WITH ADJUSTABLE LIGHT LEVELS</b>					
NTL873ICC6	15	120/125	Ivory	5-15R	•
NTL873WCC6	15	120/125	White	5-15R	•
NTL873LACC6	15	120/125	Light Almond	5-15R	•
NTL873BKCC6	15	120/125	Black	5-15R	•
NTL873NICC6	15	120/125	Nickel	5-15R	•

### TM83USB Features

- 2.1A Total Charging Capacity
- 5V DC

# DEVICES & WALL PLATES

## Color Selection Chart

### Devices & Plastic Wall Plate Colors



Ivory    Light Almond    White    Green    Antique Brass    Dark Bronze    Nickel



Black    Blue    Brown    Gray    Orange    Red

See specific device and wall plate catalog charts for particular color availabilities.

### Metal Wall Plates

Metal Finish



Aluminum    Brass (Brushed)    Polished Brass    Stainless Steel    Brushed Bronze    Chrome

### Custom Metal Wall Plates Paint Finish Colors

Paint Color



Orange    Green    Gray    Yellow    Glossy Black    Brown    White



Primer    Red    Pink    Flat Black    Ivory    Light Almond    Blue

To order custom metal wall plates, see Pages P-41 – P-45.

**For additional colors consult factory.**

All devices listed on this page conform to NEMA WD-1 and WD-6.