



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## TRIB200 2" Pop On NM Insld Bush

*Abb Installation Products, Inc*

|                  |  |
|------------------|--|
| Catalog Number   | TRIB200  |
| Manufacturer     | Abb Installation Products, Inc   |
| Description      | 2 Inch Non-Metallic Insulated Bushing, High Impact Thermoplastic. For Use With Rigid/Imc Conduit |
| Weight per unit  | 0.0700 (lbs/each)  |
| Product Category | Plastic  |

### Material, Color, and Finish

|       |      |
|-------|------|
| Color | Blue |
|-------|------|

### Dimensions and Weight

|      |        |
|------|--------|
| Size | 2 INCH |
|------|--------|

### Descriptions

|                        |  |
|------------------------|--|
| Description            | 2" POP ON NM INSLTD BUSH   |
| extra long description | ABB TRIB200 BUSHING, 2IN POP-ON (IN  |
| Long Description       | 2 Inch Non-Metallic Insulated Bushing, High Impact Thermoplastic. For Use With Rigid/IMC Conduit |
| Product Type           | Bushing, 2IN Pop-On (Insul.)   |

### Manufacturer Information

|                           |                 |
|---------------------------|-----------------|
| Brand                     | T&B Ind Fitting |
| GTIN                      | 00786210878867  |
| Manufacturers Part Number | TRIB200         |
| UPC                       | 786210878867    |

### Taxonomies, Classifications, and Categories

|                      |   |
|----------------------|---|
| Category Description | COUPLINGS, ADAPTERS, REDUCERS, BUSHINGS, & CAPS |
| Type                 | Insulated Bushing                               |

### Packaging

|                 |      |
|-----------------|------|
| Carton          | 2    |
| Package         | 20   |
| Weight Per each | 0.07 |

### Uses, Certifications, and Standards

|             |   |
|-------------|---|
| Application | Provides a Well Rounded Insulating Surface Over Which Conductors May Be Pulled or on Which Conductors May Bear While In Service |
| standard    | UL E13938, CSA  |