



TSD4FBL3PW

A simple solution for 0-10V dimming.

TSD4FBL3P*

Legrand Dimmers have always been known for style. But now, thanks to customer input, they're known for added simplicity as well. The new 0-10V dimmer controls all the latest LED and fluorescent fixtures in one wall box control (0-10V style fixtures). That means no requirement for a separate power pack.

Interchangeable face covers are available for the dimmers in a variety of popular colors.

Ideal for use in residential and commercial applications, the 0-10V LED and fluorescent dimmer is the simple solution for all your 0-10V control needs.


*Denotes color suffix

Features & Benefits

New aesthetically pleasing ergonomic design allows for easier operation

Constant memory returns lights to previous levels after a power failure

Screw-pressure-plate backwire terminals save time, space and money



Interchangeable face plates available in seven colors (TSDKIT*; sold separately)

Convenient operation – combines ON/OFF toggle switch with separate slider for dimming control

Trim adjustment allows users to fine tune dimmer performance to the fixture

TSD4FBL3PW

- Preset, Single Pole and 3-Way operation.
- Lifetime warranty.




3rd Party Compliance

 cULus listed, UL1472, CSA

Technical Information

Performance

Electrical	
Supply Voltage	120VAC/277VAC
Ratings	120V10A/277V 5A
Frequency	60Hz
Control	0-10VDC 30mA
Installation	Single Pole or 3-Way
Environmental	
Application	Indoor Use Only
Mechanical	



TSD4FBL3PW

Warranty

Lifetime

Ordering Information

0-10V Fluorescent Dimmers

Catalog Number	Description	Color	Voltage	Rating
TSD4FBL3PTC	Preset, Single Pole and 3-Way	Three interchangeable Face Colors: Ivory, White, Light Almond	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PW	Preset, Single Pole and 3-Way	Face Color: White	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PLA	Preset, Single Pole and 3-Way	Face Color: Light Almond	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PI	Preset, Single Pole and 3-Way	Face Color: Ivory	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3P	Preset, Single Pole and 3-Way	Face Color: Brown	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PBK	Preset, Single Pole and 3-Way	Face Color: Black	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PRED	Preset, Single Pole and 3-Way	Face Color: Red	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PGRY	Preset, Single Pole and 3-Way	Face Color: Gray	120VAC 60Hz	120V 10A/ 277V 5A
TSDKIT	Interchangeable Faces	Brown		
TSDKITBK		Black		
TSDKITGRY		Gray		
TSDKITI		Ivory		
TSDKITLA		Light Almond		
TSDKITW		White		
TSDKITRED		Red		

Vertical Markets

- Office
- Residential
- Multiple Dwelling
- Hospitality/Lodging

Available in the radiant® collection

- GFCI Receptacles
- Tamper-Resistant and Standard Duplex Receptacles
- Paddle Switches
- Fan Controls
- Sensors
- Timers
- Home Automation Controls
- USB Charging Devices
- Night Lights
- Screwless Wall Plates




The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act compliant. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.



Legrand, North America
60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us
905.738.9195
www.legrand.ca





TSD4FBL3PW

A simple solution for 0-10V dimming.

TSD4FBL3P*

Legrand Dimmers have always been known for style. But now, thanks to customer input, they're known for added simplicity as well. The new 0-10V dimmer controls all the latest LED and fluorescent fixtures in one wall box control (0-10V style fixtures). That means no requirement for a separate power pack.

Interchangeable face covers are available for the dimmers in a variety of popular colors.

Ideal for use in residential and commercial applications, the 0-10V LED and fluorescent dimmer is the simple solution for all your 0-10V control needs.


*Denotes color suffix

Features & Benefits

New aesthetically pleasing ergonomic design allows for easier operation

Constant memory returns lights to previous levels after a power failure

Screw-pressure-plate backwire terminals save time, space and money



Interchangeable face plates available in seven colors (TSDKIT*; sold separately)

Convenient operation – combines ON/OFF toggle switch with separate slider for dimming control

Trim adjustment allows users to fine tune dimmer performance to the fixture

TSD4FBL3PW

- Preset, Single Pole and 3-Way operation.
- Lifetime warranty.




3rd Party Compliance

 cULus listed, UL1472, CSA

Technical Information

Performance

Electrical	
Supply Voltage	120VAC/277VAC
Ratings	120V10A/277V 5A
Frequency	60Hz
Control	0-10VDC 30mA
Installation	Single Pole or 3-Way
Environmental	
Application	Indoor Use Only
Mechanical	



TSD4FBL3PW

Warranty

Lifetime

Ordering Information

0-10V Fluorescent Dimmers

Catalog Number	Description	Color	Voltage	Rating
TSD4FBL3PTC	Preset, Single Pole and 3-Way	Three interchangeable Face Colors: Ivory, White, Light Almond	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PW	Preset, Single Pole and 3-Way	Face Color: White	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PLA	Preset, Single Pole and 3-Way	Face Color: Light Almond	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PI	Preset, Single Pole and 3-Way	Face Color: Ivory	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3P	Preset, Single Pole and 3-Way	Face Color: Brown	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PBK	Preset, Single Pole and 3-Way	Face Color: Black	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PRED	Preset, Single Pole and 3-Way	Face Color: Red	120VAC 60Hz	120V 10A/ 277V 5A
TSD4FBL3PGRY	Preset, Single Pole and 3-Way	Face Color: Gray	120VAC 60Hz	120V 10A/ 277V 5A
TSDKIT	Interchangeable Faces	Brown		
TSDKITBK		Black		
TSDKITGRY		Gray		
TSDKITI		Ivory		
TSDKITLA		Light Almond		
TSDKITW		White		
TSDKITRED		Red		

Vertical Markets

- Office
- Residential
- Multiple Dwelling
- Hospitality/Lodging

Available in the radiant® collection

- GFCI Receptacles
- Tamper-Resistant and Standard Duplex Receptacles
- Paddle Switches
- Fan Controls
- Sensors
- Timers
- Home Automation Controls
- USB Charging Devices
- Night Lights
- Screwless Wall Plates



The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act compliant. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.



Legrand, North America
60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us
905.738.9195
www.legrand.ca

