

Specifications



Eaton XTCEXFAG11

Contacter Accessory - Auxiliary Contact, Two-pole, Screw terminals, D-G Frame size, 1NO-1NC contact configuration, 16A conventional thermal rating, Front mounting, used with XTRE control relays

General specifications

PRODUCT NAME	Eaton motor control auxiliary contact
CATALOG NUMBER	XTCEXFAG11
UPC	782116354702
PRODUCT LENGTH/DEPTH	1.5 in
PRODUCT HEIGHT	2 in
PRODUCT WIDTH	1 in
PRODUCT WEIGHT	0.07 lb
WARRANTY	Not Applicable
COMPLIANCES	ATEX Compliant CCC Marked CE Marked
CERTIFICATIONS	IEC 60947 EN 60947 UL Listed CSA Certified
CATALOG NOTES	Screw terminals (6-65A); 5 mm(80-150A); no lugs (185-2000A). Orders must be placed in multiples of package quantity listed.
GLOBAL CATALOG	XTCEXFAG11



Powering Business Worldwide

Product specifications

USED WITH	XTRE control relays
NUMBER OF POLES	Two-pole
TYPE	Contactors Accessory - Auxiliary Contact
FRAME SIZE	D-G
TERMINALS	Screw
CONTACT CONFIGURATION	1 NO-1 NC
MOUNTING METHOD	Front
CONVENTIONAL THERMAL CURRENT	16A
QUANTITY	5

Resources

CATALOGS	Motor Control and Protection, IEC Contactors and Starters, Volume 5, Tab 1
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - XTCEXFAG11

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.

Specifications



Eaton XTCEXFAG11

Contacter Accessory - Auxiliary Contact, Two-pole, Screw terminals, D-G Frame size, 1NO-1NC contact configuration, 16A conventional thermal rating, Front mounting, used with XTRE control relays

General specifications

PRODUCT NAME	Eaton motor control auxiliary contact
CATALOG NUMBER	XTCEXFAG11
UPC	782116354702
PRODUCT LENGTH/DEPTH	1.5 in
PRODUCT HEIGHT	2 in
PRODUCT WIDTH	1 in
PRODUCT WEIGHT	0.07 lb
WARRANTY	Not Applicable
COMPLIANCES	ATEX Compliant CCC Marked CE Marked
CERTIFICATIONS	IEC 60947 EN 60947 UL Listed CSA Certified
CATALOG NOTES	Screw terminals (6-65A); 5 mm(80-150A); no lugs (185-2000A). Orders must be placed in multiples of package quantity listed.
GLOBAL CATALOG	XTCEXFAG11



Powering Business Worldwide

Product specifications

USED WITH	XTRE control relays
NUMBER OF POLES	Two-pole
TYPE	Contactors Accessory - Auxiliary Contact
FRAME SIZE	D-G
TERMINALS	Screw
CONTACT CONFIGURATION	1 NO-1 NC
MOUNTING METHOD	Front
CONVENTIONAL THERMAL CURRENT	16A
QUANTITY	5

Resources

CATALOGS	Motor Control and Protection, IEC Contactors and Starters, Volume 5, Tab 1
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - XTCEXFAG11

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.