

For mounting power and communication devices in-line with 5400 Series Raceway. Utilizes 5507 Series Faceplates, Wiremold Open System communication modules, Ortronics TracJack and Series II inserts, and Pass and Seymour Activate Series Inserts. For faceplate options, see 5507 Series Faceplates. NOTE: CM-EPLA End Plates are required when using Wiremold communication modules and Pass and Seymour Activate inserts. S2-EPL End Plates are required when using Ortronics Series II Inserts. To mount TracJack inserts, use 5507-4TJ or 5507-6TJ Faceplates.

Features & Benefits

For mounting power and communication devices in-line with 5400 Series Raceway.

NOTE: CM-EPLA End Plates are required when using Wiremold communication modules and Pass and Seymour Activate inserts.

Utilizes 5507 Series Faceplates, Wiremold Open System communication modules, Ortronics TracJack and Series II inserts, and Pass and Seymour Activate Series Inserts. For faceplate options, see 5507 Series Faceplates.

S2-EPL End Plates are required when using Ortronics Series II Inserts. To mount TracJack inserts, use 5507-4TJ or 5507-6TJ Faceplates.

Specifications

General Info

Product Line	Wiremold	Color	White
UPC Number	786776059120	Country Of Origin	United States
Material	Plastic	Product Series	5400 Series
Installation Location	On Wall	Application Sector	Commercial
Standard	cULus Listed Raceway: File E90378 Guide RJTX. Complies with flammability requirements of UL-5A. Fittings: File E90377 Guide RJYT. Meets Article 388 of NEC. UL Listed for up to 600V. Meets Section 12-1600 of CEC.	Warranty Type	1-Year from Installation or 2-Years from Day of Sale
Type	Bracket, Fitting		

Dimensions

Product Width US 5.2 in

Product Weight US 0.278 lb

Product Height US 0.7 in

Product Length US 6.0 in

Listing Agencies / 3rd Party Agencies

cULus ListingNumber E90377

cULus Listed Yes

Additional Information


RoHS Compliant Yes

Technical Information

Is Pre-Wired No

Indoor/Outdoor Indoor

Voltage 600.0 V



For mounting power and communication devices in-line with 5400 Series Raceway. Utilizes 5507 Series Faceplates, Wiremold Open System communication modules, Ortronics TracJack and Series II inserts, and Pass and Seymour Activate Series Inserts. For faceplate options, see 5507 Series Faceplates. NOTE: CM-EPLA End Plates are required when using Wiremold communication modules and Pass and Seymour Activate inserts. S2-EPL End Plates are required when using Ortronics Series II Inserts. To mount TracJack inserts, use 5507-4TJ or 5507-6TJ Faceplates.

Features & Benefits

For mounting power and communication devices in-line with 5400 Series Raceway.

NOTE: CM-EPLA End Plates are required when using Wiremold communication modules and Pass and Seymour Activate inserts.

Utilizes 5507 Series Faceplates, Wiremold Open System communication modules, Ortronics TracJack and Series II inserts, and Pass and Seymour Activate Series Inserts. For faceplate options, see 5507 Series Faceplates.

S2-EPL End Plates are required when using Ortronics Series II Inserts. To mount TracJack inserts, use 5507-4TJ or 5507-6TJ Faceplates.

Specifications

General Info

Product Line	Wiremold	Color	White
UPC Number	786776059120	Country Of Origin	United States
Material	Plastic	Product Series	5400 Series
Installation Location	On Wall	Application Sector	Commercial
Standard	cULus Listed Raceway: File E90378 Guide RJTX. Complies with flammability requirements of UL-5A. Fittings: File E90377 Guide RJYT. Meets Article 388 of NEC. UL Listed for up to 600V. Meets Section 12-1600 of CEC.	Warranty Type	1-Year from Installation or 2-Years from Day of Sale
Type	Bracket, Fitting		

Dimensions

Product Width US 5.2 in

Product Weight US 0.278 lb

Product Height US 0.7 in

Product Length US 6.0 in

Listing Agencies / 3rd Party Agencies

cULus ListingNumber E90377

cULus Listed Yes

Additional Information

RoHS Compliant Yes

Technical Information

Is Pre-Wired No

Indoor/Outdoor Indoor

Voltage 600.0 V
